

The Journal of Laryngology and Otology

EDITED BY
A. LOGAN TURNER AND J. S. FRASER

Contents

THE SACULAR, UTRICULAR, AND ALLIED REFLEXES: RECENT RESEARCH WORK AT THE UNIVERSITY OF UTRECHT	ALEX. R. TWEEDIE	
EPITHELIAL INLAY IN RADICAL MASTOID OPERATIONS .	E. HAMILTON WHITE	
THE DIAGNOSTIC VALUE OF TRANSILLUMINATION OF THE MAXILLARY ANTRA	E. WATSON-WILLIAMS	
THE INFLUENCE OF ORAL SEPSIS ON THE COURSE OF CANCER OF THE THROAT	DAN M'KENZIE	
CLINICAL RECORD:—		
INTRANASAL DACRYOCYSTOSTOMY: AN EASY METHOD OF APPROACH	ANDREW CAMPBELL	
SOCIETIES' PROCEEDINGS:—		
ROYAL SOCIETY OF MEDICINE—SECTIONS OF OTOTOLOGY AND LARYNGOLOGY.		
ABSTRACTS:—		
PERORAL ENDOSCOPY.	NOSE AND ACCESSORY SINUSES.	
EAR.	MISCELLANEOUS.	
REVIEWS OF BOOKS.	LETTERS TO EDITORS.	GENERAL NOTES.

Edinburgh: Oliver and Boyd
London: 33 Paternoster Row

Monthly, 4/- net

Annual Subscription, 40/- net

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

LISTERINE

*A safe, non-poisonous, unirritating
antiseptic solution*

LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhoea, occurring in infants and adults.

LISTERINE literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

ASSISTED BY

DOUGLAS GUTHRIE AND IRWIN MOORE

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.

4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.

5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

6. Editorial Communications should be addressed to "EDITORS, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."

7. The Annual Subscription is Forty Shillings or Ten Dollars, and is payable in advance.

8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings (One Dollar) each.

9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings (One Dollar) each.

HOSPITAL FOR DISEASES OF THE THROAT

GOLDEN SQUARE, LONDON, W. 1

HONORARY MEDICAL STAFF

SURGEONS.	OUT-PATIENTS.	OPERATIONS.
Mr JEFFERSON FAULDER	Wednesday, 2 P.M.	Thursday, 10 A.M.
Dr W. H. KELSON	Friday, 2 P.M.	Friday, 9.30 A.M.
Mr GEORGE W. BADGEROW	{ Monday, 2 P.M. Tuesday, 6 P.M. }	Wednesday, 9 A.M.
Dr IRWIN MOORE	Friday, 6.30 P.M.	Tuesday, 2 P.M.
Mr LIONEL COLLEDGE	Tuesday, 2 P.M.	Thursday, 2 P.M.
Mr G. W. DAWSON	Thursday, 2 P.M.	Tuesday, 10 A.M.
Mr GILBERT CHUBB	Saturday, 10 A.M.	Friday, 2 P.M.
ASSISTANT SURGEONS.		
Mr F. J. CLEMINSON	{ Tuesday, 6 P.M. Saturday, 10 A.M. }	Monday, 10 A.M.
Mr T. H. JUST	{ Tuesday, 2 P.M. Thursday, 2 P.M. }	Wednesday, 10 A.M.

CLINICAL INSTRUCTION

Clinical Instruction in the Diagnosis and Treatment of Disease is given daily in the Out-Patient Department from 2 to 5 p.m.; on Tuesdays and Fridays from 6.30 to 9 p.m. Major operations are performed at the times specified above, and minor operations by the Assistant Surgeons.

The Hospital contains 60 beds for In-Patients. There is also an Out-Patient attendance of over 60,000 yearly.

Practitioners and Medical Students are admitted to the Practice of the Hospital and from among them Clinical Assistants are chosen, whose duty it is to assist the member of the staff to whom they are appointed. For further information apply to the Dean—LIONEL COLLEDGE.

DISEASES OF THE NOSE AND THROAT

COMPRISING AFFECTIONS OF THE TRACHEA AND OESOPHAGUS

By Sir STCLAIR THOMSON, M.D., F.R.C.P.Lond., F.R.C.S.Eng.

"A complete, authoritative, and scholarly picture of modern Rhino-laryngology, beautifully illustrated and well arranged."—*Journal of Laryngology*.

"At once the fullest and clearest account of the diseases of the throat and nose that exists in the English language."—*British Medical Journal*.

"To the senior student it will be a reliable guide, and to the busy practitioner a complete and ready source of reference."—*Lancet*.

SECOND EDITION. With 12 Colour and 10 Black-and-White Plates
and 337 Figures in the Text. 30s. net

CASSELL & CO., LIMITED, LA BELLE SAUVAGE, LONDON, E.C. 4

SURGICAL INSTRUMENTS

IN FIRTH'S STAINLESS AND RUSTLESS STEEL

*Illustrated List of the Instruments we make in
the above Metal will be sent on application*

J. GARDNER & SON

Surgical Instrument Manufacturers to Edinburgh Royal Infirmary, etc.

32 FORREST ROAD, EDINBURGH

Works: CANDLEMAKER ROW, EDINBURGH


Telegrams: "FORCEPS, EDINBURGH."

Telephone: No. 747

GRANDS PRIX:
 Paris, 1900. Brussels, 1910. Buenos Aires, 1910.



Gold Medal, Allahabad, 1910.




A NEW TRACHEOTOMY TUBE

(Pilot permits breathing during introduction)

By Dr A. CUBLEY

Vide Journal of Laryngology and Otology, March 1922.



**Needle for Suturing the Pillars of the Fauces,
 and Forceps for Carrying the Suture.**

By Mr THOS. GUTHRIE, F.R.C.S.

Vide Journal of Laryngology and Otology, April 1920.

Manufactured only by

DOWN BROS., LTD.

Surgical Instrument Makers

21 and 23 ST THOMAS'S STREET, LONDON, S.E. 1

Telegrams
 "DOWN, LONDON."

(OPPOSITE GUY'S HOSPITAL)

Telephone
 HOP 4400 (4 lines).

CONTENTS

	PAGE
THE SACCULAR, UTRICULAR, AND ALLIED REFLEXES: RECENT RESEARCH WORK AT THE UNIVERSITY OF UTRECHT. Alex. R. Tweedie, F.R.C.S.	213
EPITHELIAL INLAY IN RADICAL MASTOID OPERATIONS. E. Hamilton White, Montreal	223
THE DIAGNOSTIC VALUE OF TRANSILLUMINATION OF THE MAXILLARY ANTRA. E. Watson-Williams, M.C., Ch.M.	227
THE INFLUENCE OF ORAL SEPSIS ON THE COURSE OF CANCER OF THE THROAT. Dan M'Kenzie	230
CLINICAL RECORD:—	
Intranasal Dacryocystostomy: An Easy Method of Approach. Andrew Campbell, M.B., F.R.C.S. (Edin.), Port Elizabeth	232
SOCIETIES' PROCEEDINGS:—	
Royal Society of Medicine—Sections of Otology and Laryngology	234
ABSTRACTS:—	
Peroral Endoscopy	245
Ear	246
Nose and Accessory Sinuses	250
Miscellaneous	254
REVIEWS OF BOOKS	257
LETTERS TO THE EDITORS	260
GENERAL NOTES	261

ADRENALIN

The hæmostatic and blood-pressure-raising principle of the suprarenal gland, as first isolated in 1900 by TAKAMINE, and placed on the market in January, 1901, by PARKE, DAVIS & Co.

ADRENALIN CHLORIDE SOLUTION, 1 in 1000.

Employed as a hæmostatic in epistaxis and surgical procedures, and as a constricting in nasal occlusion. Administered hypodermically in asthma, and orally in pertussis.

ADRENALIN INHALANT.

An oily solution of Adrenalin with Chloretone for use as a spray or swab in coryza, hay fever, laryngitis, pharyngitis, tonsillitis, aphonia, œdema, etc.

ADRENALIN THROAT LOZENGES.

Contain Adrenalin, diamorphine, red gum, and ipecac. Astringent, sedative, and expectorant. Useful in pharyngitis, tonsillitis, gинgivitis, etc.

ADRENALIN OINTMENT, also ADRENALIN & CHLORETONE OINTMENT.

Employed in coryza, rhinitis, hay fever, and nasal obstruction.

PITRENALIN.

A solution of the combined active principles of the pituitary and suprarenal glands. Employed hypodermically in asthma.

ADRENALIN TABLETS,

1/200 and 1/65 grain.

One tablet in 5 minims or 1 c.c., respectively, of sterile distilled water forms 1 in 1000 solution.

ADRENALIN AND BENZAMINE (EUCAINÉ) TABLETS.

One tablet in 1 to 5 c.c. of sterile distilled water forms a local anæsthetic and ischaemic solution for use in minor surgery.

ADRENALIN AND COCAINE TABLETS.

Two strengths, each containing 1/1800 grain of Adrenalin with either 1/6 or 3/4 grain of cocaine hydrochloride. For preparing ischaemic and analgesic solutions for infiltration anæsthesia.

"CODRENINE."

A solution containing 1/1000 grain of Adrenalin chloride and 1/3 grain of cocaine hydrochloride in each c.c. For use in minor surgery.

"EUDRENINE."

A solution containing 1/2000 grain of Adrenalin chloride and 1/6 grain of benzamine (eucaine) hydrochloride in each c.c. For use in minor surgery.

Further particulars will be sent on request by

PARKE, DAVIS & Co., 50 Beak Street, LONDON, W.1