

NATIONAL COLLECTION OF DAIRY ORGANISMS

NEW Catalogue of Strains maintained at the National Collection of Dairy Organisms.

The Catalogue lists about 1,500 bacteria and bacteriophage found in milk and milk products. Both useful (e.g. lactic acid bacteria and propionibacteria) and spoilage (e.g. pseudomonads, aerobic and anaerobic sporeformers) organisms are listed. Pathogenic bacteria infecting the udder are also in the Collection.

1974

Price 50p

NATIONAL INSTITUTE FOR RESEARCH
IN DAIRYING
SHINFIELD, READING
BERKSHIRE RG2 9AT

INDIAN JOURNAL OF DAIRY RESEARCH

Volume 27, No. 4

CONTENTS

December, 1974

- 1 Comparative study of the fat globule membrane proteins of buffalo and cow milk by A. K. BANNERJEE & N. C. GANGULI and URSULA KOCH & J. R. BRUNNER.
- 2 Hydrolytic and autoxidative properties of buffalo and cow milk fats as influenced by their glyceride structure by M. K. RAMA MURTHY & K. M. NARAYANAN.
- 3 Comparative study on the chemical composition and *in vitro* digestibility of Dinanath Grass (*Pennisetum pedicellatum*), Bajra (*Pennisetum typhoides*) and Sorghum (*Sorghum vulgare*) by BHAGWAN DAS, S. K. ARORA & Y. P. LUTHRA.
- 4 Biochemical changes in the cervical Mucus during different stages of oestrus in crossbred and Zebu cattle by V. C. GOEL, M. V. N. RAO & S. S. KHIRWAR.
- 5 Cell wall constituents and *in vitro* dry matter and cell wall digestibility of Rabi and Kharif forages by RANDHIR SINGH, P. C. GUPTA, VIDYA SAGAR & K. PRADHAN.
- 6 Studies on silage making from Berseem (*Trifolium Alexandrinum*) by B. R. PATEL & V. D. MUDGAL.
- 7 The effect of body condition at calving on milk production in dairy cow by R. K. YADAVA, L. O. GILMORE & H. R. CONRAD.
- 8 Factors affecting some economic traits of reproduction in Indian buffaloes by A. S. KANAUIA, DAYA SINGH BALAINE & S. S. RATHI.
- 9 Intra Uterine Development Index in Sahiwal Cattle by M. C. HANDA, M. GURNANI & D. S. BHATNAGAR.
- 10 Assessment of feed requirements of Holstein cows by statistical procedures by D. G. NAIK & J. D. DONKER.
- 11 Milk production function in Ludhiana District (Punjab) by GHANSHAM DAS AUL, D. S. SIDHU & S. S. GILL.

SHORT COMMUNICATIONS

- 1 Composition of free and bound fat of ghee residue by T. D. PRUTHI & S. K. RAYAKA.
- 2 Effect of thermal oxidation on the glycerides of ghee by B. S. BECTOR & K. M. NARAYANAN.
- 3 Afatoxin in buffalo milk by B. YADAGIRI & P. G. TULPULE.
- 4 Occurrence of aerobic spore-forming bacteria in milk products by J. S. ATWAL, P. C. REDDY, RATTAN CHAND & R. A. SRINIVASAN.
- 5 Ammonium sulphate as a nitrogen and sulphur source for utilization by rumen microbes by S. P. ARORA, R. S. LUDRI, K. K. SINGHAL & P. P. ATREJA.
- 6 Immunological specificity of rennet preparations from living calves by C. K. NAIN & N. C. GANGULI.

Price Rs. 20/- (\$6.00 or L2.00) per annum

Published by: Indian Dairy Science Association
W-III A, Greater Kailash, New Delhi 110 048, INDIA

The Journal of General Microbiology

Volume 87, Part 2, April 1975

- Z. YANIV and R. C. STAPLES. Changes in Ribosomes Associated with Spore Senescence in the Bean Rust Fungus.
- J. H. PARISH. Transfer of Drug Resistance to Myxococcus from Bacteria Carrying Drug-resistance Factors.
- M. J. GAUTHIER, J. M. SHEWAN, D. M. GIBSON and J. V. LEE. Taxonomic Position and Seasonal Variations in Marine Neritic Environment of Some Gram-negative Antibiotic-producing Bacteria.
- C. J. SMYTH. The Identification and Purification of Multiple Forms of θ -Haemolysin (θ -Toxin) of *Clostridium perfringens* Type A.
- J. M. DOLBY and J. P. ACKERS. Taxonomic Distribution of the Antigen Eliciting Bactericidal Antibody for *Bordetella pertussis*.
- R. FULLER. Nature of the Determinant Responsible for the Adhesion of Lactobacilli to Chicken Crop Epithelial Cells.
- R. T. MOORE. Early Ontogenetic Stages in Dolipore/Parenthesome Formation in *Polyporus biennis*.
- J. ALT, K. KRISCH and P. HIRSCH. Isolation of an Inducible Amidase from *Pseudomonas acidovorans* AEL.
- G. CORNELIS and E. P. ABRAHAM. β -Lactamases from *Yersinia enterocolitica*.
- G. CORNELIS and C. COLSON. Restriction of DNA in *Yersinia enterocolitica* Detected by Recipient Ability for a Derepressed R Factor from *Escherichia coli*.
- S. C. WATKINSON. Regulation of Coremium Morphogenesis in *Penicillium claviforme*.
- R. W. HEDGES. R Factors from *Proteus mirabilis* and *P. vulgaris*.
- K. F. CHATER. Construction and Phenotypes of Double Sporulation Deficient Mutants in *Streptomyces coelicolor* A3(2).
- L. E. SANCHEZ, J. V. LEARY and R. M. ENDO. Chemical Mutagenesis of *Fusarium oxysporum* f. sp. *lycopersici*: Non-selected Changes in Pathogenicity of Auxotrophic Mutants.
- K. KERSTERS and J. DE LEY. Identification and Grouping of Bacteria by Numerical Analysis of their Electrophoretic Protein Patterns.
- A. W. B. JOHNSON and J. E. BERINGER. Identification of the Rhizobium Strains in Pea Root Nodules Using Genetic Markers.
- N. J. RUSSELL, D. KERRIDGE and E. F. GALE. Polyene Sensitivity during Germination of Conidia of *Aspergillus fumigatus*.
- H. J. SOMERVILLE and H. V. POCKETT. An Insect Toxin from Spores of *Bacillus thuringiensis* and *Bacillus cereus*.

SHORT COMMUNICATIONS

- A. R. KANEY and P. JHABVALA. Absence of Repression in a Phenylalanine Auxotroph of *Synechococcus cedrorum*.
- K. TAKEO and I. UESAKA. Existence of a Simple Configuration in the Wall Surface of Nocardia Mycelium.
- J. A. BUSWELL and D. G. TWOMEY. Utilization of Phenol and Cresols by *Bacillus stearothermophilus*, Strain PH24.

£5.50 net (US \$16.50 in USA & Canada)

1975 subscription £48.00 net (US \$159.00 in USA & Canada)

CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London NW1 2DB

32 East 57th Street, New York, N.Y. 10022

DIRECTIONS TO CONTRIBUTORS

GENERAL

Manuscripts should be sent to Dr M. E. Sharpe (*The Journal of Dairy Research*), National Institute for Research in Dairying, Shinfield, Reading, RG2 9AT, England. Submission of a paper will be held to imply that it reports unpublished original work, that it is not under consideration for publication elsewhere, and that if accepted for the *Journal* it will not be published elsewhere in any language, without the consent of the Editors.

FORM OF PAPERS

The author should follow these directions carefully, and consult a current issue of the *Journal* for guidance on details of typographical and other conventions.

Every paper should be headed with its title, the names and initials of the authors (women supplying one given name) and the name and address of the laboratory where the work was done.

Papers should be in English, using the spelling of the *Shorter Oxford English Dictionary*. They should be typed with double spacing, on one side only of the sheets, and with ample margins for editorial annotations.

Papers should in general be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements without a heading; (g) References. With some types of material headings other than (c), (d) and (e) may be preferable.

The use of footnotes should be avoided if possible. Underlining should be used only to indicate italics. Proper nouns, including trade names, should be given a capital initial letter. Wherever possible numerals should be used unless this leads to ambiguity. The typescript should carry the name and address of the person to whom the proofs are to be sent, and give a shortened version of the paper's title, not exceeding 45 letters and spaces, suitable for a running title in the *Journal*.

TABLES


Tables should be numbered and should carry headings describing their content. They should be comprehensible without reference to the text. They should be typed on separate sheets and their approximate positions in the text indicated. To minimize the cost of printing, the number and size of tables should be kept to an absolute minimum.

ILLUSTRATIONS

Line drawings, which must be originals, should be numbered as Figures and photographs as Plates, in Arabic numerals. Drawings should be in Indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized piece of tracing paper, or translucent graph paper faintly lined in blue or grey, folded down the centre with the drawing on one half and the other half acting as a flyleaf.

Attached to every figure and plate there should be a translucent flyleaf cover on the outside of which should be written legibly: (a) title of paper and name of author; (b) figure or plate number and explanatory legend;

(c) the figures and lettering, which are intended to appear on the finished block, in the correct positions relative to the drawing underneath. Each paper should have a separate typed sheet listing figure and plate numbers with their legends, and the approximate positions of illustrations should be indicated in the text.

The photographs and diagrams should be about twice the size of the finished block and not larger overall than the sheets on which the paper itself is typed. For a figure measuring 250 mm × 150 mm all lines, axes and curves should be 0.4 mm thick, thus . Graph symbols in order of preference are ○ ●, △ ▲, □ ■, × +, and for a 250 mm × 150 mm graph the circles should be 3 mm in diam. The triangles should be equilateral of 3 mm side, and the squares also of 3 mm side. The crosses should have lines 3 mm long at right angles. Scale marks on the axes should be on the inner side of each axis and should be 3 mm long.

SHORT COMMUNICATIONS

Short communications or notes of not more than 2000 words, containing only one Table or Figure, and without a summary will also be published.

REFERENCES

In the text, references should be quoted by whichever of the following ways is appropriate: Arnold & Barnard (1900); Arnold & Barnard (1900a); Arnold & Barnard (1900a, b); (Arnold & Barnard, 1900). Give all the surnames of 3 authors at the first mention, but in subsequent citations and in all cases where there are more than 3 authors give only the first surname (e.g. Brown *et al.*) provided that there is no possible ambiguity.

References should be listed alphabetically at the end of the paper. Titles of journals should be given in full, authors' initials should be included, and each reference should be punctuated in the typescript thus: Arnold, T. B., Barnard, R. N. & Compound, P. J. (1900). *Journal of Dairy Research* 18, 158. References to books should include names of authors, year of publication, title, names of editors, town of publication and name of publisher in that order, thus: Arnold, T. B. (1900). *Dairying*. London: Brown and Chester.

It is the duty of the author to check all references.

UNITS, SYMBOLS AND ABBREVIATIONS

SI units must be used, as explained in British Standards Institution publication PD 5686:1972, *The use of SI units*. Until SI units are widely understood, it is permissible to give the equivalent value in other units in parenthesis. Symbols and abbreviations used are those of British Standard 1991: Part 1: 1967. *Letter Symbols, Signs and Abbreviations*.

DESCRIPTIONS OF SOLUTIONS

Normality and molarity should be indicated thus: N-HCl, 0.1 M-NaH₂PO₄. The term '% ' means g/100 g solution. For ml/100 ml solution the term '% (v/v)' should be used and for g/100 ml solution the correct abbreviation is '% (w/v)'.

REPRINTS

Order forms giving quotations for reprints are sent to authors with their proofs.

CONTENTS

Studies on the milk composition of West African dwarf, Red Sokoto and Saanen goats at different stages of lactation. I. Total solids, butterfat, solids-not-fat, protein, lactose and energy contents of milk	
A. U. MBA, B. S. BOYO and V. A. OYENUGA	pages 217-226
Fluoro-opto-electronic cell-counting on milk	
P. SCHMIDT MADSEN	227-239
The use of marker enzymes to assay the churning of milk	
D. J. STANNARD	241-246
Tributyrate as a substrate for the determination of lipase activity in milk	
H. B. CASTBERG, P. SOLBERG and T. EGELRUD	247-253
Lipases in bovine milk and the relationship between the lipoprotein lipase and tributyrate hydrolysing activities in cream and skim-milk	
H. B. CASTBERG, T. EGELRUD, P. SOLBERG and T. OLIVECRONA	255-266
The precipitation of proteins by carboxymethyl cellulose	
J. G. ZADOW and R. D. HILL	267-275
Proteolysis detection in milk. IV. Starch-gel electrophoresis and formol titration	
H. S. JUFFS	277-283
The effect of oxygen content on flavour and chemical changes during aseptic storage of whole milk after ultra-high-temperature processing	
E. L. THOMAS, H. BURTON, J. E. FORD and A. G. PERKIN	285-295
The preparation and assessment of a suitable <i>Mucor pusillus</i> Lindt proteinase-swine pepsin mixture for Cheddar cheese-making	
M. L. GREEN and A. STACKPOOLE	297-312
Accelerated cheese ripening: a method for increasing the number of lactic starter bacteria in cheese without detrimental effect to the cheese-making process, and its effect on the cheese ripening	
H.-E. PETTERSSON and G. SJÖSTRÖM	313-326
Acid phosphatase activity in cheese and starters	
A. T. ANDREWS and E. ALICHANIDIS	327-339
Observations on the microscopic crystalline inclusions in Cheddar cheese	
B. E. BROOKER, D. G. HOBBS and A. TURVEY	341-348

© Proprietors of *The Journal of Dairy Research*, 1975