### VOL. X.—1896.

THE

## JOURNAL OF LARYNGOLOGY.

RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

#### London:

THE REBMAN PUBLISHING COMPANY, LIMITED, Successors to F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS: 4

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS HALL.

# THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by Morell Mackenzie and Norris Wolfenden.

#### EDITED BY

R. NORRIS WOLFENDEN, M.D. Cantab.,

JOHN MACINTYRE, M.B. Glasgow, F.R.S.E.,

DUNDAS GRANT, M.A., M.D., F.R.C.S. Eng.,

WITH THE ASSISTANCE OF

DR. SANDFORD (Cork), R. LAKE, F.R.C.S. (London),

AND WITH THE CO-OPERATION OF

DRS. BARON (Bristol), BETTMAN (Rome), BOTEY (Barcelona),

CARTAZ (Paris), BRYSON DELAVAN (New York), DODD (Chicago),

DRAISPUL (St. Petersburg), GRAZZI (Florence), GUYE (Amsterdam),

HICGUET (Brussels), MIDDLEMASS HUNT (Liverpool), HUTCHISON (Glasgow),

VALERIUS IDELSON (Berne), JOAL (Paris), KARWOWSKI (Warsaw),

A. B. KELLY (Glasgow), LACOARRET (Toulouse),

LICHTWITZ (Bordeaux), JOHN N. MACKENZIE (Baltimore),

PROF. MASSEI (Naples), MEYJES (Amsterdam), E. MEYER (Berlin),

MICHAEL (Hamburg), HOLGER MYGIND (Copenhagen)

PORTER (St. Louis), STGEORGE REID (London), SAJOUS (Paris),

SENDZIAK (Warsaw), SOTA (Seville), STCLAIR THOMSON (London),

WAGGETT (London), AND ZIEM (Dantzic).

### CONTENTS.

PAG
Retrospect of the Year 1895 1 to 16
Abstracts of Papers read at the Congress of Otology at Florence—
Okunnieff-Auscultation of the Mastoid Process
MOURE—Cavernous Angioma of the Ear
Ottolenghi—Sensitiveness of Deaf Mutes24
D'AGUANNO—Paracusis of Willis
Societies' Meetings—
LARYNGOLOGICAL SOCIETY OF LONDON.—Myxoma of Larynx, Semon.—Paralysis of Left Vocal Cord, Ball.—Neurosis of Larynx and Laryngitis in Typhoid Fever, Bowlby.—Case for Diagnosis, Bowlby.—Myxoma of Lingual Tonsil, Bronner.—Tissue Regeneration after Turbinectomy, Hill.—Typhoid Ulcer of Larynx, Kanthack.—Papillomatous Hypertrophy of Larynx, Kanthack.—Empyema of Antrum, Kanthack.—Inter-arytenoid Pachydermia, Kidd.—Syphilitic Ulceration of Trachea, Kidd.—Lupus of Pharynx and Larynx, Law.—Nasal Obstruction, Law.—Warty Laryngeal Growth, Spicer.—Œsophageal Malignant Disease, Stewart.—Enlargement of Thyroid, Stabb.—Tubercle or Cancer? Beale.—Swelling of Sub-Maxillary Gland, GrantPages 29 to 37
VIENNA LARYNGOLOGICAL SOCIETY.—Treatment of Sinusites, Weil, Störk, Chiari, Grossmann, Hajek—Ablation of Inferior Turbinated, Panzer—Trephining the Frontal Sinus, Chiari—Papilloma of Septum, Weil—Retro-Nasal Phlegmon, Roth—Diagnosis and Treatment of Sphenoidal Sinusitis, Hajek
MEETING OF BELGIAN OTOLOGISTS AND LARVNGOLOGISTS.—Ozæna, Capart—Syphiloma of Neck and Throat, Rutten
Reviews-
Diseases of the Ears, Garnault. 4.  Diseases of Children's Teeth, Pedley 4.  Phenol Sulphuricinate in Laryngeal Tuberculosis, Ruault 4.
Preparations—
Bullock's Cocaine Lozenges 49
Burroughs' Menthol Snuff 49
GUIDE TO ADVERTISEMENTS.
Bullock & Co vii.
Central London Throat Hospital x.
Ingram & Royle vii., ix.
Lambert Pharmacal Co
Mayer & Meltzer vi.
Rebman Publishing Companyiv., vii., viii.

### MAYER & MELTZER,

71, GREAT PORTLAND STREET,

LONDON,

## SURGICAL INSTRUMENT MAKERS

то

Hospital for Diseases of the Throat, Golden Square,
Central London Throat, Nose, and Ear Hospital,
London Throat Hospital,
Royal Ear Hospital, etc., etc.,

And to the Special Departments of all the leading London and Provincial Hospitals.



# Mr. LENNOX BROWNE'S TONSIL BISTOURY AND SCRAPER.

Price, in case, 12s. 6d.

In the case of a tonsillar abscess, several causes may prevent the escape of the pus after an incision has been made sufficiently deep to be consistent with safety. It is therefore my practice, writes Mr. Lendon Browne, when the matter does not escape, to explore more deeply with a probe, and then to break down any tissue preventing the liberation of the pus. In every case it is desirable, according to modern views of surgery, to scrape out the abscess cavity.

The Tonsil Knife figured in the illustration is adapted to meet all these requirements of bistoury, probe, and sharp spoon, combined in a single instrument; and the surgeon has simply to reverse the instrument according to the purpose for which he requires it. Being made in one piece of metal it has the advantage of being easily and perfectly cleaned, and there being no joint or woodwork in its construction, there is no difficulty in rendering it completely aseptic.

CATALOGUE of LARYNGOLOGICAL INSTRUMENTS will be sent POST FREE on application to

### MAYER & MELTZER, 71, Great Portland Street, W.