

VOL. IV.—1890.

c

THE JOURNAL
OF
LARYNGOLOGY
AND
RHINOLOGY;

*AN ANALYTICAL RECORD OF CURRENT LITERATURE RELATING TO
THE THROAT AND NOSE.*

EDITED BY

SIR MORELL MACKENZIE, M.D. Lond.,

AND

R. NORRIS WOLFENDEN, M.D. Cantab.,

WITH THE CO-OPERATION OF

DR. JOHN N. MACKENZIE (BALTIMORE)
DR. BRYSON DELAVAN (NEW YORK)
DR. W. PORTER (ST. LOUIS)
DR. JOAL (MONT DORE)
PROF. MASSEI (NAPLES)
PROF. GUYE (AMSTERDAM)
DR. CAPART (BRUSSELS)
DR. CONSTANTIN KARWOWSKI (WARSAW)
DR. BARCLAY J. BARON (BRISTOL)

DR. VALERIUS IDELSON (BERNE)
DR. MICHAEL (HAMBURG)
PROF. RAMON DE LA SOTA Y LASTRA
(SEVILLE)
DR. HOLGER MYGIND (COPENHAGEN)
DR. SMYLY (DUBLIN)
DR. DAVID COLLINGWOOD (SYDNEY)
DR. G. W. MAJOR (MONTREAL)
DR. MAXWELL ROSS (EDINBURGH)

AND

Dr. G. HUNTER MACKENZIE (Edinburgh).

Published Monthly.

F. A. DAVIS,

LONDON:
40, BERNERS STREET, W.

PHILADELPHIA:
1231, FILBERT STREET.

c.

CONTENTS.

Original Article—

THE NOSE AND NEURASTHENIA, p. 234.

Translation—

A STUDY OF THE DIAGNOSIS AND TREATMENT OF MALIGNANT
TUMOURS OF THE NASAL FOSSÆ. BY DR. A. F. PLICQUE,
p. 235.

Abstracts of Current Literature relating to—

INSTRUMENTS AND THERAPEUTICS, p. 243.

DIPHTHERIA, p. 247.

MOUTH, TONGUE, PHARYNX, ŒSOPHAGUS, p. 251.

NOSE AND NASO-PHARYNX, p. 254.

LARYNX, p. 259.

THYROID GLAND, NECK, p. 264.

Society Meetings—

NEW YORK ACADEMY OF MEDICINE : SECTION IN LARYNGOLOGY,
p. 268.

Review—

TRANSACTIONS OF THE AMERICAN LARYNGOLOGICAL ASSOCIATION,
p. 270.

New Preparations—

PUMILINE LINIMENT AND OINTMENT ; LISTERINE, p. 271.

Note —p. 272.

"TABLOIDS" OF PURE DRUGS.

ADVANTAGES.—1. Each dose of the drug is presented in the smallest possible compass.

2. Being compressed from dry powders, instead of containing a gummy pill excipient, Tabloids are to a certain degree porous, and when required for constitutional effect are compressed lightly, so that they may disintegrate in the stomach and dissolve readily.

3. The form being adapted to the shape of the throat, they are more easily swallowed than pills.

4. Those Tabloids which are intended for local effect, as upon the mouth or throat, are compressed so hard that they dissolve very slowly in the mouth. A concentrated solution coming in prolonged contact with the disordered membrane acts as a perfect gargle, the effect being more pronounced than when employed in the ordinary form of solution, and the action of which is not impeded by any extraneous substances, such as sugar, gum, etc.

Dr. J. A. Marston, C.B., Deputy Surgeon-General, in his official report on the International Medical Congress, held at Washington, says:—

"These Tabloids are not more expensive than the ordinary forms of administering medicines, as they can be made at a very small advance on the crude drug. They keep well in all climates, and are unaffected by heat or moisture. Specimens were examined which had been round the world in s.s. 'Ceylon.' Mr. H. M. Stanley, in his work, 'The Congo,' vol. II., pages 225 and 327, refers to their value."

APOMORPHINE TABLOIDS, 1 50 gr.

Are recommended by Dr. Murrell as an efficient expectorant in chronic bronchitis, bronchial catarrh and pulmonary diseases generally.

Supplied to the medical profession in tubes of 25 at 4s. 6d. per doz; 100 in bottle, 8s. 6d. per doz.

CASCARA SAGRADA TABLOIDS.

Are an elegant form for prescribing this otherwise nauseous drug. They are active, readily disintegrated in the stomach and therefore reliable.

Supplied to the medical profession in bottles of 25 and 100 at 7s. 6d. and 22s. per doz.

TABLOIDS prepared by B. W. & Co.

Aconite Tinct., 1 min.

Aloin, 1/10 gr.

Ammon. Bromide, 5 and 10 gr.

Ammon. Chloride, 3, 5, and 10 gr.

Ammon. Chloride with Borax.

Anti-Con- { Aloin, 1-5 gr. Strych.

stipation { 1-60; Belladon. Ex. 1-8 gr.

Ipecac. 1-10 gr.

Antifebrin, 2 gr.

Antimony Tartrate, 1/50 gr.

Antipyrin, 5 gr.

Apomorphine Mur., 1/50 gr.

Arsenious Acid, 1/100 and 1/50 gr.

Atropin Sulph., 1/100 gr.

Belladonna Tinct., 1 min.

Bismuth Sub-nit., 5 and 10 gr.

Blue Pill.

Borax, 5 grs.

Caffein Citrate, 1 gr.

Calcium Sulphide, 1/10 gr.

Calomel, 1/10 and 1 gr.

Capsicum Tinct., 1 min.

Cascara Sagrada Ext., 2 gr.

{ Cascara Sagrada Ext. (dry), 1 gr.

{ Euonymin, 1/2 gr.

{ Nux Vomica Ext. 1/16 gr.

Cathartic Comp. U. S. P.

Charcoal, 5 gr.

Chloral Hydrate, 5 and 10 gr.

Cocaine, Potash and Borax (Voice).

Cretæ Aromat. cum Opio Pulv., 5 gr.

Digitalis Tinct., 1 min.

Digitalin, 1/100 gr.

Dover Powder, 1/4 and 5 gr.

Euonymin Resin, 1/8 gr.

Hydrarg. cum Cretâ (Grey Powder),

1/3 gr.

Hydrarg. Iod. Rub., 1/20 gr.

H3drarg. Iod. Vir., 1/3 gr.

Hydrarg. Perchlor., 1/100 gr. [1 gr.

Hydrarg. Subchlor. (Calomel) 1/10 and

Hyoseyamus Tinct., 1 min.

Ipecac. and Opium (Dover Powd.),

1/4 and 5 gr.

Ipecac. Powder, 1/10 and 5 gr.

Iron and Quinine Cit., 3 gr.

Laxative Vegetable.

Lithia Carbonate, 2 gr.

Manganese Dioxide, 2 gr.

Morphine Sulph., 1/20 and 1/8 gr.

Nitro-Glycerine.

Nux Vomica Tinct., 1 min.

Opium Tinct. (Laudanum), 2 min.

Papain, 2 gr.

Pepsin, Pure (Fairchild).

Pepsin Saccharated, 5 gr.

Peptonic.

Pilocarpin Mur., 1/20 gr.

Phenacetin, 5 gr.

Podophyllin Resin, 1/4 gr.

Potash Bicarb., 5 gr.

Potassium Bromide, 5 and 10 gr.

Potash Chlorate, 5 gr.

Potash Chlorate with Borax, 5 gr.

Potash Nit. (*Sal Prunella*), 5 gr.

Potash Permanganate, 1 and 2 gr.

Potassium Iodide, 5 gr.

Quinine, 1/10, 1/2, 3 and 5 gr.

{ Quinine Sulphate, 1 gr.

{ Iron Hypophosphite, 2 gr.

{ Acid Arsenious.

{ Strychnine Sulphate, aa 1/50 gr.

{ Saccharin, 1/100 gr.

Rhubarb, 3 gr.

Rhubarb Comp. (Pil.), 3 gr.

Rhubarb Comp. Pulv. (Gregory Pow-

der), 5 gr.

Rhubarb and Soda, 5 gr.

Saccharin, 1/2 gr.

Salicin, 5 grs.

Salol, 5 gr.

Santonin, 1/2 gr.

Soda Bicarbonate, 5 gr.

Soda-Mint (Soda, Ammon., Carb.

and Mint).

Soda Salicylate, 3 and 5 gr.

Strophanthus Tinct., 2 min.

Sulphonal, 5 gr.

Sulphur Comp. (Dr. Garrod's formula)

Tannin, 23 gr.

Test Tabloids (Fehling's).

Thirst.

Tinct. Camph. Co. (Paregoric), 2 min.

{ Iron Pyrophos., 2 gr.

{ Quinine Sulph., 1 gr.

{ Strychnine Sulph.

1/100 gr.

Trinitine (*Nitro-Glycerine*), 1/100 and

1/50.

Trinitrine and Amyl Nitrite.

{ Trinitrine 1/100 gr.

{ Nitrate of Amyl, 4 gr.

{ Capsicum, 1/50 gr.

{ Menthol, 1/50 gr.

Urethane, 5 gr.

Voice Potash (Borax and Cocaine)

Warburg Tincture, 30 mins. in each.

Zinc Sulphate, 1 gr.

Zinc Sulpho-carbolate, 2 gr.

Zymine Tabloids.

Zymine Comp. Tabloids.

These pure and palatable Tabloids of Compressed Drugs are supplied in convenient packages for dispensing, and at moderate prices.

BURROUGHS, WELLCOME & Co., Snow Hill Buildings, London, E.C.

Will be happy to supply trial Specimens of "Tabloids" to medical men free on request.