

BB Drilling Limited P.O. Box No. 1, Station Approach, East Boldon, Tyne & Wear NE36 0SL Telephone (0783) 368444

Geological Magazine, 117, 2

The McCrone Micronising Mill

is designed for the preparation of samples for quantitative analysis by X-ray diffraction, X-ray fluorescence and other methods.

Up to 5 ml of most materials can be reduced to micrometre size in twenty minutes. A wet grinding process is normally used and there is a choice of agate or corundum grinding elements.

Further details are available from :

McCrone Research Associates Ltd 2 McCrone Mews, Belsize Lane London NW3 5BG Tel: 01-435 2282/3/4

McCrone Accessories & Components 2820 South Michigan Avenue Chicago, Illinois 60616 U.S.A. Tel: (312) 842 7100

The Vital Role of Accurate Sampling & Sample Preparation for Quantitative Analysis

A one-day seminar at The Holiday Inn, Swiss Cottage London NW3, Wednesday 30 April 1980

Details and programme are available from:

The Registrar **McCrone Research Institute** 2 McCrone Mews, Belsize Lane London NW3 5BG Tel: 01-435 2282/3/4 Telegrams: McResearch London NW 3

Geocryology

A Survey of Periglacial Processes and Environments A. L. Washburn

This new edition of A. L. Washburn's standard work, *Periglacial Processes and Environments*, provides a comprehensive overview of frost-action and mass-wasting processes and their effects present and past. The text has been greatly augmented, stressing the most recent publications and research, and is illustrated with over 200 photographs and diagrams. Although unresolved views on controversial issues are presented as before, Professor Washburn has, in response to suggestions made by users of the first edition, given greater play to his own views.

Contents

Preface to the second edition. Introduction. Environmental factors. Frozen ground. General frost-action processes. Some periglacial forms. Mass-wasting processes and forms. Nivation. Slopewash. Fluvial action. Lacustrine and marine action. Wind action. Thermokarst. Environmental overview. Environmental reconstructions. References. Index.

Boards £27.50

Edward Arnold

41 Bedford Square, London WC1B 3DQ

NOTES FOR CONTRIBUTORS

Contributions for publication should be addressed to The Editors, *Geological Magazine*, Sedgwick Museum, Downing Street, Cambridge CB2 3EQ, England.

All contributions, whether articles, correspondence or reviews, must be typed in duplicate on one side of the paper, double spaced throughout, with a wide margin on the left of each page and a narrower margin on the right. Any minor corrections should be made neatly in the typescript, leaving the margins clear.

The total length of a paper should not in general exceed 20 pages of the *Geological Magazine*; preference and priority are given to short papers. Longer papers (between 20 and 40 pages of *Geological Magazine*) will from time to time be considered, but authors wishing to submit such manuscripts should first request further details.

The accuracy of references is the responsibility of authors. References must be double spaced and abbreviated in the form of the *World List of Scientific Periodicals* 4th Edition as far as possible, e.g.

Brooks, M. & James, D. G. 1975. The geological results of seismic refraction surveys in the Bristol Channel, 1970-73. Q. Jl geol. Soc. Lond. 131, 163-82.

Kirby, G. A. 1978. Layered gabbros in the Eastern Lizard, Cornwall, and their significance. Geol. Mag. 115, 199-204.

Books should be cited as:

Ramsey, J. G. 1967. Folding and Fracturing of Rocks. New York: McGraw-Hill.

Bott, M. H. P. 1973 The evolution of the Atlantic north of the Faroe Islands. In Implications of Continental Drift to the Earth Sciences, vol. 1 (ed. D. H. Tarling and S. N. Runcorn), pp. 175-89. London, New York: Academic Press.

Unpublished work, e.g. from theses, should normally be referred to in the text in parentheses and not included in the reference list unless in the press.

Articles must be accompanied by a brief summary. Contributions should follow the general style of papers in recent issues of the Magazine and the principles laid down in *Notes to Authors (Proc. Geol. Soc. Lond.*, No. 1627. Oct. 1965). Headings should be set out clearly, but not underlined. Primary beadings should be in lower case, at margin, with arabic numeral; sub-headings should be numbered 2.*a*, 2.*b*, etc., and tertiary headings 2.*a*.1., 2.*a*.2. No cross-references should be given by page number, but 'above' and 'below' should be used with the section specified, e.g. Section 2.*a*.1.

Illustrations must be drawn to allow reduction to maximum size of 200 mm \times 134 mm; originals should normally be drawn at twice final size and must be sent in a flat package. Lettering must allow for legibility after reduction (i.e. equivalent to 1 mm as a minimum on reduction). Duplicates of illustrations may be prints or, preferably, reductions. Metric units of the SI system are preferred. Illustrations in the text will be referred to as figures (Fig. 2, 2*a*, etc.), and halftone plates will be referred to (also in arabic) as Plates 2, 2*a*, etc. Folding plates will not be accepted. Captions for figures and plates must be typed on separate sheets.

Twenty-five offprints of each paper will be provided free of charge. Additional offprints may be purchased according to a set scale of charges.

Geological Magazine

Volume 117, Number 2, March 1980

MEYERHOFF, A. A. Petroleum Basins of the Soviet Arctic	101-186
WINCHESTER, J. A. Variation of metamorphic grade in Lower Strathspey	187-189
LANE, P. D. & THOMAS, A. T. A replacement name for <i>Rhax</i> Lane & Thomas, 1978 (Trilobita) <i>non</i> Hermann, 1804	191
CORRESPONDENCE The geology of southern Guyana: R. B. McCONNELL	193-198
Pseudofossils from the Precambrian, including 'Buschmannia' and 'Praesolenopora': M. F. GLAESSNER and F. DEBRENNE	199-200
REVIEWS	201-207
PUBLICATIONS RECEIVED	207-210

Cambridge University Press 1980

Printed in Great Britain at the University Press, Cambridge