

SUBJECT INDEX

- absolute dimensions 55, 81-88, 203-204, 315
- abundances 53, 172, 221-222
- accretion
 - observation 39, 253, 256, 258, 457
 - theory 13, 139-143, 211-215, 329-332, 432-437
- accretion disks
 - in Algol and W Ser systems 229, 241, 243-244, 247, 249, 257-258, 268, 269-270, 287-292, 300-302
 - in X-ray binaries, novae, and dwarf novae 45, 443-445, 449
 - theory 156-159
- Algol (semi-detached) systems
 - evolution 211-216
 - hydrogen lines 60, 287-292
 - masses and radii 203-204
 - mass flow 35, 207-210, 211-216, 217-218, 243-244, 269-270, 305-310, 579, 582
 - models 152-154, 263-264
 - origin 130, 132
 - polarization 249-250
 - spectroscopic observations 53, 233-236, 237-241
- AM Her stars 318, 431, 453-464, 467-469, 471-472
- Am stars 97
- angular momentum 326, 445, 491-493
- Ap stars 95-98
- atmospheric eclipses 73-77
- Be stars 60, 61, 69, 199, 235, 294-296, 316, 361-364, 367-373
- black hole candidates 313-314
- blue stragglers 145-148, 545
- capture 146-147
- cataclysmic variables (*see* dwarf novae, novae)
- circulation by differential heating 495-499
- coalescence 145-148
- common envelope 145-148
- contact binaries (not exclusively W UMa stars)
 - evolution 127-132, 133-137, 139-143, 511-515
 - models
 - discontinuity theory 478-479, 481-484, 583
 - thermal relaxation oscillation theory 479-484
 - observations 60, 527-529
- coronae 397-402
- cyclotron lines 453-464
- detached systems
 - absolute dimensions 81-88, 577-578
 - hydrogen-line photometry 60
 - period changes 89-93
- disks (*see* accretion disks)
- distortion wave in light curves
 - observations 392, 405-412, 419-421
 - theory 389-394

- dwarf novae
 - observations 318, 439-441, 443-445, 562
 - theory 155-157, 431-435, 439-441
- evolution of binary systems
 - contact binaries 511-514
 - high mass systems 115-119
 - intermediate mass systems 109-114, 133-137, 211-215
 - pre-main sequence systems 149-154
 - W UMa systems 127-132
 - Wolf-Rayet binaries 170-173
- flares
 - optical 229-232
 - radio 347
- formation of binary systems 7-14
- gas streams
 - in Algol systems, models 231, 305-310
 - in Algol systems, observations 219, 238-240, 294, 295
 - in Vela X-1, observations 359
- globular clusters, binaries in 561-565
- H α emission
 - in Algol systems 225-227, 233-236, 287-292
 - in X Per 233, 236, 368
 - in HR5110 413-414
- hot spots
 - on accretion disks 445, 459
 - on photospheres 308
- Hubble-Sandage variables 155-159
- interstellar extinction 280, 447, 536
- limb darkening 76
- line profiles 225-227, 359
- magnetic fields 35, 308-310, 391, 393, 432-434, 437, 453-457
- main-sequence binaries 81-88
- mass flow (exchange and loss)
 - in Algols and W Ser systems 29, 207-210, 217-218, 244, 256, 259, 578-579, 582
 - in contact binaries 491-494, 511-515
 - in O-type systems 163-167, 195-197
 - in planetary nebulae 571-573
 - in radio binaries 35
 - in RS CVn binaries 383-387
 - theory 103-107, 110-111, 115-119, 123-126, 133-137, 156-157
- mass ratios 163-167, 182, 492, 517-519
- mixing mechanisms 214-215
- M dwarfs 36, 471-472
- multiple systems 55
- neutron stars 316, 325, 329-334, 337-338, 364
- novae 60, 444, 447, 562-565
- orbits, photometric 87, 193, 413
- orbits, spectroscopic 177-180, 355
- O-type stars 42, 115-119, 163-167, 195-198
- period changes 89-93, 383-386, 421, 506-507, 521-526

- period determination 368-370
- photometry
 - b, v 507-508
 - UBVRI 349-350, 361-363, 405-412, 415-418, 423, 425
 - H α and H β 59-62, 299-302, 415-418
 - ultraviolet 501
- planetary nebulae 571-573
- planetary nuclei 567-570, 571-573
- polarization
 - observations 249-250, 343-345, 450
 - theory and analysis 65-70, 71-72, 77, 343-345, 456
- polars (see AM Her stars)
- radial velocities 83, 177-180, 275-278, 319, 355, 367-373
- radio emission 31-37, 229-232, 347, 395, 403
- rings 233-234
- rotation 27-29, 223, 263-264, 267-268, 485-489
- RS CVn systems
 - hydrogen-line photometry 60, 63, 413
 - light curves 405-412
 - mass loss 383-387
 - radio emission 32, 36, 403
 - starspot model 389-396, 415-418, 582-583
 - ultraviolet emission 46
 - X-ray emission 318, 397-402
- semi-detached systems (see Algol systems)
- spectrum analysis
 - time resolved 233-236, 544-546
 - ultraviolet 39-50, 195-198, 271-284, 447-448, 550, 582
- SS Cyg systems (see dwarf novae)
- star spots 389-396, 410, 415-418, 423-426
- statistics of close binaries 15-21, 23-26, 96-97, 103-107, 163-165
- stellar wind 34, 45, 123-126, 163-167, 286
- sun 399
- supergiants 47-50, 60, 63, 316, 549-553, 555-559
- supernova explosions 324-325
- symbiotic systems 60, 535-542, 543-546, 547
- third body 521-526
- thermonuclear burning 330-332, 432-435
- tidal braking 27-29
- tidal distortion 36
- Tikhov-Nordmann effect 424, 427
- ultraviolet observations
 - Algols and W Ser systems 237-240, 251-259, 271-284, 582
 - B stars 293-297
 - cool binaries 46-47, 501-503
 - novae 447-448
 - O-type systems 195-198
 - supergiants with hot companions 47-50, 549-553, 555-558
 - symbiotic stars 538-540, 543-546
 - X-ray sources 39-46, 350-352, 467-468
- V/R variations 289, 372-373

- white dwarfs 139-143, 432-434, 439-440, 450
- Wolf-Rayet stars 68, 116, 120-121, 169-175, 177-180, 181-184, 187-191
- W Serpentis systems 252-259
- W UMa systems
 - mass ratios 517-519
 - models 127-131, 477-484, 491-494, 495-499
 - period changes 521-526
 - photometry 421-422, 501-503, 505-509, 529-531
 - rotation 485-489
 - ultraviolet emission 46-47
- X-ray binaries
 - evolution and origin 323-326, 335-341
 - models 375-379, 453-459
 - optical photometry 349-352, 361-365
 - optical spectroscopy 359, 456-464
 - orbits 355-356
 - survey 313-321
 - ultraviolet spectroscopy 39-46, 349-352, 467-468
- X-ray bursters 329-334
- X-ray emission 39, 232, 392, 397-402
- X-ray pulsars 41, 335-341, 361-365
- X-ray sources 357, 569