

---

# Index

- algebra
  - Artin, xxx
  - Beilinson, 330
  - canonical, 335
  - dg, 298
  - differential graded, 298
  - exterior, 246, 332
  - gentle, 185
  - integral group, 184
  - Koszul, 330
  - Kronecker, 157
  - noetherian, xxx
  - quadratic, 330
  - quasi-hereditary, 232
  - Schur, 229, 245
  - split quasi-hereditary, 285
  - squid, 336
  - symmetric, 196, 254, 332
  - tensor, 246, 331
  - trivial extension, 164
- antisymmetriser, 274
- approximation
  - left, 212, 352
  - right, 38, 212
- arrow, xxxi
  - start of, xxxi
  - terminus of, xxxi
- artinian conjecture, 376
- Auslander–Reiten formula, 192
- Baer’s criterion, 362
- Brown representability theorem, 92, 98
- calculus
  - of left fractions, 10
  - of right fractions, 10
- cardinality, xv
- Catalan number, 225
- category, xvii
  - $\alpha$ -filtered, 60
  - abelian, xxii, 16
  - abelian quotient, 30
  - additive, xx, 15
  - additive quotient, 29
  - algebraic triangulated, 85, 300
  - BGG category  $\mathcal{O}$ , 292
  - cocomplete, xxiii
  - compactly generated triangulated, 98, 305
  - connected, xxi
  - derived, 88, 107, 299
  - dg, 300
  - differential graded, 300
  - directed, xx
  - essentially small, xvii
  - exact, xxvi, 21
  - exact products, 123
  - filtered, xix, 11, 342
  - finitely generated abelian, 383, 397
  - free abelian, 400
  - Frobenius, xxx, 83, 182
  - Gröbner, 372
  - Grothendieck, xxiii
  - having enough injectives, xxviii, 23
  - having enough projectives, xxviii, 23
  - having injective envelopes, 27
  - having projective covers, 27
  - hereditary, xxix, 139
  - homotopy, 103, 299
  - idempotent complete, xxv
  - injectively stable, 28, 191
  - $k$ -linear, xxx, 347
  - Krull–Schmidt, xxvi
  - left Hom-finite, 421

- length, xxiv
- locally  $\alpha$ -presentable, 61
- locally finitely presented, xxiii, 343
- locally presentable, 61
- locally small, xv
- of morphisms, xvii, 20
- opposite, xvii
- path, 348
- perfectly generated triangulated, 92
- perpendicular, 176
- preadditive, 347
- projectively stable, 43, 191
- purity, 379
- singularity, 182
- slice, 170, 343
- small, xvii
- Spanier–Whitehead, 308
- spectral, 59, 438
- split exact, xxix
- stabilised derived, 182
- stable, 83, 182
- suspended, 73
- symmetric tensors, 229, 244
- triangulated, 73
- uniserial, 424
- with exact (co)products, 108
- Cauchy filtration
  - exterior powers, 283
  - symmetric powers, 271
  - symmetric tensors, 267
- Cauchy identity, 292
- centre, xxx, 347
- Chase’s lemma, 362
- class, xv
- cocycle, 104
- cogenerating set
  - perfectly, 96
- cogenerator
  - injective, xxviii
- cohomology
  - of a complex, 104
  - Tate, 143, 411
- coideal
  - of a poset, 285
- coinvariants, 244
- cokernel, xxii
- colimit, xix
  - $\alpha$ -filtered, 60
  - $\alpha$ -small, 60
  - directed, xx, 342
  - filtered, xx, 342
- homotopy, 89
- complex, 102
  - acyclic, 105, 106
  - bounded, 109, 196, 209
  - cochain, 102
  - contractible, 102
  - dualising, 317, 318
  - homologically perfect, 312
  - homotopically minimal, 131
  - homotopy injective, 122
  - homotopy projective, 122
  - K-injective, 122
  - K-projective, 122
  - Koszul, 331
  - perfect, 167, 189
  - quasi-isomorphic to its cohomology, 139
  - shifted, 103
  - split, 105
  - totally acyclic, 180
- composition, 241
- cone
  - mapping, 104
  - of a morphism, 76, 83
- content, 242
- coresolution
  - finite  $\mathcal{C}$ -, 208
- cotorsion pair, 176, 211
- counit, xviii
- cover
  - projective, 25
- decomposition of a category
  - direct, xxi
  - orthogonal, xxi
- Dedekind domain, 445
- degree
  - cohomology, 104
  - complex, 102
  - homogeneous element, 53
- dense chain, 440
- diagram, xix
- differential, 102, 298, 300
- dimension
  - finitistic, 222, 405
  - flat, 179
  - global, xxix
  - injective, xxix
  - Krull–Gabriel, of a category, 436
  - Krull–Gabriel, of an object, 441
  - minimal, 439
  - of a Gorenstein ring, 179
  - projective, xxviii

- weak, 179
- direct summand, xxi
- dual
  - quadratic, 331
  - Ringel, 241
- dual pair, 404
- endlength of a module, 426
- envelope
  - injective, xxviii, 25, 35
  - pure-injective, 381
- epimorphism, xvii
  - homological, 137
  - of rings, 45
- equivalence
  - derived, 311
  - homotopy, 103
  - of categories, xviii
  - of extensions, 21, 116
  - of fractions, 11
  - of monomorphisms, xxii
  - of tilting objects, 220
  - stable, of objects, 28
  - triangle, 74
  - up to direct summands, 301
  - up to permutation, 241
- essential image, xviii
- extension
  - exact category, xxv, 22, 116
  - triangulated category, 97
  - universal, 236
- extension of scalars, xxxiv
- exterior power, 246
- filling, 242
  - strictly increasing each column, 242
  - weakly increasing each row, 242
- five lemma, xxix
- fraction
  - left, 10
  - right, 10
- Frobenius pair, 88
- function
  - additive, 415
  - complete symmetric, 243
  - irreducible (sub)additive, 415
  - Schur, 243
  - subadditive, 415
- functor, xvii
  - $\alpha$ -coherent, 67
  - additive, xxi, 16
  - adjoint, xviii
  - cofinal, xx, 344
  - coherent, 67
  - cohomological, 75
  - contravariantly finite, 372
  - covariantly finite, 372
  - derived Nakayama, 196, 316
  - diagonal, xix
  - effaceable, 42
  - endofinite, 416
  - essentially surjective, xviii
  - exact, xxv, 22, 74
  - faithful, xviii
  - FI-module, 375
  - finitely presented, 17, 378
  - full, xviii
  - graded, 254
  - $k$ -linear, 347
  - left derived, 128
  - left exact, 44, 349
  - localisation, xix, 7
  - locally effaceable, 43
  - Nakayama, 164, 195, 277
  - noetherian, 370
  - quotient, xviii
  - representable, 17
  - right derived, 127, 128
  - Schur, 257, 280
  - Serre, 189
  - strict polynomial, 230, 251
  - support, 422
  - triangle, 74
  - weakly left exact, 17
  - Weyl, 280
  - Yoneda, 6, 17
- Gabriel–Popescu theorem, 56
- general linear group, 250
- generating set, 356
  - compactly, 98
  - perfectly, 92
- generator, xxiii
  - projective, xxviii
- good filtration, 293
- grading group, 53
- Grothendieck category
  - locally finite, 357, 360
  - locally finitely generated, 357
  - locally finitely presented, 121, 357
  - locally noetherian, 37, 325, 357, 359, 369
- Grothendieck group
  - of a ring, xxx
  - of a triangulated category, 110
  - of an exact category, xxx, 109

- group algebra, 348
- group cohomology, 408
- height, xxiv
- Hilbert's basis theorem, 368
- Hochster duality, 408
- homogeneous element, 53
  - even, 54
- horseshoe lemma, xxix
- ideal, xxi
  - associated prime, 50
  - of a poset, 285, 368
  - of null-homotopic morphisms, 102
  - prime, 48
- image
  - of functor, xviii
  - of morphism, xxii
- invariants, 244
- isomorphism, xvii
- Jacobson radical, xxiv
- $k$ -algebra, xxx
- $k$ -linearisation, 348
- kernel
  - of functor, xxi, 16
  - of morphism, xxii
  - weak, 17
- Kostka number, 242
- Krull–Gabriel filtration, 436
- Krull–Remak–Schmidt–Azumaya theorem, 59
- lattice, xxxi
  - congruence relation, 439
  - finite length, 439
  - modular, xxxi
  - Tamari, 225
- Leibniz rule, 298
- length, xxiv
- limit, xix
  - direct, xx
  - homotopy, 90
- localisation
  - of a category, 3
  - universal, 46
  - Verdier, 78
- Loewy length, xxiv
- Matlis duality, xxxi
- minimal decomposition, 27, 131
- module, xv
  - acyclic dg, 299
  - adic, 447
  - basic tilting, 226
  - bimodule, xv
  - characteristic tilting, 240, 289
  - costandard, 232, 288
  - dg, 298, 300
  - differential, 185
  - generic, 430, 432
  - Gorenstein injective, 192
  - Gorenstein projective, 179, 192
  - graded, 54
  - K-projective dg, 303
  - maximal Cohen–Macaulay, 179
  - $p$ -torsion, 445
  - perfect dg, 300
  - Prüfer, 447
  - pseudo-coherent, 171
  - pure-injective, 402
  - Schur, 279
  - stable, 161
  - standard, 232, 285
  - tilting, 219
  - torsion, 408
  - torsion free, 409
  - twisted, 54, 152
  - Weyl, 279
- monomorphism, xvii
- morphism, xvii
  - admissible epimorphism, xxvi, 21
  - admissible monomorphism, xxvi, 21
  - comparison, 267
  - connecting, xxv
  - essential epi, 25
  - essential mono, xxviii, 25
  - left almost split, 398
  - left minimal, 212
  - null-homotopic, 20, 102, 299
  - phantom, 167
  - pure mono, 380
  - radical, xxiv
  - right minimal, 212
  - standard, 261, 280
- Noether isomorphism, xxxi
- object, xvii
  - $\alpha$ -presentable, 61
  - artinian, xxiv
  - closed, 4
  - compact, 96, 167, 304, 309, 362
  - costandard, 271
  - discrete, 133
  - endofinite, 415
  - finite length, xxiv, 360
  - finitely generated, 357
  - finitely presented, xxiii, 121, 343, 369

- fp-injective, 399
- homologically finite, 77, 138, 309
- indecomposable, xxiv, 58
- initial, 314
- injective, xxviii, 23
- local, 4
- noetherian, xxiv, 359
- orthogonal, 4
- Prüfer, 396
- product-complete, 395
- projective, xxviii, 23
- pure-injective, 380
- semisimple, xxiii
- $\Sigma$ -pure-injective, 393
- simple, xxiii
- small, 96
- standard, 264
- super-decomposable, 58
- tilting, 147, 215, 307, 308
- uniform, 58, 438
- octahedral axiom, 74
- ordered surjection, 373
- $p$ -rank, 455
- partial order
  - admissible, 370
  - dominance, 242
  - lexicographic, 242
- partition, 241
  - conjugate, 241
- path, xxxi
  - differential, 186
  - length, xxxi
  - maximal differential, 186
- point, 150
  - closed, 150, 156
  - generic, 150
  - isolated, 399
  - rational, 150
- polynomial map, 250
- poset
  - noetherian, 368
  - strongly noetherian, 368
- primitive cycle, 186
- projective presentation, 23
- pullback of abelian categories, 41
- quasi-compact space, 383, 397
- quasi-isomorphism, 105, 107, 299, 306
- quiver, xxxi
  - Kronecker, xxxii, 155
  - opposite, 336
  - underlying diagram, 224
- quotient, xxii
- radical, xxiv, 160
- recollement, 34
- regular cardinal, 60
- representation
  - generic, 375
  - group, 348
  - $k$ -linear, 348
  - postinjective, 156
  - preprojective, 156
  - quiver, xxxii, 156, 348
  - regular, 156, 158
  - separated, 160
  - sign, 275
- resolution
  - complete, 142, 301
  - finite  $\mathcal{C}$ -, 177, 208
  - injective, 112
  - $K$ -injective, 122
  - $K$ -projective, 122, 303
  - projective, 113
- restriction of scalars, xxxiv
- ring
  - associated graded, 52
  - complete intersection, 183
  - finite, 375
  - finite representation type, 429
  - Gorenstein, 179, 183
  - graded, 53
  - graded commutative, 54
  - graded noetherian, 54
  - hypersurface, 183
  - Iwanaga-Gorenstein, 179
  - local, xxiv, 59
  - opposite, xv
  - quasi-Frobenius, xxx, 87, 184
  - right coherent, 167, 313, 405
  - right hereditary, xxix
  - right perfect, 405
  - right pure-semisimple, 404
  - right self-injective, 87
  - self-injective, 88
  - semiperfect, xxvi
  - semiprimary, 37
  - semisimple, xxix
  - with several objects, 376
- scheme, 344
  - Gorenstein, 318
  - projective, 317
- sections of a sheaf, 151
- sequence

- admissible, xxvi, 21
- approximation, 176
- bad, 374
- colocalisation, 7
- cone, 83
- exact, xxv, xxvi, 21
- localisation, 7
- long exact, xxv
- mapping cone, 104
- minimal, 374
- pure-exact, 380
- short exact, xxv
- set, xv
- sheaf
  - locally free, 153
  - of differential forms, 204, 318
  - structure, 152
  - torsion, 153
  - twisted, 152
- shift of a category, 73
- shuffle product, 246
- snake lemma, xxix
- socle, xxiv, 154
- source, 224
- specialisation closed, 48, 162
- spectral space, 408
- spectrum
  - of a commutative ring, 48
  - of a Grothendieck category, 37, 381
  - of an additive function, 415
  - of indecomposable pure-injectives, 384
  - Zariski, 407
  - Ziegler, 384, 400
- stable under base change, 263
- stalk of a sheaf, 153
- standard basis theorem, 270
- straightening, 264
- subcategory
  - cofinal, xx, 344
  - contravariantly finite, 38, 212
  - coresolving, 212
  - covariantly finite, 212, 352
  - definable, 385
  - extension closed, xxvi, 22
  - full exact, 22
  - left cofinal, 12, 119
  - localising, 33, 92
  - resolving, 211
  - right cofinal, 119
  - self-orthogonal, 208
  - Serre, xxvii, 30
  - thick, xxvii, 76, 138, 208
  - triangulated, 76
  - subgroup of finite definition, 392
  - subobject, xxii
  - sum
    - Baer, 22
    - direct, xxi
    - locally finite, 415
  - support
    - of a complex, 133
    - of a module, 48, 162
    - of a sheaf, 153
  - suspension of a category, 73
  - symmetric group, 244
  - symmetric power, 244
  - symmetric tensors, 244
    - comultiplication map, 248
    - diagonal map, 248
    - multiplication map, 246
  - symmetriser, 274
  - syzygy, xxix, 180
  - t-structure, 319
    - canonical, 320
  - tensor product, 68, 252
  - top, xxiv
  - torsion pair, xxvii, 147
    - split, xxviii
  - transpose, 191
  - triangle, 73
    - exact, 73
    - standard, 84
  - truncation
    - brutal, 111
    - exact, 111
    - soft, 111
  - two out of three property, xxvii, 88, 138, 208
  - type of a diagram, xix
  - unit, xviii
  - vector bundle, 153
  - vertex, xxxi
  - Wakamatsu's lemma, 212
  - weight sequence, 334
  - weight space decomposition, 260
  - weighted projective line, 334
  - Yoneda's lemma, 17
  - Young diagram, 242
  - Young subgroup, 247
  - Young tableau, 242
  - Zariski closed, 48, 407
  - Ziegler closed, 385