



GROWTH BENCH GB48

Another new product, successfully proven in several countries, from the world leaders in design and production of Phytotrons and Plant Growth Chambers.

PLANT GROWTH CHAMBERS

EXPERIENCE — Innovation and technological leadership have developed from many years of world-wide experience specializing in Plant Growth Chambers. Thousands of installations in 45 countries

ADAPTABILITY — Many sizes and hundreds of options and accessories.

REPRODUCIBILITY — Uniform constant environment around each plant, close tolerances, adjustable lighting and shaded aspirated sensors — all parameters quickly and accurately reproducible.

RELIABILITY — Basically simple designs, proven many years in many countries, and standardization of parts facilitate prompt local service.

ECONOMY — Modular construction for quick economic installation. Compact designs use less space. More growing area at less cost.

PLEASE WRITE FOR ADDITIONAL INFORMATION

FB2 — "What makes CONVIRON plant growth chambers different"

MC3J - Complete CONVIRON catalogue

GB48 - New CONVIRON Plant Growth Bench

PGB - Propagation and Growth Rooms

CONTROLLED ENVIRONMENTS

601 Stutsman St., Pembina, N.D. 58271 U.S.A. / 40 Warton Road, London E15 2JU England 1461 St. James St., Winnipeg, Canada R3H 0W9

TROPICAL AGRICULTURE

THE JOURNAL OF THE FACULTY OF AGRICULTURE (IMPERIAL COLLEGE OF TROPICAL AGRICULTURE)
UNIVERSITY OF THE WEST INDIES

Volume 54

Number 4

October 1977

The amelioration of acid sulphate soil with respect to oil palm Y. C. Poon and C. Bloomfield

Effects of land clearing methods on soil properties of an ultisol and crop performance in the Amazon jungle of Peru C. E. Seubert, P. A. Sanchez and C. Valverde

Factors affecting soil erosion within tea fields C. O. Othieno and D. H. Laycock

The Colombian vegetable oil programme N. B. Ridler

Studies on West African dwarf sheep fed on basal hay or hay plus concentrates of varying protein contents. II—Concentration of nitrogen fractions in the rumen, plasma urea nitrogen and amino acid composition of ruminal micro-organisms T. A. Adegbola, A. U. Mba and F. O. Olubajo

Plant parasitic nematodes associated with bananas in Belize J. Pinochet and O. Ventura

Behaviour of insects foraging on pigeon pea (Cajanus cajan (L.) Millsp.) in India Ingrid H. Williams

The pollination of coffee (Coffea arabica) by honeybees A. Raw and J. B. Free

Field differentiation of black pod from other cacao pod diseases T. N. Sreenivasan and V. C. Quesnel

Annual subscription: £20 (U.K.), £24 (overseas) and \$52 (U.S.A and Canada)

Published on behalf of the Faculty by
IPC Science and Technology Press Limited
IPC House, 32 High Street, Guildford, Surrey GU1 3EW, England

title should contain references, where relevant, to the crop, the character of the investigation, the factors under review, and the climatic or geographic area in which the work was done.

Headings. The following details should be given at the head of the first sheet: the full title of the paper; a short title for running headlines, not exceeding 48 characters, counting each letter and space as one character; the name(s) of the author(s); the address at which the work was carried out; the present address(es) of author(s), if different from the previous item; and the address (normally of the senior author or his proxy) to which proofs should be sent.

Summary. A short but accurate and informative summary must be included, not longer than ten lines of typescript. The preparation of the summary, which requires much care, is not an Editorial responsibility.

Experimentation. This journal specialises in the presentation of data based on up-to-date methods of experimentation. It is therefore important that, where appropriate, papers should include: an adequate account of experimental lay-outs; description of treatments and general management; and assessments of experimental variability (e.g. coefficient of variation) and of the statistical significance of the results, specifying the methods used for the analysis (but without showing any details of the calculations). Papers based on single experiments can rarely be accepted, specially if the work was carried out in containers rather than in field plots.

Plates. These should only be included where they are essential to the understanding of the paper, and will only be accepted if of high quality. Photographs should be provided as unmounted glossy black-and-white prints (colour prints, but not colour transparencies, are acceptable for reproduction in black-and-white; they can only be reproduced in colour if a financial subsidy is provided). If lettering is to be inserted on a print, this should be shown on a spare copy or an overlay, and an unmarked print should be provided for marking by the printer. Please do not write heavily on the back of prints or use clips that mark them.

Diagrams. Diagrams, including lettering, should be drawn in Indian ink on white drawing paper. Each illustration should bear the name of the author(s) and the figure number, written clearly in the margin or on the back. On no account should diagrams be submitted on sheets larger than foolscap size.

Dating the work. Dates should be given for the beginning event of each experiment. The journal is reluctant to accept papers submitted more than three years after the end of the relevant experimental work.

Legends. The legends for all illustrations should be given on a separate sheet of paper, clearly marked with the number of each plate or diagram. The ideal position for each diagram should be marked in the text, although it may not always be possible to put the illustration exactly in that place. Plates will normally be bound immediately after the end of the paper.

Tables. Each table should be typed on a separate sheet of paper, and its preferred position indicated on the typescript. Each table should be numbered and bear an appropriate title, along the lines normally used for tables in this publication. Contributors are specially asked to avoid presenting tables that are too large to print across the page, hence the limit of 80 typewriter characters referred to earlier.

Use of metric units. All data must be presented in metric units. Comparable data in local units (e.g. acres, ounces, etc.) may be given in parentheses at the first mention, if authors wish, or factors for converting metric into local units may be given as footnotes.

References. The Harvard system of citation is used throughout as follows: name and initial(s) of author(s); year of publication in parentheses, further distinguished by the addition of small letters a, b, c, etc., where there are citations to more than one paper published by the same author(s) in one year; contracted title of periodical as given in the World List of Scientific Periodicals; volume number in arabic figures; number of the first page of the paper. In the text, references should be denoted by givin the name of the author(s) with the date of publication in parentheses, e.g. Brown (1937) ... (Brown, 1937a; Jones and Smith, 1942a, b; Smith et al. 1950). In the list of references all names should be given in full. Not more than fifteen papers should normally be cited.

Referees. All manuscripts are critically reviewed by expert referees, on whose advice the Editor accepts or rejects contributions, or returns them to authors for reconsideration.

Proofs. Two sets of single-sided page proofs will be sent to each author, but it is the responsibility of the senior author to collate the views of his co-author(s) and submit a consolidated set of corrections to the Editor, by returning to him the printer's marked proof (identified by the words 'marked copy') with all required corrections. No further corrected proof will be sent to the author, unless this is specially requested. Excessive alterations, other than corrections of printer's errors, may be disallowed or charged to the author. Corrections should be made using the symbols in British Standard 1219:1958, or its shortened version B.S. 1219c:1958, obtainable from the British Standards Institution, 2 Park Street, London, W.1.

Offprints. Fifty offprints will be sent free of charge to the author. Where there are two or more authors, all fifty offprints will be sent to the senior author, unless the printer is asked to divide them. Additional offprints may be ordered on the form sent out with the proofs (to the senior author only if there is more than one) provided this is returned to the printer within seven days of its receipt by the author.

Return of manuscripts. Manuscripts can only be returned to authors by air mail if they are submitted on thin (air-mail) paper.

EXPERIMENTAL AGRICULTURE VOLUME 14, NUMBER 1, JANUARY 1978

CONTENTS

J. L. Monteith: Reassessment of Maximum Growth Rates for C ₃ and C ₄ Grops.	1
G. R. Squire: A Simple Temperature-controlled Glasshouse for Field Experimentation in the Tropics	7
Idris M. Nur and Ali A. E. Gasim: Effect of Sowing Date on Groundnuts in Sudan Gezira	13
J. M. Hardaker and R. C. Hardwick: A Note on Rhizobium Inoculation of Beans (<i>Phaseolus vulgaris</i>) using the Fluid Drill Technique	17
W. Erskine and T. N. Khan: Inheritance of Cowpea Yields under Different Soil Conditions in Papua New Guinea	23
M. S. Hassan and A. T. Ayoub: Effects of N, P and K on Yield of Onion in the Sudan Gezira	29
O. A. A. Ageeb and Y. H. Yousif: P and K Nutrition of Rice (Oxyza sativa) in the Sudan Kenana	33
A. E. Kambal and M. A. Mahmoud: Genotype × Environment Interactions in Sorghum Variety Tests in the Sudan Central Rainlands	41
P. A. Huxley and Z. Maingu: Use of a Systematic Spacing Design as an Aid to the Study of Inter-cropping: Some General Considerations	49
A. A. Al-Noaim, G. M. Davies and J. Farnworth: A Study of Hasawi Alfalfa under Three Irrigation and Three Cutting Regimes in Saudi Arabia	57
H. A. Abou-El-Fittouh: Relative Efficiency of the Split-Plot Design	65
V. Arunachalam and R. K. Katiyar: Genetic Diversity and Breeding Potential from Disruptive Selection in <i>Brassica campestris</i> CV Brown Sarson	73
A. Hadjichristodoulou: Genotype, Environment and Rainfall Effects on Common Vetch Varieties in a Semi-Arid Region	81
O. O. Okoli: Stimulating Axillary Buds in Yam (Dioscorea spp)	89
V. A. Savangikar and R. N. Joshi: Edible Protein from Parthenium hysterophorus	93
Book Reviews	95

© Gambridge University Press 1978

Printed in Great Britain by Adlard & Son Ltd.

Bartholomew Press, Dorking