

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

PARTIAL LARYNGECTOMY FOR LARYNGEAL CANCER. FIVE-YEAR RESULTS	J. FALBE-HANSEN and V. SVANE-KNUDSEN
ON CARCINOMA OF THE PTERYGO-MANDIBULAR RAPHE	J. A. HARPMAN
TRAUMATIC PERFORATIONS OF THE PHARYNX AND ŒSOPHAGUS	J. D. K. DAWES
GRANULAR CELL MYOBLASTOMA OF VOCAL CORD	D. K. GOSAVI and W. M. BOND
PAPILLOMA OF THE NOSE	K. C. GADRE and J. D. LODAYA
CLINICAL RECORDS—	
UNUSUAL FOREIGN BODY OF TRACHEA AND INTRINSIC BEE STING OF LARYNX	MICHAEL M. PAPARELLA
NASO-PHARYNGEAL TORTICOLLIS	R. N. RAYCHOWDHURI
EPISTAXIS FROM METASTATIC RENAL CARCINOMA	W. G. EDWARDS
INTRA-NASAL METASTASIS FROM RENAL CARCINOMA	M. S. HARRISON, W. D. DOEY and D. A. OSBORN
GENERAL NOTES	

London
Headley Brothers
109 Kingsway WC2

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1964

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CONTENTS

	PAGE
PARTIAL LARYNGECTOMY FOR LARYNGEAL CANCER. FIVE-YEAR RESULTS. J. Falbe-Hansen and V. Svane-Knudsen (Copenhagen)	1
ON CARCINOMA OF THE PTERYGO-MANDIBULAR RAPHE. J. A. Harpman (Warwick)	9
TRAUMATIC PERFORATIONS OF THE PHARYNX AND ŒSOPHAGUS. J. D. K. Dawes (Newcastle upon Tyne)	18
GRANULAR CELL MYOBLASTOMA OF VOCAL CORD. D. K. Gosavi and W. M. Bond (Miraj, India)	79
PAPILLOMA OF THE NOSE. K. C. Gadre and J. D. Lodaya (Bombay)	82
 CLINICAL RECORDS—	
UNUSUAL FOREIGN BODY OF TRACHEA AND INTRINSIC BEE STING OF LARYNX. Michael M. Paparella (Boston)	89
NASO-PHARYNGEAL TORTICOLLIS. R. N. Raychowdhuri (Oldham)	93
EPISTAXIS FROM METASTATIC RENAL CARCINOMA. W. G. Edwards (London)	96
INTRA-NASAL METASTASIS FROM RENAL CARCINOMA. M. S. Harrison (Lincoln), W. D. Doey and D. A. Osborn (London)	103
GENERAL NOTES	108

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT


*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$15.00 per year Canada \$15.50 per year
Foreign \$16.00 per year

MAX A. GOLDSTEIN, M.D.
FOUNDER

THEODORE E. WALSH, M.D.
EDITOR

640 SOUTH KINGSHIGHWAY
SAINT LOUIS 10, MO.



ROYAL EAR HOSPITAL ULTRASONIC TRANSDUCER

(U.K. & U.S.A. patents applied for)

For the conservative surgery of Ménière's disease by the Arslan
Technique.

This transducer will withstand sterilization in an autoclave.

Alternative applicators available:

2½ mm. diameter for Ménière's disease.

8 mm. diameter for irradiation of the whole pituitary in one application.

GENERATOR & INTENSITY METER to complete equipment.

Made in England by

Friston Electronics Limited
25 Church Road,
Richmond, Surrey

Sole Agents for U.S.A., Canada & Latin America.
Scientific Research Corporation Inc.,

9-11 School Street,
Annapolis, Md. U.S.A.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



**KEEP HIM GOING THIS
WINTER**

PENBRITIN REGD.

AMPICILLIN
BROAD SPECTRUM ANTIBIOTIC
FOR THE
CHRONIC BRONCHITIC PATIENT

Dosage: 250mg. 6-hourly

Penbritin is a product of British research at
BEECHAM RESEARCH LABORATORIES LIMITED



Please mention *The Journal of Laryngology and Otology* when replying to advertisements



**THE DEAF CHILD
(Heinemann Monograph)**

By **Edith Whetnall, M.B., M.S., F.R.C.S.**, Director, Audiology Unit,
Royal National Throat, Nose and Ear Hospital, London, and **D. B. Fry,**
Ph.D., Professor of Phonetics, University College, London.

196 pages 20 illus. 42s. net

**DISEASES OF THE EAR, NOSE AND
THROAT IN CHILDREN (2nd Edition)**

By **T. G. Wilson, B.A., M.B., Litt.D., F.R.C.S.I., Hon.F.R.C.S.(Edin.),**
Hon.R.H.A., M.R.I.A.,

360 pages 145 illus. 5 plates 75s. net

CLEFT LIP AND PALATE (3rd Edition)

By **W. G. Holdsworth, F.R.C.S.(Edin.), F.R.C.S.(Eng.)**

208 pages 155 illus. 50s. net

William Heinemann Medical Books Ltd.

23, Bedford Square, London, W.C.1

FELLOWSHIP IN OTOTOLOGY AVAILABLE

April 1st, 1964

Excellent academic background required.

Must be interested in research work, studying, operating and instructing residents in otology at University of Tennessee and John Gaston Hospital. Apply in writing to Memphis Foundation of Otology, 22 North Pauline. Memphis 5, Tennessee, U.S.A. Enclose résumé, transcripts, and letters of recommendation.

For advertisement space in this Journal
apply to:

HEADLEY BROTHERS LTD.

109 Kingsway London WC2

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

New Battery-Operated Audiometer



The **AMPLIVOX** Model 90 transistor audiometer with **Bone Conduction & Masking**

Ideal for hospitals, hearing aid clinics, consulting rooms, industrial medical departments, schools, etc., when a full clinical instrument (such as the Amplivox Model 82) is not essential but where bone conduction measurements with masking are often required to supplement the air conduction audiogram.


- * Nine frequencies for air conduction 250-8000 c/s
- * Seven frequencies for bone conduction 250-4000 c/s
- * White noise masking up to 70 dB in 10 dB increments
- * Independent of mains supply
- * British Standard calibration
- * Maximum intensity 100 dB re BS
- * Positive battery check ensures constant output accuracy
- * Weighs only 14 lb
- * Equally suitable for rapid screening OR individual diagnostic audiometry



This new Audiometer is housed in a durable fibreglass cabinet, 12" x 10" x 8½", with roller blind shutter to panel and storage compartment, eliminating extra carrying case.

SEND FOR TECHNICAL LEAFLET describing this outstanding addition to the Amplivox range:
Amplivox Limited, Medical Acoustic Division, 80 New Bond St., London W1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



'OTOSPORIN'

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

'OTOSPORIN' BRAND **Drops** ISSUED IN BOTTLES OF 5 ml.



BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON

Please mention *The Journal of Laryngology and Otology* when replying to advertisements