## INSTRUCTIONS TO CONTRIBUTORS

The *Journal of Helminthology* publishes papers on all aspects of animal parasitic helminths, particularly those of medical or veterinary importance, but only in exceptional circumstances will systematic or taxonomic studies be acceptable.

Manuscripts, which must be in English or French (with an English summary) should be accompanied by a letter signed by *all* the authors and should be addressed to:

The Editor, Journal of Helminthology, London School of Hygiene and Tropical Medicine, 395A Hatfield Road, St Albans, Herts AL4 0XQ. England.

Three copies of a typescript, on size A4 paper with double spacing, should be submitted. Papers should be preceded by a short abstract and will normally have the following sections: brief Introduction; Materials and Methods; Results; Discussion; Acknowledgements; References. However, the form of the paper may vary, depending on its subject matter; recent past issues should be consulted for a suitable form. Research Notes should also be preceded by a brief abstract. Illustrations should be drawn in Indian ink, preferably not more than double the final size. Care should be taken that all illustrations fit into the format of the Journal. The maximum size an illustration will be printed is  $12.0 \times 20.0$  cm. Where many separate drawings are made, some indication of how they may be grouped to make a corporate plate without undue wastage of space, should be indicated. Some indication of scale (preferably a scale bar) should normally be given on the figure. Photocopies of illustrations should be enclosed for refereeing purposes. Lettering and numbering, which must be of a high standard, should be added by the author, with due regard for subsequent reduction.

Photographs should be glossy prints of the same size as they are to appear in the Journal (maximum size  $12 \cdot 0 \times 20 \cdot 0$  cm). Composite prints must be mounted and can have the separate photographs abutting; they will then have a separating line inserted by the printers. All figures and letters on photographs must be inserted by the author.

Information should not be repeated in the text and in tables or figures. The legends to tables and to figures should be sufficiently detailed for the information to be understood without reference to the text.

References should be given in alphabetical order with the full title of the journal. The following are examples:

ASHFORD, R. W. & BARNISH, G. (1989) *Strongyloides fuelleborni* and similar parasites in animals and man. In: *Strongyloidiasis: a major roundworm infection of man* (editor, D. I. Grove) pp. 271–286. Taylor & Francis: London.

GARSIDE, P. & BEHNKE, J. M. (1989) Primary infection of hamsters with *Ancylostoma ceylanicum. Parasitology*, **98**, 283–289.

## **Contents**

	Pages
Chemoprophylactic drug trials for treatment of dracunculiasis using the <i>Dracunculus insignis</i> -ferret model. M. L. EBERHARD, F. H. BRANDT, E. RUIZ-TIBEN and A. HIGHTOWER	79–86
Effect of flubendazole on the number of first-stage larvae of Angiostrongylus cantonensis released in the faeces of treated rats. J. MAKI and T. YANAGISAWA	87-95
Antifilarial activity of intravenous suramin and oral diethylcarbamazine citrate on subperiodic <i>Brugia malayi</i> in the leaf-monkey, <i>Presbytis cristata</i> . J. W. MAK, P. L. W. LAM, M. F. CHOONG and K. SURESH	96-99
The anthelmintic activity of a novel organic arsenical, R7/45, upon Brugia pahangi in Meriones unguiculatus. D. A. DENHAM, I. T. C. MIDWINTER and E. A. H. FRIEDHEIM	100-104
Isolation, purification and characterization of surface antigens of the bovine filarial parasite <i>Setaria digitata</i> for the immunodiagnosis of bancroftian filariasis. J. G. THEODORE and P. KALIRAJ	105–114
Chromosome C-banding techniques in <i>Dictyocaulus filaria</i> (Rudolphi, 1809) Railliet and Henry, 1907. C. CUTILLAS, C. ARIZA, D. C. GUEVARA and L. CAMPANO	115–121
Heligmosomoides polygyrus: effect of exogenous steroid hormones on egg output in vitro. T. L. RICHARDSON and B. M. MACKINNON	123–132
Immunological analysis of <i>Opisthorchis</i> and <i>Clonorchis</i> antigens. S. SIRISINHA, D. SAHASSANANDA, D. BUNNAG and H. J. RIM	133–138
The epidemiology of the metacercariae of <i>Diplostomum baeri</i> and <i>D. spathaceum</i> in perch ( <i>Perca fluviatilis</i> ) from the warm water effluent of a nuclear power station. J. HÖGLUND and J. THULIN	139–150
Dispersion and abundance of <i>Maritrema arenaria</i> in <i>Semibalanus balanoides</i> in north-east Ireland. H. CARROL, W. I. MONTGOMERY and R. E. B. HANNA	151–160
Experimental observations on the specificity of <i>Apatemon (Australapatemon) minor</i> (Yamaguti 1933) (Digenea: Strigeidae) toward leech (Hirudinea) second intermediate hosts. A. M. McCARTHY	161–167
Hymenolepis microstoma: oncospheres invade the intestinal tissue of the definitive host. K. ONITAKE, J. SASAKI, J. ANDREASSEN and A. ITO (Research Note)	168–170
Echinococcus granulosus: development of resistance to albendazole in an animal model. D. L. MORRIS and D. H. TAYLOR	171–174
Book review	122