DIRECTIONS TO CONTRIBUTORS

GENERAL

Two copies of manuscripts should be sent to Dr M. E. Sharpe (*The Journal of Dairy Research*), National Institute for Research in Dairying, Shinfield, Reading, RG2 9AT, U.K. Submission of a paper will be held to imply that it reports unpublished original work, that it is not under consideration for publication elsewhere, and that if accepted for the *Journal* it will not be published elsewhere in any language, without the consent of the Editors.

FORM OF PAPERS

The author should follow these directions carefully, and consult a current issue of the *Journal* for guidance on details of typographical and other conventions.

Every paper should be headed with its title, the names and initials of the authors (each author supplying one given name) and the name and address of the laboratory where the work was done.

Papers should be in English, using the spelling of the Shorter Oxford English Dictionary. They should be typed with double spacing, on one side only of the sheets, and with ample margins for editorial annotations.

Papers should in general be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Materials and Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements, without a heading; (g) References. With some types of material headings other than (c), (d) and (e) may be preferable.

The use of footnotes should be avoided if possible. Underlining should be used only to indicate italics. Proper nouns, including trade names, should be given a capital initial letter. Manufacturers or suppliers of materials and equipment, with their addresses, should be given. The typescript should carry the name and address of the person to whom the proofs are to be sent, and give a shortened version of the paper's title, not exceeding 45 letters and spaces, suitable for a running title in the Journal.

TABLES

Tables should be numbered and should carry headings describing their content. They should be comprehensible without reference to the text. They should be typed on separate sheets and their approximate positions in the text indicated. To minimize the cost of printing, the number and size of tables should be kept to an absolute minimum.

ILLUSTRATIONS

Line drawings and photographs, which must be originals, should be numbered as Figures in Arabic numerals. Drawings should be in Indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized folded piece of tracing paper, or translucent graph paper with the drawing on one half and the other half acting as a flyleaf. There should be no lettering or numerals on the drawing itself.

Attached to every figure there should be a translucent flyleaf cover on the outside of which should be written legibly: (a) title of paper and name of author; (b) figure number; (c) the figures and lettering, which are intended

to appear on the finished block, in the correct positions relative to the drawing underneath. Each paper should have a separate typed sheet listing figure numbers with their legends, and the approximate positions of illustrations should be indicated in the text.

The photographs and diagrams should be about twice the size of the finished block and not larger overall than the sheets on which the paper itself is typed. For a figure measuring 250 mm \times 150 mm all lines, axes and curves should be 0.4 mm thick, thus _____. Graph symbols in order of preference are $\bigcirc \bullet$, $\triangle \bullet$, $\square \bullet$, $\times +$, and for a 250 mm \times 150 mm graph the circles should be 3 mm in diam. The triangles should be equilateral of 3 mm side, and the squares also of 3 mm side. The crosses should have lines 3 mm long at right angles. Scale marks on the axes should be on the inner side of each axis and should be 3 mm long.

SHORT COMMUNICATIONS

Short communications or notes of not more than 2500 words or the equivalent space in print and without a summary will also be published.

REFERENCES

In the text, references should be quoted by whichever of the following ways is appropriate; Arnold & Barnard (1900); Arnold & Barnard (1900a); Arnold & Barnard (1900a, b); (Arnold et al. 1900). Give both names for two authors. For three or more authors give the first name et al. on all occasions, adding a, b, etc., to the date if there is any ambiguity.

References should be listed alphabetically at the end of the paper. Titles of journals should be given in full, authors' names should be in caps and their initials included. Each reference should be punctuated and set out thus: ARNOLD, T. B., BARNARD, R. N. & COMPOUND, P. J. 1900 Title of paper. Journal of Dairy Research 18 158–165, and references to books should include names of authors, year of publication, title, names of editors, town of publication and name of publisher in that order, thus: ARNOLD, T. B. 1900 In Dairying (Ed. R. W. Brown) vol 1, pp. 5–11. London: Brown and Chester.

It is the duty of the author to check all references.

UNITS, SYMBOLS AND ABBREVIATIONS

SI units must be used, as explained in British Standards Institution publication BS 5555: 1981 (Specification for SI units and recommendations for the use of their multiples and of certain other units). Until SI units are widely understood, it is permissible to give the equivalent value in other units in parenthesis. Symbols and abbreviations used are those of British Standard 5775 Specification for Quantities, Units and Symbols.

DESCRIPTIONS OF SOLUTIONS

Normality and molarity should be indicated thus; N-HCl, 0.1 M-NaH_2PO_4 . The term '%' means g/100 g solution. For ml/100 ml solution the term '% (v/v)' should be used and for g/100 ml solution the correct abbreviation is '% (w/v)'.

OFFPRINTS

Order forms giving quotations for offprints are sent to authors with their proofs.

Continued from outside back cover

Use of liposomes for proteinase addition to Cheddar cheese B. A. LAW and J. S. KING	183–188
Preservation of West African soft cheese by chemical treatment O. C. AWORH and M. EGOUNLETY	189–195
Nutritional value of yogurt D. HEWITT and H. J. BANCROFT	197–207
SHORT COMMUNICATIONS	
Difficulties in measuring the syneresis of goat milk rennet curd by dilution of an added tracer	
K. O. NILSEN and R. K. ABRAHAMSEN	209–212
Fouling of whey proteins on stainless steel at different temperatures PO. HEGG, H. B. CASTBERG and G. LUNDH	213-218
Structure of the triacyl-sn-glycerols in the plasma and milk of the rat and rabbit	
W. W. CHRISTIE	219-222
Viscosity of heated skim milk	
K. R. LANGLEY and D. M. TEMPLE	223-227

Journal of Dairy Research

Volume 52, No. 1, February 1985

CONTENTS

ORIGINAL ARTICLES	
Importance of the calving interval to milk yield in the following lactation of British Friesian cows P. D. P. WOOD	pages 1–8
Changes in milk yield and composition at oestrus in dairy cows R. I. HORRELL, K. L. MACMILLAN, R. KILGOUR and K. BREMNER	9–16
Yield and composition of milk from Friesian cows grazing either perenni ryegrass or white clover in early lactation D. J. THOMSON, D. E. BEEVER, M. J. HAINES, S. B. CAMMELL, R. T. EVAL M. S. DHANOA and A. R. AUSTIN	
Chemical composition, rennet coagulation properties and flavour of milks from cows grazing ryegrass or white clover A. S. GRANDISON, D. J. MANNING, D. J. THOMSON and M. ANDERSON	s 33–39
Interrelationships of chemical composition and coagulating properties of renneted milks from dairy cows grazing ryegrass or white clover	
A. S. GRANDISON, G. D. FORD, D. MILLARD and M. ANDERSON The ³¹ P nuclear magnetic resonance spectrum of cows' milk	41–46
P. S. BELTON, R. L. J. LYSTER and C. P. RICHARDS Lipolysis and the distribution of lipase activity in bovine milk in relation	47–54
to stage of lactation and time of milking L. AHRNÉ and L. BJÖRCK	55-64
Heat stability of milk: the mechanism of stabilization by formaldehyde H. SINGH and P. F. FOX	65–76
Isolation and characterization of heat stable proteinases from <i>Pseudomon</i> isolate AFT 21 L. STEPANIAK and P. F. FOX	77-89
Inhibition by chelating agents of the formation of active extracellular proteinase by <i>Pseudomonas fluorescens</i> 32A R. C. MCKELLAR and H. CHOLETTE	91–100
Proteolysis in milk: the significance of proteinases originating from milk leucocytes and a comparison of the action of leucocyte, bacterial and natural milk proteinases on casein P. A. GRIEVE and B. J. KITCHEN	101–112
Lysin production by ϕ C2(W), a prolate phage for <i>Streptococcus lactis</i> C2 W. M. A. MULLAN and R. J. M. CRAWFORD	
Partial purification and some properties of ϕ C2(W) lysin, a lytic enzyme produced by phage-infected cells of <i>Streptococcus lactis</i> C2 W. M. A. MULLAN and R. J. M. CRAWFORD	123–138
β-Casomorphin immunoreactive materials in cows' milk incubated with various bacterial species U. HAMEL, G. KIELWEIN and H. TESCHEMACHER	139–148
Role of oxygen radicals in the bacteriostatic effect of whey and production bacterial growth by free radical scavengers T. MATTILA	n of 149–157
Effect of heat induced interaction between β -lactoglobulin and κ -casein o syneresis	
M. J. PEARSE, P. M. LINKLATER, R. J. HALL and A. G. MACKINLAY Evaluation of a porous silica-based ion-exchange medium for the production of protein frontiers from represent and said when	159–165
duction of protein fractions from rennet- and acid-whey P. J. SKUDDER	167-181

Continued on inside back cover

© Proprietors of The Journal of Dairy Research 1985 Printed in Great Britain at the University Press, Cambridge