

October 1956 ✓

Vol. LXX No. 10

# The Journal of Laryngology and Otology

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR

G. H. BATEMAN

WITH THE COLLABORATION OF

Sir V. NEGUS R. G. MACBETH

## Contents

CHRONIC ADHESIVE OTITIS MEDIA . . . . .	J. P. J. MacNAUGHTAN ✓
CHRONIC ADHESIVE OTITIS . . . . .	TERENCE CAWTHORNE ✓
BONY FIXATION OF THE STAPES DUE TO CHRONIC "ADHESIVE" OTITIS MEDIA—A CLINICO- PATHOLOGICAL STUDY . . . . .	C. S. HALLPIKE and ✓ M. SPENCER HARRISON
NEOMYCIN-HYDROCORTISONE ACETATE IN OTITIS INFECTIONS . . . . .	JAMES T. LEES ✓
TRANSITIONAL CELL GROWTHS OF THE UPPER RESPIRA- TORY TRACT . . . . .	D. A. OSBORN ✓
CLINICAL RECORD— STAPES MOBILIZATION . . . . .	HAZLEY ANDERSON ✓
SOCIETIES' PROCEEDINGS— ROYAL SOCIETY OF MEDICINE—SECTION OF OTOTOLOGY	✓
GENERAL NOTES	

London

Headley Brothers Ltd

109 Kingsway WC2

Annual Subscription £3/3/0 net, U.S.A. \$10

Monthly, 7/6 net post free

# The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY  
WALTER HOWARTH

ASSISTANT EDITOR  
G. H. BATEMAN

WITH THE COLLABORATION OF  
Sir V. NEGUS      R. G. MACBETH

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 23. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £5 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

8. The annual subscription is three guineas sterling (U.S.A. \$10) post free, and is payable in advance.

9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2.

#### *United States of America*

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2, England.

*The finest  
Hearing Aid  
in the  
World*

*is made in  
England by Amplivox*



★ **VERY WIDE RANGE OF  
FREQUENCY RESPONSE**

The advanced circuit design of the Amplivox "A" series ensures an exceptionally wide frequency response with a correspondingly high standard of clarity of sound reproduction unequalled in any other hearing aid manufactured either in Europe or in America

★ **VERY WIDE RANGE OF  
ADJUSTMENTS FOR  
INDIVIDUAL FITTING**

The Amplivox "A" series models are outstanding for their range of


adjustments, designed to meet all types of hearing loss. The fitting facilities of the instruments include selective amplification of high and low notes and automatic volume compression. A 3-volt battery can be used in place of the standard 1.5 volt battery to provide extra gain and amplification for the very deaf. In design and performance Amplivox Hearing Aids lead the world



47/48 New Bond Street, London, W. Hyde Park 9888-9  
WORLD-WIDE DISTRIBUTION AND SERVICE

Please mention *The Journal of Laryngology* when replying to advertisements

**When a  
hearing  
aid is  
advised . .**



**. . you may confidently  
recommend your patients  
to S. C. INGRAM**

- ★ They can try the different makes of hearing aids
- ★ They get impartial advice on all makes of hearing aids
- ★ Their personal needs are given individual and continued attention
- ★ A full report on each fitting recommended is sent to the patient's ear specialist
- ★ They can compare at one consultation the different makes one with another

**S. C. INGRAM** Independent Hearing Aid Consultant

*On the approved List of the National Institute for the Deaf*

**2 SHEPHERD STREET, SHEPHERD MARKET, LONDON, W.1**

*Hyde Park 9042*

Please mention *The Journal of Laryngology* when replying to advertisements

## AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

*"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."*—The LANCET.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable, English made P.B. and Harvard Spondee Records available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



*The Basic Instrument of Modern Otology*

**ACCURATE • COMPLETE • SIMPLE TO OPERATE**

**AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.1 (Welbeck 2591)**

Please mention *The Journal of Laryngology* when replying to advertisements

## POST-TONSILLECTOMY COMFORT

### Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing—it brings pain-relieving acetylsalicylic acid into *intimate* and *prolonged* contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides  $3\frac{1}{2}$  grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

## Aspergum (Category 3)

for more than two decades a dependable  
and welcome aid to patient-comfort

*Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250*

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

# THE LARYNGOSCOPE

A Monthly Journal

devoted to the Diseases of the  
EAR, NOSE AND THROAT

*Official organ for the American Laryngological,  
Rhinological and Otological Society*

Price \$14.00 per year

Canada \$13.00 per year

MAX A. GOLDSTEIN, M.D.


FOUNDER

THEODORE E. WALSH, M.D.

EDITOR

640 SOUTH KINGSHIGHWAY  
SAINT LOUIS 10, MO.

Please mention *The Journal of Laryngology* when replying to advertisements



the intranasal route  
a logical approach  
to sore throat

Instilled intranasally, 'Sulfex' deposits a fine, even frosting of microcrystalline sulphathiazole throughout the nasopharyngeal cavity. Unlike solutions, this bacteriostatic coating is not quickly washed away: it clings for hours to the inflamed mucosa wherever ciliary action is impaired by infection. Bacteria in the post-nasal drip are inhibited before they can reach the nasopharynx to intensify the infection.

Part of the suspension drifts down over the nasopharynx and pharynx, producing potent, long-lasting bacteriostasis just where it is needed most — at the site of infection in the throat.


**Sulfex** a suspension of microcrystalline sulphathiazole  
highly effective in sore throat



Smith Kline & French represented by Menley & James, Limited, London S.E.5

SXP106

Please mention *The Journal of Laryngology* when replying to advertisements



## always effective

A problem with antibiotics is that resistant strains of micro-organisms tend to develop. Tyrothricin, the antibiotic in Tyrosolven does not have this drawback.

Produced from strains of *B. Brevis*, Tyrothricin is always effective against a wide range of pathogenic bacteria — in fact no pathogenic organisms have been shown to become resistant to it.

This quality, combined with the fact that patients do not become sensitized to Tyrothricin, ensures that it will remain a most effective oral antibiotic in cases of stomatitis, tonsillitis, and as a prophylactic against influenza and other throat infections.

- \* **Formula:** Tyrothricin 1 mg., benzocaine 5 mg.
- \* **Dose:** One lozenge every hour till relief is obtained, then 1 lozenge every 3 hours.
- \* **Packing:** Packs of 20 lozenges. Dispensing bottles of 250 lozenges supplied to chemists

# **Tyrosolven**

Trade  
Mark

**WILLIAM R. WARNER & CO. LTD. POWER ROAD, LONDON, W.4.**

Please mention *The Journal of Laryngology* when replying to advertisements



# PLAIN TALK


## about hearing aids

NUMBER NINE

### *What is a Multitone Centre?*

In these Plain Talks we generally end up by advising you to go round to your Multitone Centre. This may be one of our own Branches, or it may be a Supplier "entered upon the Registered list of the National Institute for the Deaf for Approved Manufacturers and Dealers in Aids to Hearing", appointed by us to fit and service our instruments. These people are often the leading opticians or chemists in their town, or specialised hearing aid consultants.

All of them have this in common—their business has been built up entirely through recommendation by doctors and by satisfied users. All of them will let you take an aid on trial for a week: none of them will try to influence you to buy an aid by slick sales talk. Most of these Centres have been established for many years. Branches and suppliers alike, we know we can trust them—and we know you can. If you would like the address of *your* Multitone Centre, please write to us at Dover Street.



## **multitone**

HEARING AIDS

MULTITONE ELECTRIC COMPANY LIMITED

Head Office: 25 Dover Street, London, W.1. Telephone: HYDe Park 9977

Signatories to the National Institute for the Deaf Agreement

**One of a series of current advertisements designed to help the public in the choice and use of a hearing aid. We have the best range of transistor aids available. These are widely distributed throughout Great Britain and overseas.**

CRC

Please mention *The Journal of Laryngology* when replying to advertisements


# EAR WAX

*Removed this easy way*

The removal of wax from the external auditory meatus has, in the past, normally entailed attendance by the patient for diagnosis and for the prescription of a suitable loosening agent, and a second attendance a few days later for syringing.

Now, by the use of Cerumol Ear Drops, wax can be removed in most cases at one visit. A few drops of Cerumol can be instilled into the ear and, while another patient is being attended to, the soft cerumen dissolves and the harder wax disimpacts. The wax can then be removed by gentle syringing or with cotton wool. The wax may even be found to run out of the ear on its own accord, in which case patients themselves may instil Cerumol at home, obviating further attendances. Cerumol is anti-bacterial, non-irritating and harmless to the lining of the external auditory meatus or the tympanic membrane.

Cerumol is included in Category No. 4 of the M.O.H. classified list and may be prescribed on N.H.S. Form E.C 10



**CERUMOL**  
REGD TRADE MARK

**EAR DROPS**

*for the easier removal of wax*

*Distributors in U.K.*

TAMPAX LIMITED, BELVUE ROAD, NORTHOLT, GREENFORD, MIDDLESEX. Telephone: WAXlow 2244

*If you wish to test for yourself and have not received recently a 10. c.c. vial please write or telephone direct to:*

LABORATORIES FOR APPLIED BIOLOGY LTD.,  
91, AMHURST PARK, LONDON, N.16 Tel.: STA 2252

*PACKS For Surgery Use: 10 c.c. vial — separate dropper included (Basic N.H.S. price 2/8) for Hospital Use: 2 oz. and 10 oz. bottles.*

Please mention *The Journal of Laryngology* when replying to advertisements



## INVALUABLE AIDS TO DIAGNOSIS

THE RANGE of the internationally known Peters audiometers is designed to meet all audiometric requirements, from those of a large Clinic to audiometric tests in schools.

In addition to a large speech audiometer for free-field work the range includes three pure-tone audiometers:

The SPD/2 Clinic Audiometer illustrated above, a most comprehensive instrument providing many facilities for advanced techniques.

The SPD/3 Consulting Audiometer designed to meet all normal audiometric needs.

The SPD/1 Portable (Basic Diagnostic) the most recent addition

to the range, which ideally fills basic requirements in a portable form.

All three instruments offer a single zero reference level for all measurements, the Peters patented continuously variable attenuator and provision for simple speed audiometry. All are made to the same high standard, differing only in the facilities which they offer.

For the convenience of specialists all these instruments are available for demonstration at the ACOUSTICON Showrooms or, on request, at the specialist's consulting room or hospital.



**Literature and any information on request:**

122 Wigmore Street, London, W.1. Telephone: Welbeck 0935

St. Ann's Arcade, 12 St. Ann's Square, Manchester.

Telephone: Blackfriars 2109

128 Hope Street, Glasgow, C.2. Telephone Central 4634

ALFRED PETERS AND SONS LIMITED, VICTORIA WORKS, GELL STREET, SHEFFIELD.

Please mention *The Journal of Laryngology* when replying to advertisements

# A NEW NAME IN HEARING AIDS

Polyfon (Hearing Aids) Limited is a new company manufacturing transistor aids. The company's policy is to design first class instruments, each of which will deal successfully with a very wide range of cases of deafness, from the slight to the severe. The company is able, therefore, to produce these instruments in quantity — and that means a considerable saving in cost. Two instruments are being distributed. The Polyfon Popular costs less than many of the old valve types ; yet it has a performance equal to that of the best transistor aids with running costs for an average case of about a penny a month.

The Polyfon Aristocrat is an extremely small instrument designed for those who insist on wearing the smallest and most elegant hearing aid. Please write for particulars.



**POLYFON (HEARING AIDS) LIMITED**

*(Signatories to the National Institute for the Deaf Agreement)*

9 New Cavendish Street, London, W.1. Telephone: Welbeck 1422

Please mention *The Journal of Laryngology* when replying to advertisements

*A Bengue-Bailly Product*

# GROMIDIN

Sub-lingual  
TABLETS

Each contains 0.25 mg. of PURE GRAMICIDIN, an antibiotic of microbial origin in crystalline form, which is active on most pyogenes germs, taking the Gram coloration. GROMIDIN Tablets cause neither irritation nor allergic effects. GROMIDIN is indicated in the treatment and prophylaxis of rhinopharyngeal, laryngeal, buccal and dental affections. Also in bronchitis.



**POSODOGY:**

5 to 10 tablets per day, allowing them to dissolve slowly in the mouth

**PACKING:** Tin of 25 tablets

**PRICE:** 3/6 per tin

*SAMPLES AND LITERATURE  
ON REQUEST*

**BENGUE & CO. LTD.**

*Manufacturing Chemists*

MOUNT PLEASANT · ALPERTON · WEMBLEY · MIDDLESEX

Please mention *The Journal of Laryngology* when replying to advertisements

## CONTENTS

	PAGE
CHRONIC ADHESIVE OTITIS MEDIA. J. P. J. MacNaughtan (Aberdeen) . . . . .	549
CHRONIC ADHESIVE OTITIS. Terence Cawthorne (London) . . .	559
BONY FIXATION OF THE STAPES DUE TO CHRONIC "ADHESIVE" OTITIS MEDIA—A CLINICO-PATHOLOGICAL STUDY. C. S. Hallpike (London) and M. Spencer Harrison (Lincoln) .	565
NEOMYCIN-HYDROCORTISONE ACETATE IN OTITIS INFECTIONS. James T. Lees (Glasgow) . . . . .	568
TRANSITIONAL CELL GROWTHS OF THE UPPER RESPIRATORY TRACT. D. A. Osborn (London) . . . . .	574
CLINICAL RECORDS—	
Stapes Mobilization. Hazley Anderson (Birmingham) . . .	589
SOCIETIES' PROCEEDINGS—	
Royal Society of Medicine—Section of Otology . . . . .	597
GENERAL NOTES . . . . .	602

For Advertisement space in this Journal apply to:  
**HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2**

Please mention *The Journal of Laryngology* when replying to advertisements