

Proceedings of the Nutrition Society (2022), 81, 134–140

doi:10.1017/S0029665121003657

© The Author(s), 2021. Published by Cambridge University Press. This is an Open Access article, distributed under the terms of the Creative Commons Attribution licence (https://creativecommons.org/licenses/by/4.0/), which permits unrestricted re-use, distribution, and reproduction in any medium, provided the original work is properly cited. First published online 4 October 2021

The Nutrition Society Summer Conference 2021 was held virtually on 6-8 July 2021

### Conference on 'Nutrition in a changing world' Symposium 3: Changing food poverty and dietary inequalities

# Dietary health in the context of poverty and uncertainty around the social determinants of health

Claire Thompson

Centre for Research in Public Health and Community Care, School of Health and Social Work, University of Hertfordshire, Hatfield, UK

Lower household income has been consistently associated with poorer diet quality and poorer dietary health outcomes. Households experiencing poverty find themselves unable to afford enough food, and the food that they can afford is often poor quality, energy dense and low in nutrients. However, the relationship between diet, poverty and health is complex. Not everyone on a low income has a poor diet. Poverty is about more than low incomes and it is not a uniform experience. Particular aspects of the experience of poverty have implications for diet and dietary health. It is increasingly apparent that *uncertainty* is one of those aspects. Recession, welfare policy, employment trends and widening inequality have created more uncertainty for those on low incomes. In the context of heightened uncertainty, all aspects of household food provisioning – including budgeting, shopping, storage, meal planning and cooking – are more difficult and sometimes impossible. This review will draw on research about food practices and dietary health in low-income neighbourhoods to explore the ways in which experiences of prolonged uncertainty shape dietary practices and impact health and well-being.

Poverty: Diet: Resilience: Uncertainty: Social determinants of health

#### Poverty, diet and resilience

Even in high-income countries, people on low incomes are at risk of food poverty and low diet quality<sup>(1)</sup>. The past 20 years has seen increasing interest and concern about structural factors that promote unhealthy dietary patterns and undermine efforts to adopt healthy eating practices<sup>(2)</sup>. Those on lower incomes tend to lack access to healthy foods<sup>(3,4)</sup> and epidemiological research demonstrates that diet quality follows a socio-economic gradient<sup>(5)</sup>.

Socio-economic differences in diet contribute to health inequalities and are responsible for a range of adverse outcomes including obesity<sup>(6,7)</sup>, type 2 diabetes<sup>(8–10)</sup>, CVD<sup>(11,12)</sup> and malnutrition<sup>(13)</sup>. Unhealthy diets and the

adverse health outcomes they lead to are symptomatic of wider social inequalities<sup>(14)</sup>. There is an association between income, diet quality and food security<sup>(15,16)</sup>. Affording a healthy diet has become increasingly difficult in recent years in the context of rising living costs, falling incomes, welfare reform, insecure and low paid work, widening inequality<sup>(17)</sup>. Economic recessions and, more recently, the coronavirus disease 2019 pandemic have amplified this trend and caused financial hardship which is further widening dietary health inequalities<sup>(6,18)</sup>.

However, not all people equally exposed to adversity suffer equally<sup>(19)</sup>. It is sometimes possible to take steps to mitigate adversity. For example, parents will compensate for neighbourhood-level deficiencies and may go to

Abbreviation: SDH, social determinants of health.

Corresponding author: Claire Thompson, email c.thompson25@herts.ac.uk



great lengths to overcome local constraints to physical activity or healthy eating when their children's health is involved<sup>(20)</sup>. This idea has been taken up in public health and framed in terms of 'resilience' to challenging or hostile conditions<sup>(21)</sup>. The concept of resilience has long been part of preventive public health approaches and policies in low-income neighbourhoods<sup>(22)</sup>. Dietary resilience describes the strategies used by individual and groups to overcome dietary obstacles presented by their circumstances and achieve a healthy diet<sup>(23)</sup>. Achieving dietary resilience is dependent upon consistency and certainty in particular factors at the household level, such as access to nutritious food at home and financial adequacy<sup>(23,24)</sup>. Practices of resilience include prioritising health and healthy eating and developing cooking skills<sup>(25)</sup>.

Although the notion of resilience can be a framework for better addressing public health (nutrition)<sup>(26)</sup>, there has been an emphasis on identifying personal risk and protective factors at the expense of exploring the role of the social, cultural and political contexts within which resilience occurs (27,28). Canvin *et al.* (27)present a framing of resilience as a process. Resilience can be understood as involving dynamic transitions: progressing from one state to another as individuals developed over time. The focus is on the contextual and structural factors that help or hinder resilience as a process - rather than focusing on individual traits (27). The present paper proposes that uncertainty about the social determinants of health (SDH) as a structural factor that has a detrimental impact on dietary health and hinders dietary resilience for those on low incomes.

### Poverty, uncertainty and the social determinants of health

Poverty is dynamic and uncertain and, it has been argued, there are different types of poverty that people can move in and out of or, sometimes, get stuck in<sup>(29)</sup>. Room<sup>(30)</sup> describes this as a 'snakes and ladders' scenario in which people have contrasting trajectories of poverty marked by different opportunities, challenges, dangers and levels of agency<sup>(30)</sup>. It is those 'types' and experiences of poverty that are characterised by chronic uncertainty that have become of increasing interest to researchers considering the effects of poverty of health outcomes and behaviours, including nutrition and dietary health<sup>(31)</sup>.

Poverty is characterised by uncertainty. Those on low incomes tend to have less control over relationships and events about them. As a result, they are obliged to live more in the present and to discount the future<sup>(29)</sup>. This can make it impossible to plan and perform strategies of dietary resilience. In particular, it is uncertainty about the SDH that undermines efforts to achieve a healthy diet. The SDH are 'the conditions in which people are born, grow, live, work and age. These circumstances are shaped by the distribution of money, power and resources at global, national and local levels'<sup>(32)</sup>.

These conditions include housing quality, transport, discrimination, neighbourhood safety, education, employment, income, welfare and the food environment. Uncertainty and insecurity is a pervasive and destructive feature of contemporary experiences of poverty that go beyond being on a low income<sup>(29)</sup>. Insecure working conditions, punitive welfare regimes, increasingly casualised working conditions, widespread cuts to the funding of public services and growing levels of personal debt<sup>(33–35)</sup> have all contributed to this.

Chronic uncertainty about the SDH – such as dealing with insecure and inadequate housing conditions, or not knowing from week-to-week how much money you have to live on – often means a lack of agency and difficulty in engaging in behaviour change and health seeking behaviour. Healthcare professionals have long raised concerns about the corrosive health impacts of chronic uncertainty in terms of 'chaotic lives', 'complex contexts' and a 'lack of stability'(36). The topic has also been recognised across a range of disciplines and terminologies. Social scientists have framed this uncertainty in terms of precarity – referring to contemporary social and economic insecurity in wealthier nations that is driven by the post-industrial resurgence of insecure labour and shrinking welfare states. It has cumulative and negative impacts on health and well-being in the longer term, such as hunger and reduced access to health care, and can be understood as a structural vulnerability<sup>(31)</sup>. Material-need insecurities make 'healthy choices' and longer-term considerations about dietary health difficult or impossible to enact. They force people into short-termist and potentially damaging dietary practices<sup>(31)</sup>. This review brings together research that addresses dietary health with reference to uncertainty about the SDH in three fundamental areas: income, housing and the food environment (see Fig. 1).

## Facets of uncertainty about diet and the social determinants of health

Income uncertainty and diet

Income is, perhaps, the most fundamental SDH because it shapes overall living conditions, affects well-being and mental health and influences health-related behaviours, including dietary practices<sup>(37)</sup>. Lower incomes are associated with less disposable income, which acts as a barrier to achieving a healthy diet<sup>(38)</sup>. Healthier, nutrient-rich foods tend to cost more compared to less healthy foods<sup>(39,40)</sup>. Poorer households can find themselves unable to afford enough food<sup>(41)</sup>, and the food that they can afford is typically energy dense and low in nutrients<sup>(42)</sup>. Unsurprisingly, those on low incomes are at greater risk of food insecurity<sup>(43–45)</sup>.

The challenges associated with low incomes are compounded when those incomes are uncertain and unstable. There is a growing trend in economic instability for those in low incomes, which is fuelling health and social inequalities for children and families (46-48). Chronic financial uncertainty makes activities such as food preparation, meal planning and facilitating family meal times

136 C. Thompson




Fig. 1. Facets of uncertainty around the social determinants of health and implications for diet.

extremely difficult. In the longer term, these activities become deprioritised and occasionally abandoned altogether, especially when parents are in a perpetual state of crisis<sup>(49)</sup>. Households experiencing income uncertainty, especially due to insecure work and welfare regimes, have multiple and conflicting constraints on their time as trying to secure a basic level of income under these conditions is very labour intensive and often requires them to be in different places and provide 'evidence' at short notice. Planning dietary behaviours in advance is, therefore, difficult. In order to mitigate this, these households tend to place greater importance on preparation convenience and a long shelf-life. Foods that are quick to prepare and last longer without spoiling make the most sense in this context (50,51). Although this is a reasonable strategy for ensuring that money and food last longer when both are in short supply, it does mean that these individuals more frequently consume food high in fat, salt and sugar and consume less fruit and vegetables than those with more stable incomes and food security<sup>(16)</sup>.

Strategies of short-termism and cost-reduction in the context of uncertain incomes can overshadow many aspects of self-care and render long-term health-related considerations such as diet seem unimportant (49,52). Those experiencing financial uncertainty are very much aware of this trade-off<sup>(47)</sup>, of the necessity of sacrificing longer-term gains for short-term necessities (29). Polling research from North America reports that achieving financial security was a greater priority for those experiencing hardship than increasing their household income (47). Income uncertainty creates dilemmas and difficult choices about food that have consistently negative implications for health, such as having to choose between paying for medication or food<sup>(49)</sup> and having choose between feeding yourself or feeding your children (53).

#### Housing instability and diet

Housing conditions are closely linked to income and represent a significant impact upon physical and mental health and well-being via factors including housing provision, quality, safety, (over)crowding and security<sup>(5)</sup> Housing is more than accommodation providing shelter. These spaces are homes where people raise families, socialise, keep their possessions safe, take refuge from the world and spend most of their time<sup>(56)</sup>. They are also where most of us store and prepare food. Housing and food are two of the biggest areas of expenditure for low-income households and are widely regarded as basic necessities (57,58). In some cases, they can be competing priorities, spending on one means not having enough to pay for the other or for other necessities such as





clothing and transport<sup>(60)</sup>. Knowles and colleagues<sup>(61)</sup> qualitative research on the lived experience of these competing priorities explores how the chronic, extreme stress of economic hardship, including food and housing insecurity and basic needs trade-offs, is reflected in parent descriptions of experiences with depression, anxiety and fear. Parents described how adversity associated with the lack of access to food, lack of affordable housing and exposure to violence are negatively reflected in the behaviour and well-being of their children<sup>(61)</sup>.

There is no standard definition of housing instability or uncertainty. Working definitions include frequently having to move home, difficulty paying the rent, spending more than half of household income on housing costs, being evicted and living in overcrowded conditions<sup>(62)</sup>. Homelessness or being made homeless through eviction are associated with a range of negative health effects, including low birth weight, increased hospitalisations, adverse mental health outcomes, increased risk of asthma and higher levels of food insecurity<sup>(63–66)</sup>. People on limited incomes can feel forced by economic constraints to make their homes in unsafe environments in which they and their children are exposed to violence, crime and social isolation<sup>(61)</sup>.

A specific relationship between housing instability and diet has yet to be established, although plausible mechanisms exist<sup>(67)</sup>. In general, temporary and insecure housing can negatively impact health because people who feel they lack adequate control over their life circumstances, especially in terms of where they live and how they live, are at an increased risk of depression and physical illness<sup>(68)</sup>. More specifically, the children of low-income families in rented accommodation are much less likely to show signs of undernutrition if their parents are in receipt of public housing subsidies, as compared to families that do not receive subsidies (69). Added financial security and certainty about housing status could be instrumental in improving diet and reducing food insecurity. Long-term stays in temporary accommodation can mean limited or no access to adequate facilities to store and cook food, inadequate space to eat together and increased reliance on food banks and other food assistance<sup>(49)</sup>. Chronic housing instability can also hinder family meal routines and opportunities for social eating (67,70).

#### Uncertainty about food environments and diet

The term food environment refers to the collective physical, economic, policy and sociocultural surroundings, opportunities and conditions that influence people's food and beverage choices and nutritional status<sup>(71)</sup>. They are the physical and social spaces in which uncertainties about the SDH converge and are translated into diets and dietary practices. Material conditions, including material need uncertainties, shape how people interact with their local food environments, the foods they obtain (either through retail or food-aid outlets) and the food choices they make. Unhealthy food environments are symptomatic of the interacting pathologies of low incomes, community disadvantage and the actions of the food industry<sup>(72)</sup>. Economically and socially

disadvantaged groups are exposed to environments that may not support health eating, environments in which healthy food outlets are less accessible and less healthy alternatives are abundant<sup>(73)</sup>.

For those on very low incomes, food environments are changing and becoming more uncertain. If current trends in food insecurity continue then the diets of low-income people may become characterised by the inclusion of significant amounts of donated and surplus food accessed via the third sector from outlets such as food banks and food pantries<sup>(74)</sup>. Food-aid use is rising and the sector is now firmly established both in communities and as an increasingly regular source of food for those on low incomes (75–77). Those on low incomes can experience barriers in accessing both the retail and food-aid environments. Specifically, they may lack the financial resources to obtain all their food from the retail food environment, especially given that food tends to be poorer in quality and higher in price in low-income neighbourhoods (78). As a result, they may have to rely on food aid. But, this supplementary or 'hidden' food environment is not easy to access. Different outlets tend to operate very limited opening hours and can only be accessed by means such as referral, membership fees and subscription<sup>(74)</sup>. There is no legal right to food-aid and access to can be dependent on local capacity and characterised by uncertainty. Food-aid outlets tend to open where there is volunteer capacity to run them and not necessarily where levels of food insecurity are highest. As a result, some areas - particularly rural and costal ones – can be underserved (45,79).

#### Exemplar: crisis and diet

Public health and economic crises are known to impact disproportionately low-income and disadvantaged groups (80). The coronavirus pandemic (2020–2021) served to widen economic and health inequalities and amplified uncertainty about the SDH<sup>(81-83)</sup>. The economic shock resulting from measures to contain the spread of the virus created further poverty and uncertainty for those on low incomes and problematised the complex strategies they used to feed themselves (84). Access to food aid during the pandemic was made more difficult for some groups, as demand increased and contact with professionals who could provide referrals was limited by social-distancing measures<sup>(85)</sup>. Research suggests that the pandemic and the associated mitigation measures served to amplify dietary health inequalities. Those who had security about the SDH, particularly income and housing, were able to improve their diets during 'lockdowns' and spend more time planning and preparing meals. Those experiencing uncertainty about the SDH had to contend with deteriorating dietary quality and difficulties accessing food<sup>(86)</sup>. In times of unprecedented change and disruption, population health researchers must reflect on how evidence is generated<sup>(2)</sup>. The disruption caused by the pandemic brought renewed attention to diet and the SDH, particularly in terms of precarity uncertainty<sup>(87)</sup>.

138 C. Thompson

#### Directions for future research

Greater attention needs to be focused on the role of the SDH in shaping diet<sup>(2)</sup>. Specifically, the cumulative negative impacts of uncertainty about the SDH need further attention because they place households in precarious situations: having little control over the conditions of their life; having to make constant and difficult trade-offs between their basic needs and foregoing long-term gains for short-term survival<sup>(61)</sup>. In this context, maintaining a healthy diet becomes both more difficult and less of a priority. There are simply more pressing material needs to be addressed. Uncertainty about the SDH undermines the efforts and strategies used by those on low incomes to achieve dietary resilience. Research is needed to categorise household food-related resources. This is because interventions to build dietary resilience must be informed by a reliable assessment of capacity to be resilient on the part of the groups being exposed to the intervention<sup>(23)</sup>.

Dietary health can be compromised by coping strategies to mitigate chronic uncertainty. These strategies often necessitate prioritising food pricing and optimising food usage when making food choices, and sacrificing quality<sup>(88)</sup>. This is not always enough to ensure that there is a sufficient amount (and certainly not sufficient quality) of food for the household. In which case, intermittent and even regular use of food-aid outlets such as food banks becomes a consistent necessity and strategy. At present, there is little research on how on-going food aid use figures in household food provisioning practices (49) or shapes local food environments (74). Given that food aid is embedded and institutionalised in highincome countries<sup>(89)</sup>, exploring the longer-term dietary health implications of donated and surplus food must be a priority.

#### **Financial Support**

The author is supported by the National Institute of Research Research Health (NIHR) Applied Collaboration East of England (ARC EoE) programme. The views expressed are those of the author, and not necessarily those of the NIHR, NHS or Department of Health and Social Care.

#### Conflict of Interest

None.

#### **Authorship**

The author had sole responsibility for all aspects of preparation of this paper.

#### References

1. Mullie P, Clarys P, Hulens M et al. (2010) Dietary patterns and socioeconomic position. Eur J Clin Nutr 64, 231–238.

- 2. Monsivais P, Thompson C, Astbury CC et al. (2021) Environmental approaches to promote healthy eating: is ensuring affordability and availability enough? Br Med J
- 3. Franco M, Diez Roux AV, Glass TA et al. (2008) Neighborhood characteristics and availability of healthy foods in Baltimore. Am J Prev Med 35, 561-567.
- 4. Hosler AS, Rajulu DT, Fredrick BL et al. (2008) Assessing retail fruit and vegetable availability in urban and rural underserved communities. Prev Chronic Dis 5, A123.
- 5. Darmon N & Drewnowski A (2008) Does social class predict diet quality? Am J Clin Nutr 87, 1107-1117.
- 6. Nobari T. Whaley S. Crespi C et al. (2018) Widening socioeconomic disparities in early childhood obesity in Los Angeles county after the great recession. Public Health Nutr 21, 2301–2310.
- 7. Grøholt E. Stigum H & Nordhagen R (2008) Overweight and obesity among adolescents in Norway: cultural and socio-economic differences. J Public Health 30, 258-265.
- 8. Vinke PC, Navis G, Kromhout D et al. (2020) Socio-economic disparities in the association of diet quality and type 2 diabetes incidence in the Dutch lifelines cohort. EClinical Medicine 19, 100252.
- 9. Espelt A, Kunst AE, Palència L et al. (2012) Twenty years of socio-economic inequalities in type 2 diabetes mellitus prevalence in Spain, 1987–2006. Eur J Public Health 22,
- 10. Agardh E, Allebeck P, Hallqvist J et al. (2011) Type 2 diabetes incidence and socio-economic position: a systematic review and meta-analysis. Int J Epidemiol 40, 804–818.
- 11. Psaltopoulou T, Hatzis G, Papageorgiou N et al. (2017) Socioeconomic status and risk factors for cardiovascular disease: impact of dietary mediators. Hellenic J Cardiol **58**, 32–42.
- 12. Robinson O, Carter AR, Ala-Korpela M et al. (2021) Metabolic profiles of socio-economic position: a multicohort analysis. Int J Epidemiol 50, 768-782.
- 13. Zapata M, Soruco A & Carmuega E (2020) Malnutrition in all its forms and socio-economic indicators in Argentina. Public Health Nutr 23, S13-S20.
- 14. Marmot M (2020) Health equity in England: the Marmot review 10 years on. Br Med J 368, m693.
- 15. Franklin B, Jones A, Love D et al. (2012) Exploring mediators of food insecurity and obesity: a review of recent literature. J Community Health 37, 253-264.
- 16. Drewnowski A & Darmon N (2005) Food choices and diet costs: an economic analysis. J Nutr 135, 900-904.
- 17. Ashton JR, Middleton J & Lang T (2014) Open letter to prime minister David Cameron on food poverty in the UK. The Lancet 383, p. 1631.
- 18. Cummins S, Berger N, Cornelsen L et al. (2020) COVID-19: impact on the urban food retail system and dietary inequalities in the UK. Cities Health, 1-4, 10.1080/23748834.2020.1785167.
- 19. Sanders AE, Lim S & Sohn W (2008) Resilience to urban poverty: theoretical and empricial consideration for population health. Am J Public Health 98, 1101–1106.
- 20. Showell NN, Cole KW, Johnson K et al. (2017) Neighborhood and parental influences on diet and physical activity behaviors in young low-income pediatric patients. Clin Pediatr 56, 1235-1243.
- 21. Houston JB (2014) Assessing advances in community resilience assessment, intervention, and theory to guide future work. Am Behav Sci 59, 175-180.
- 22. Ziglio E, Azzopardi-Muscat N & Briguglio L (2017) Resilience and 21st century public health. Eur J Public Health 27, 789-790.



- 23. Vesnaver E, Keller HH, Payette H et al. (2012) Dietary resilience as described by older community-dwelling adults from the NuAge study 'If there is a will – there is a way!'. Appetite 58, 730-738.
- 24. Stephens L, McNaughton S, Crawford D et al. (2011) Correlates of dietary resilience among socioeconomically disadvantaged adolescents. Eur J Clin Nutr 65, 1219-1232.
- 25. Beek L T, van der Vaart H, Wempe JB et al. (2018) Dietary resilience in patients with severe COPD at the start of a pulmonary rehabilitation program. Int J Chron Obstruct Pulmon Dis 13, 1317-1324.
- 26. Wulff K, Donato D & Lurie N (2015) What is health resilience and how can we build it? Annu Rev Public Health 36.
- 27. Canvin K, Mattila A, Burstrom B et al. (2009) Tales of the unexpected? Hidden resilience in poor households in Britain. Soc Sci Med 69, 238-245.
- Luthar SS, Cicchetti D & Becker B (2000) The construct of resilience: a critical evaluation and guidelines for future work. Child Dev 71, 543-562.
- Wood G (2003) Staying secure, staying poor: the 'Faustian Bargain'. World Dev 31, 455-471.
- 30. Room G (2000) Trajectories of social exclusion: the wider context. In Breadline Europe: The Measurement of Poverty [D Gordon and P Townsend, editors]. Bristol: Policy Press, pp. 407-439.
- Whittle HJ, Leddy AM, Shieh J et al. (2020) Precarity and health: theorizing the intersection of multiple material-need insecurities, stigma, and illness among women in the United States. Soc Sci Med 245, 112683.
- 32. WHO (World Health Organization) (2012) What are the social determinants of health? Available from http://www. who.int/social\_determinants/sdh\_definition/en/.
- 33. Cummins I (2016) Wacquant, urban marginality, territorial stigmatization and social work. Aotearoa New Zealand Social Work 28, 75-83.
- Wacquant L (2009) Theoretical Coda: A Sketch of the Neoliberal State. Punishing the Poor: The Neoliberal Government of Social Insecurity. Michigan: Duke University Press.
- 35. Carney T & Stanford J (2018) The dimensions of insecure work: a factbook. Manuka: The Australia Institute.
- 36. Tomlinson J. (2017) A Better NHS: Exploring the relationships between doctors and patients and health policy [Internet]: A Better NHS. Available from https://abetternhs.net/2017/02/20/poverty-medicine-a-gps-journey/.
- 37. Mikkonen J & Raphael D (2010) Social Determinants of Health: The Canadian Facts. Toronto: School of Health Policy and Management.
- 38. Bertoni AG, Foy CG, Hunter JC et al. (2011) A multilevel assessment of barriers to adoption of dietary approaches to stop hypertension (DASH) among African Americans of low socioeconomic status. J Health Care Poor Underserved **22**, 1205–1220.
- 39. Aggarwal A, Monsivais P & Drewnowski A (2012) Nutrient intakes linked to better health outcomes are associated with higher diet costs in the US. PLoS ONE 7, e37533.
- 40. Darmon N & Drewnowski A (2015) Contribution of food prices and diet cost to socioeconomic disparities in diet quality and health: a systematic review and analysis. Nutr Rev 73, 643-660.
- 41. Griffith R, O'Connell M & Smith K (2013) Food expenditure and nutritional quality over the Great Recession: Briefing Note (BN143). Institute for Fiscal Studies.
- 42. Dinour LM, Bergen D & Yeh M (2007) The food insecurityobesity paradox: a review of the literature and the role food stamps may play. J Am Diet Assoc 107, 1952–1961.

- 43. Gundersen C & Ziliak JP (2018) Food insecurity research in the United States: where we have been and where we need to go. Appl Econ Perspect Policy 40, 119-135.
- 44. Loopstra R & Tarasuk V (2013) The relationship between food banks and household food insecurity among lowincome Toronto families. Can Public Policy 38, 497-514.
- 45. Smith D, Thompson C, Harland K et al. (2018) Identifying populations and areas at greatest risk of household food insecurity in England. Appl Geogr 91, 21-31.
- 46. Morris PA, Hill HD, Gennetian LA et al. (2015) Income Volatility in US Households with Children: Another Growing Disparity between the Rich and the Poor? IRP Discussion Paper no 1429-15. Institute for Research on Poverty, University of Wisconsin-Madison.
- 47. Wolf S & Morrissey T (2017) Economic instability, food insecurity, and child health in the wake of the great recession. Soc Serv Rev 91, 534-570.
- Lambert SJ, Fugiel PJ & Henly JR (2014) Schedule Unpredictability among Early Career Workers in the US Labor Market: A National Snapshot. Employment Instability, Family Well-Being, and Social Policy Network, University of Chicago.
- 49. Thompson C, Smith D & Cummins S (2018) Understanding the health and wellbeing challenges of the food banking system: a qualitative study of food bank users, providers and referrers in London. Soc Sci Med 211, 95-101.
- 50. Bruening M, MacLehose R, Loth K et al. (2012) Feeding a family in a recession: food insecurity among Minnesota parents. Am J Public Health 102, 520-526.
- 51. Nackers LM & Appelhans BM (2013) Food insecurity is linked to a food environment promoting obesity in households with children. J Nutr Educ Behav 45, 780-784.
- 52. Morton JF & Guthrie JF (1997) Diet-related knowledge, attitudes, and practices of low-income households with children in the household. Fam Econ Nutr Rev 10, 2-15.
- 53. Hall S, Knibbs S, Medien K et al. (2013) Child Hunger in London: Understanding Food Poverty in the Capital. London: Ipsos MORI and the Greater London Authority.
- 54. Krieger J & Higgins DL (2002) Time again for public health action. Am J Public Health 92, 758-768.
- 55. Fierman AH, Beck AF, Chung EK et al. (2016) Redesigning health care practices to address childhood poverty. Acad Pediatr 16, S136–SS46.
- 56. de Sa J (2017) How does housing influence our health?: The Health Foundation. Available from https://www.health. org.uk/infographic/how-does-housing-influence-our-health? gclid=Cj0KCQjwjo2JBhCRARIsAFG667W1XjphtFF1G-RVNK9IvqTDdP-MyFNjRonNN9RpJs376HW8zudVh4-OgaAsTvEALw\_wcB.
- 57. Office for National Statistics (2021) Family spending in the UK: April 2019 to March 2020: ONS. Available from https://www.ons.gov.uk/peoplepopulationandcommunity/ personalandhouseholdfinances/expenditure/bulletins/familyspendingintheuk/april2019tomarch2020.
- 58. The Pew Charitable Trusts (2016) Household Expenditures and Income. Available from https://www.pewtrusts.org/en/ research-and-analysis/issue-briefs/2016/03/household-expen ditures-and-income.
- 59. Kushel MB, Gupta R, Gee L et al. (2006) Housing instability and food insecurity as barriers to health care among low-income Americans. J Gen Intern Med 21, 71-77.
- 60. King C (2018) Food insecurity and housing instability in vulnerable families. Rev Econ Househ 16, 255–273.
- 61. Knowles M, Rabinowich J, de Cuba SE et al. (2016) 'Do you wanna breathe or eat?': parent perspectives on child health consequences of food insecurity, trade-offs, and toxic stress. Matern Child Health J 20, 25-32.

140 C. Thompson

62. Ma CT, Gee L & Kushel MB (2008) Associations between housing instability and food insecurity with health care access in low-income children. Ambul Pediatr 8, 50-57.

- 63. Cutuli JJ, Herbers JE, Lafavor TL et al. (2014) Asthma and adaptive functioning among homeless kindergartenaged children in emergency housing. J Health Care Poor Underserved 25, 717-730.
- 64. Sandel M, Sheward R, de Cuba SE et al. (2018) Unstable housing and caregiver and child health in renter families. Pediatrics 141, e20172199.
- 65. Gultekin LE, Brush BL, Ginier E et al. (2020) Health risks and outcomes of homelessness in school-age children and vouth: a scoping review of the literature. J Sch Nurs 36. 10-18.
- 66. Yousefi-Rizi L, Baek JD, Blumenfeld N et al. (2021) Impact of housing instability and social risk factors on food insecurity among vulnerable residents in San Diego County [published online ahead of print, 2021 May 8]. J Community Health, 1-8. https://doi.org/101.007/s10900-021-00999-w
- 67. Bottino CJ, Fleegler EW, Cox JE et al. (2019) The relationship between housing instability and poor diet quality among urban families. Acad Pediatr 19, 891-898.
- 68. Leng G (2011) Briefing Paper Twon: Public health and housing: we can get it right. London: The Housing Learning & Improvement Network. Supported by the Chartered Institute of Housing.
- 69. Meyers A, Cutts D, Frank D et al. (2005) Subsidized housing and children's nutritional status: data from a multisite surveillance study. Arch Pediatr Adolesc Med 159, 551–556.
- 70. Mayberry LS, Shinn M, Benton JG et al. (2014) Families experiencing housing instability: the effects of housing programs on family routines and rituals. Am J Orthopsychiat **84**, 95–109.
- 71. Swinburn B, Sacks G, Vandevijvere S et al. (2013) INFORMAS (international network for food and obesity/non-communicable diseases research, monitoring and action support): overview and key principles. Obes Rev **14**. 1–12.
- 72. Brown DR & Brewster LG (2015) The food environment is a complex social network. Soc Sci Med 133, 202-204.
- 73. Kraft AN, Thatcher EJ & Zenk SN (2020) Neighborhood food environment and health outcomes in U.S. lowsocioeconomic status, racial/ethnic minority, and rural populations: a systematic review. J Health Care Poor Underserved 31, 1078-1114.
- 74. Thompson C, Smith D & Cummins S (2019) Food banking and emergency food aid: expanding the definition of local food environments and systems. Int J Behav Nutr Phys Act 16, 2.

- 75. Black JL & Seto D (2020) Examining patterns of food bank use over twenty-five years in Vancouver, Canada. Voluntas 31, 853-869.
- 76. Lambie-Mumford H & Dowler E (2014) Rising use of 'Food aid' in the United Kingdom. Br Food J 116, 1418–1425.
- 77. Lambie-Mumford H & Green MA (2015) Austerity, welfare reform and the rising use of food banks by children in England and Wales. Area 49, 273–279.
- 78. Gosliner W, Brown DM, Sun BC et al. (2018) Availability, quality and price of produce in low-income neighbourhood food stores in California raise equity issues. Public Health Nutr 21, 184-185.
- 79. May J. Williams A. Cloke P et al. (2020) Still bleeding: the variegated geographies of austerity and food banking in rural England and Wales. J Rural Stud 79, 409-424.
- 80. Álvarez-Gálvez J, Rodero-Cosano ML, Salinas-Pérez JA et al. (2019) Exploring the complex associations among social determinants of health in Andalusia after the 2008 financial crisis. Soc Indic Res 141, 873-893.
- 81. Perry BL, Aronson B & Pescosolido BA (2021) Pandemic precarity: COVID-19 is exposing and exacerbating inequalities in the American heartland. Proc Natl Acad Sci USA 118, e2020685118.
- 82. Burström B & Tao W (2020) Social determinants of health and inequalities in COVID-19. Eur J Public Health 30, 617-618.
- 83. Abrams EA & Szefler SJ (2020) COVID-19 and the impact of social determinants of health. Lancet Respir Med 8, 659-P61.
- 84. Kinsey EW, Kinsey D & Rundle AG (2020) COVID-19 and food insecurity: an uneven patchwork of responses. J Urban Health 97, 332–335.
- 85. Barker M & Russell J (2020) Feeding the food insecure in Britain: learning from the 2020 COVID-19 crisis. Food Secur 12, 865-870.
- Thompson C, Hamilton L, Dickinson A et al. (2020) The impact of COVID-19 and the resulting mitigation measures on food and eating in the East of England: Interim Report. NIHR ARC East of England and University of Hertfordshire.
- 87. Singu S, Acharya A, Challagundla K et al. (2020) Impact of social determinants of health on the emerging COVID-19 pandemic in the United States. Front Public Health 8, 406.
- 88. Vilar-Compte M, Burrola-Méndez S, Lozano-Marrufo A et al. (2021) Urban poverty and nutrition challenges associated with accessibility to a healthy diet: a global systematic literature review. Int J Equity Health 20, 40.
- 89. Bazerghi C, McKay FH & Dunn M (2016) The role of food banks in addressing food insecurity: a systematic review. J Community Health 41, 732-740.

