

## ERRATUM

A correction to our earlier paper on 'The effect of repeated cycles of selection and regenerations in populations of finite size'.

R. N. CURNOW and L. H. BAKER

Vol. 11, p. 106, lines 6–11 should read:

$$\mu_r = P_1 + \frac{(1 - P_0 - P_1) l(l+1) \dots (l+r-1)}{(l+m)(l+m+1) \dots (l+m+r-1)} \quad (r=1, 2, 3, 4). \quad (9)$$

The amendments, correct to order  $E(X)$ , are to subtract

$$\frac{(1 - P_0 - P_1) B(l+2n-2, m)}{B(l, m)} nE(X) \\ \times \left[ 1 + \frac{ka[(1-2h)(l+2n-2)(nm-l-2n+1) + nm(l+2n+m-1)]}{(l+m+2n-1)(l+m+2n-2)} \right]$$

and

$$\frac{(1 - P_0 - P_1) B(l, m+2n-2)}{B(l, m)} nE(X) \\ \times \left[ 1 + \frac{ka[(1-2h)(m+2n-2)(nl-m-2n+1) - nl(m+2n+l-1)]}{(l+m+2n-1)(l+m+2n-2)} \right]$$

**PLATES** should only be included where absolutely essential. They should be supplied as unmounted glossy prints; any lettering to be inserted on them is best indicated on a separate sketch. Please do not damage prints by writing heavily on their backs or by using paper clips.

**DIAGRAMS** should be about twice the size of the finished block, and the thickness of lines and size of points determined accordingly. They must be drawn in Indian ink on white Bristol Board or tracing linen; graph paper ruled in pale blue (but not other colours) is also acceptable. Lettering should be lightly inserted in soft pencil only, so that the printer can put in the finished lettering.

Legends to illustrations must be given on a separate sheet of paper. Each illustration must have the name of the author and figure number pencilled on the back. Plates and diagrams should be numbered separately and their position indicated on the typescript. It will hasten refereeing if a photograph of each diagram can be supplied with the carbon copy of the paper.

**TABLES** should each be typed on a separate sheet of paper and their approximate positions in the text indicated on the typescript. Each table should be numbered and carry an appropriate title. The table should be designed, whenever possible, to be printed in the normal orientation of the text. The data should be grouped so as to make the use of rules unnecessary. Vertical rules, in particular, are expensive to print, and will only be included at the Editor's discretion.

**FOOTNOTES** should be avoided where possible. They can often be incorporated into the text, in parentheses.

**SYMBOLS.** Italic letters should generally be adopted for both gene symbols and quantities in mathematical formulae. Bold letters add to printing costs, and should only be used where they are necessary to avoid confusion.

**SPELLING** should follow the *Concise Oxford Dictionary*.

**REFERENCES** should follow the normal usage in the journal. In the list of references at the end of the paper, titles of periodicals should be abbreviated according to the *World List of Scientific Periodicals* (fourth edition).

**PROOFS.** Two sets of single-sided page proofs, together with the typescript, of each paper will be sent to the author. The printers' marked proof should be returned after correction to the Executive Editor. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958.

**OFFPRINTS.** Fifty offprints of each paper, including short papers, are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

# GENETICAL RESEARCH

VOLUME 14, NUMBER 1, AUGUST 1969

## CONTENTS

CHARLESWORTH, DEBORAH. Small, inherited differences in blood glucose levels in mice	page 1
IYER, S. S. and BHASKARAN, K. A lethal factor in a strain of <i>Vibrio El Tor</i>	9
KVELLAND, INGERID. The effect of homozygous deletions upon heterozygote formation in bacteriophage T4D	13
PASZEWSKI, A. and PRAZMO, W. The bearing of mutant and cross specificity on the pattern of intragenic recombination	33
ENOMOTO, MASATOSHI and YAMAGUCHI, SHIGERU. Different frequencies of cotransduction of <i>motC</i> and <i>H1</i> in <i>Salmonella</i>	45
LIFSCHYTZ, ELIEZER and FALK, RAPHAEL. The action of the gene <i>prune</i> ( <i>pn</i> ) in <i>Drosophila melanogaster</i>	53
NGA, B. H. and ROPER, J. A. A system generating spontaneous intrachromosomal changes at mitosis in <i>Aspergillus nidulans</i>	63
BEVAN, E. A. and SOMERS, J. M. Somatic segregation of the killer (k) and neutral (n) cytoplasmic genetic determinants in yeast	71
COOKE, MARYLYN and MEYNELL, ELINOR. Chromosomal transfer mediated by de-repressed R factors in F <sup>-</sup> <i>Escherichia coli</i> K 12	79
ENOMOTO, MASATOSHI. A method for isolating paralysed ( <i>mot</i> <sup>-</sup> ) mutants from non-flagellated cells of <i>Salmonella</i>	89
MCLAREN, ANNE and TAIT, ANDREW. Cytoplasmic isocitrate dehydrogenase variation within the C3H inbred strain	93