

Using seed respiration as a tool for calculating optimal soaking times for ‘on-farm’ seed priming of barley (*Hordeum vulgare*) — ERRATUM

Erratum

Cite this article: Carrillo-Reche J, Newton AC, Quilliam RS (2021). Using seed respiration as a tool for calculating optimal soaking times for ‘on-farm’ seed priming of barley (*Hordeum vulgare*) — ERRATUM. *Seed Science Research* **31**, 125–125. <https://doi.org/10.1017/S0960258521000118>

First published online: 29 April 2021

Javier Carrillo-Reche, Adrian C. Newton and Richard S. Quilliam

<https://doi.org/10.1017/S096025852100039>, Published by Cambridge University Press, 03 March 2021

An amendment was made to the article

“Using seed respiration as a tool for calculating optimal soaking times for ‘on-farm’ seed priming of barley (*Hordeum vulgare*)” by Javier Carrillo-Reche, Adrian C. Newton and Richard S. Quilliam, first published online by Cambridge University Press on 03 March 2021. The amended version of the article now includes a subsection **Respiration measurements**, in the section **Materials and Methods**.

Reference

Carrillo-Reche, J., Newton, A., & Quilliam, R. (2021). Using seed respiration as a tool for calculating optimal soaking times for ‘on-farm’ seed priming of barley (*Hordeum vulgare*). *Seed Science Research*, 1–9. doi:10.1017/S096025852100039