

# herbivores

*the assessment of intake, digestibility and  
the roles of secondary compounds*



edited by CA Sandoval-Castro, FD DeB Hovell,  
JFJ Torres-Acosta and A Ayala-Burgos

bsas

publication **34**

# herbivores



edited by D Hovell

bsas

publication **34**

British Society of Animal Science  
**Occasional Publications**

*The following Occasional Publications, published by the British Society of Animal Science, are now available from Nottingham University Press:*

- No. 14 □ New Developments in Sheep Production (1990)
- No. 15 □ Neonatal Survival and Growth (1992)
- No. 16 □ Animal Production in Developing Countries (1993)
- No. 17 □ Safety and Quality of Feed from Animals (1993)
- No. 18 □ Livestock Production and Land Use in Hills and Uplands (1994)
- No. 19 □ Breeding and Feeding the High Genetic Merit Dairy Cow (1995)
- No. 20 □ Animal Choices (1997)
- No. 21 □ Food, Lands and Livelihoods - Setting Research Agendas for Animal  
□ Science (1998)
- No. 22 □ *In Vitro* Techniques for Measuring Nutrient Supply to Ruminants (1998)
- No. 23 □ Farm Animal Welfare - Who Writes the Rules? (1999)
- No. 26 □ Fertility in High Producing Dairy Cows - 2 volumes (2001)

*The following BSAS Publications have been published by Nottingham University Press:*

- No. 29 □ Dairying: Using Science to Meet Consumers' Needs (2004)
- No. 30 □ Farm Animal Genetic Resources (2004)
- No. 31 □ The Appliance of Pig Science (2004)
- No. 32 □ Emerging Equine Science (2004)
- No. 33 □ Responding to the Livestock Revolution (2004)
- No. 34 □ Herbivores: Assessment of Intake, Digestibility and the Roles of Secondary  
□ Compounds (2006)

To obtain Occasional Publications contact:

Nottingham University Press, Manor Farm, Thrumpton, Nottingham, NG11 0AX, UK  
Tel: +44 115 9831011; Fax: +44 115 9831003; E-mail: [orders@nup.com](mailto:orders@nup.com)  
Website: <http://www.nup.com>

## **Herbivores**

*Assessment of intake, digestibility and the roles of secondary compounds*

# Herbivores

*Assessment of intake, digestibility and the roles of  
secondary compounds*

Edited by

CA Sandoval-Castro, FD DeB Hovell, JFJ Torres-Acosta and  
A Ayala-Burgos



Nottingham University Press  
Manor Farm, Main Street, Thrumpton  
Nottingham, NG11 0AX, United Kingdom

NOTTINGHAM

First published 2006  
© British Society of Animal Science

All rights reserved. No part of this publication may be reproduced in any material form (including photocopying or storing in any medium by electronic means and whether or not transiently or incidentally to some other use of this publication) without the written permission of the copyright holder except in accordance with the provisions of the Copyright, Designs and Patents Act 1988. Applications for the copyright holder's written permission to reproduce any part of this publication should be addressed to the publishers.

**British Library Cataloguing in Publication Data**  
Herbivores: Assessment of intake, digestibility and the roles of secondary compounds  
I. Sandoval-Castro, C.A., II. Hovell, F.D. De.B., III. Torres-Acosta, JFJ., IV. Ayala-Burgos, A.

ISBN 1-904761-52-6

*Disclaimer*

Every reasonable effort has been made to ensure that the material in this book is true, correct, complete and appropriate at the time of writing. Nevertheless, the publishers and authors do not accept responsibility for any omission or error, or for any injury, damage, loss or financial consequences arising from the use of the book.

Typeset by Nottingham University Press, Nottingham  
Printed and bound by XX

# CONTENTS

1. The possible use of the alkenes (unsaturated hydrocarbons) of plant cuticular wax as diet composition markers in sheep 1  
H. Dove<sup>1</sup> and M. Oliván<sup>2</sup>  
*<sup>1</sup>CSIRO Plant Industry, GPO Box 1600, Canberra, ACT 2601, Australia <hugh.dove@csiro.au>; <sup>2</sup>SERIDA, Apartado 13, 33300 Villaviciosa, Asturias, Spain*
  
2. Degradation characteristics of stover of 'criollo' maize varieties used as forage in smallholder maize-livestock production systems of Central Mexico, in different growing periods 9  
J. Estrada-Flores, O. Castelán-Ortega, N. Martínez-Silva, A. Vieyra-Santiago, A. Sánchez-Colín, M. González-Ronquillo and C. Arriaga-Jordán  
*CICA-Universidad Autónoma del Estado de México. Instituto Literario No. 100, colonia Centro. CP.50000, Toluca Estado de México, México*
  
3. The use of alkanes as markers for estimating diet composition in sheep and goats 15  
L.M.M. Ferreira<sup>1</sup>, M. Oliván<sup>2</sup>, M.A.M. Rodrigues<sup>1</sup>, A. Dias-da-Silva<sup>1</sup> and K. Osoro<sup>2</sup>  
*<sup>1</sup>CECAV-Departamento de Zootecnia, Universidade de Trás-os-Montes e Alto Douro, Apartado 1013, 5001 Vila Real Codex, Portugal; <sup>2</sup>SERIDA- Servicio Regional de Investigación y Desarrollo Agroalimentario, Apartado 13, 33300 Villaviciosa, Asturias, Spain*
  
4. Gas production and dry matter degradability of diets for ruminants 21  
F. Bovera, S. Calabrò, R. Schettini, M.I. Cutrignelli, F. Infascelli and V. Piccolo  
*Dipartimento di Scienze Zootecniche e Ispezione degli alimenti, sez. B. Ferrara, University of Naples "Federico II" Via F. Delpino, 1 – 80137, Naples, Italy*

Table of contents

5. Prediction of DMD from gas production for substrates with high and low soluble carbohydrate content 29  
Ú.T. Nogueira<sup>1</sup>, R. M. Maurício<sup>2</sup>, L. C. Gonçalves<sup>1</sup>, N. M. Rodrigues<sup>1</sup>, L. G. R. Pereira<sup>1</sup>, and M. S. Dhanoa<sup>3</sup>  
<sup>1</sup>UFMG-EV Federal University of Minas Gerais - Vet. School (Br); <sup>2</sup>FUNED-Ezequiel Dias Foundation (Br); <sup>3</sup>IGER, Plas Gogerddan, Aberystwyth, Ceredigion (UK)
6. Diet determination of cattle grazing in the Sanyati communal areas in Zimbabwe 35  
Hanne H. Hansen and Jørgen Madsen  
Department of Animal Science and Animal Health, The Royal Veterinary and Agricultural University (KVL), Grønnegårdsvej 2, 1870 Frederiksberg C, Denmark
7. Limitations in assessment of forage intake and diet composition of steers grazing tropical pastures with short-term intake rate and oesophageal fistulated steers 41  
H. D. Hess<sup>1</sup>, C.E. Lascano<sup>2</sup> and M. Kreuzer<sup>3</sup>  
<sup>1</sup>Institute of Animal Science, ETH Center/LFW, CH-8092 Zurich, Switzerland; <sup>2</sup>Tropical Grass and Legume Project, CIAT, Apartado aéreo 6713, Cali, Colombia; <sup>3</sup>Institute of Animal Science, ETH Center/LFW, CH-8092 Zurich, Switzerland
8. A new strategy for the *in situ* technique through the use of one fistulated ruminant 49  
I. B. M. Sampaio and T. R. Tomich  
Animal Science Dept-UFMG Caixa Postal 567 Belo Horizonte 30123-970 Brazil
9. Validation of the n-alkane technique to measure intake and digestibility in Alentejano pigs under “Montanheira” 55  
M. I. Ferraz de Oliveira<sup>1</sup>, A. P. Trigo<sup>2</sup>, J. A. Neves<sup>3</sup> and M. Cancela d’Abreu<sup>4</sup>  
<sup>1</sup>ICAM, Universidade de Évora - Polo da Mitra, Apartado 94, 7002-554 Évora Portugal; <sup>2,3,4</sup> Departamento de Zootecnia, Universidade de Évora - Polo da Mitra, Apartado 94, 7002-554 Évora Portugal; <sup>3</sup>jneves@uevora.pt; <sup>4</sup>abreu@uevora.pt
10. Effect of inoculum from suckling rabbits of different ages on fermentation parameters obtained with the *in vitro* gas production technique 63  
M.P. Gazaneo, F. Bovera, C. Di Meo, G. Piccolo and A. Nizza  
Dipartimento di Scienze Zootecniche e Ispezione degli Alimenti, Università “Federico II”, Via F. Delpino 1 – 80137 Napoli, Italy



Table of contents

11. Comparison between *in vitro* gas production and *in situ* degradation for evaluating rumen dry matter degradation of maize grain and tropical grasses 69  
R. M. Mauricio<sup>1</sup>, T.R. Tomich<sup>2</sup>, R. A. Filho<sup>3</sup>, R. B. Reis<sup>3</sup>, L.C. Gonçalves<sup>3</sup>, I. Borges<sup>3</sup> and M. S. Dhanoa<sup>4</sup>  
<sup>1</sup>FUNED - Ezequiel Dias Foundation - (Br); <sup>2</sup>EMBRAPA- The Brazilian Agricultural Research Corporation - (Br); <sup>3</sup>UFMG-EV - Federal University of Minas Gerais - Veterinary School - (Br); <sup>4</sup>IGER, Plas Gogerddan, Aberystwyth, Ceredigion (UK)
12. Fermentation kinetics of the carbohydrate fraction of fresh forage, 73 silage and hay of *Avena sativa*  
S. Calabrò, F. Bovera, F. Zicarelli, R. Tudisco, M.I. Cutrignelli, G. Piccolo and F. Infascelli  
*Dipartimento di Scienze Zootecniche e Ispezione degli alimenti, University of Naples "Federico II" Via F. Delpino, 1 – 80137, Napoli, Italy*
13. Effect of method of conservation on the n-alkane C<sub>31</sub> concentration of two legumes and three temperate grasses 79  
M.R. Reyes-Reyes<sup>1</sup>, S. E. Buntinx<sup>1§</sup>, F. S. Barajas-Torres<sup>2</sup>, I. C. Gavilán-García<sup>2</sup>, and F.A. Castrejón-Pineda<sup>1</sup>  
<sup>1</sup>Facultad de Medicina Veterinaria y Zootecnia, Depto. de Nutrición Animal y Bioquímica; <sup>2</sup>Facultad de Química, Depto. de Química Orgánica, Universidad Nacional Autónoma de México, Cd. Universitaria 04510, Mexico
14. The amount of rumen fluid influences the composition of short chain fatty acids produced *in vitro* 87  
S. Muetzel<sup>1</sup>, R.M. Mauricio<sup>2</sup> and K. Becker<sup>1</sup>  
<sup>1</sup>Department of Aquaculture Systems and Animal Nutrition in the Tropics and Subtropics, University of Hohenheim, 70593 Stuttgart, Germany; <sup>2</sup>FUNED - Ezequiel Dias Foundation - (Br)
15. A methodological approach in La Reunion Island on the value of faecal Near Infrared Reflectance Spectroscopy (NIRS) to assess grazing intake and diet quality of the dairy cow 93  
V. Decruyenaere<sup>1</sup>, J. Bony<sup>2</sup>, P. Grimaud<sup>4</sup> and Ph. Lecomte<sup>1,3</sup>  
<sup>1</sup>Farming Systems Section, Centre of Agricultural Researches (CRA), 100 rue du Serpont, B-6800 Libramont, Belgium;  
<sup>2</sup>National Institute for Agricultural research, Herbivores Research Unit (INRA-URH), Clermont-Ferrand Theix; on secondment to CIRAD, Pole Elevage, Saint Pierre, La Réunion Island, France;  
<sup>3</sup>Centre International in Agricultural Research for Development

Table of contents

(CIRAD-EMVT), Animal Productions program, Montpellier, France;  
<sup>4</sup> Centre International in Agricultural Research for Development  
(CIRAD-EMVT), Pole Elevage, Saint Pierre, La Réunion Island, France

16. *In vitro* fermentation of four tropical browse legumes: estimation of the effect of tannins by gas production 101  
Rafael Rodríguez<sup>1</sup>, Mariano Mota, Manuel Fondevila and Gabriel de la Fuente  
*Departamento de Producción Animal y Ciencia de los Alimentos, Universidad de Zaragoza, Miguel Servet 177, 50013 Zaragoza, Spain; <sup>1</sup>Instituto de Ciencia Animal, Carretera Central km 47,5, Apdo. Postal 24, San José de las Lajas, La Habana, Cuba*
17. Predicting the digestibility of Sahelian roughage feeds from the crude protein content in faeces of cattle, sheep and goats using an established first-order exponential function 109  
Eva Schlecht<sup>1</sup> and Andreas Susenbeth<sup>2</sup>  
<sup>1</sup> Institute for Animal Production in the Tropics and Subtropics, University of Hohenheim, D-70593 Stuttgart, Germany;  
<sup>2</sup> Institute for Animal Nutrition and Physiology; University of Kiel, D-24098 Kiel, Germany
18. Effect of rumen emptying on biting rate of cows grazing *Brachiaria brizantha* at three stocking rates in Yucatán, México 117  
R. Grajales-Zepeda, A.J. Ayala-Burgos, L. Ramírez-Avilés, C. Aguilar-Pérez and J.L. Puerto-Nájera  
*Facultad de Medicina Veterinaria y Zootecnia – UADY, Apartado Postal 4-116 Itzimna, C.P. 97000, Merida, Yucatan, Mexico*
19. Evaluation of a fat protection method (Ca-soap) with an *in vitro* gas production system 125  
H Magaña-Sevilla; CA Sandoval-Castro and Capetillo-Leal C.  
*Facultad de Medicina Veterinaria y Zootecnia, Universidad Autónoma de Yucatán, México, Apdo 4-16 itzimná, Mérida, Yucatán, 97100, México*
20. Mean chewing time in horses fed different forages supplemented with concentrates 131  
P. Noergard<sup>1</sup>, L. Raff<sup>1</sup>, U. Poulsen<sup>1</sup>, L. Eriksen<sup>2</sup> and T.M. Soeland<sup>2</sup>  
<sup>1</sup>Department of Basic Animal and Veterinary Sciences,  
<sup>2</sup>Department of Large Animal Sciences, The Royal Veterinary and Agricultural University, Denmark

Table of contents

Posters

- Combining *in vitro* data and modelling to predict *in vivo* animal response 135

Jan Dijkstra<sup>1</sup> and James France<sup>2</sup>

<sup>1</sup>Wageningen Institute of Animal Sciences, Animal Nutrition Group, PO Box 338, 6700 AH Wageningen, the Netherlands; <sup>2</sup>Department of Animal and Poultry Science, University of Guelph, Guelph, Ontario N1G 2W1, Canada

- Cumulative gas production: how to measure it, and what it can and cannot tell you 145

Barbara A. Williams

Animal Nutrition Group, Wageningen University, The Netherlands

- The use of n-alkanes and other plant-wax compounds as markers for studying the feeding and nutrition of large mammalian herbivores 153

R.W. Mayes<sup>1</sup> and H. Dove<sup>2</sup>

<sup>1</sup>The Macaulay Institute, Craigiebuckler, Aberdeen, AB15 8QH; <sup>2</sup>CSIRO Plant Industry, GPO Box 1600, Canberra, ACT 2601, Australia

- Behavioural mechanisms influencing use of plants with secondary metabolites by herbivores 183

Frederick D. Provenza

Department of Forest, Range and Wildlife Sciences, Utah State University, Logan, UT USA 84322-5230

- Can plant secondary metabolites have a role in controlling gastrointestinal nematode parasitism in small ruminants? 197

S.Athanasiadou<sup>1\*</sup>, I.Kyriazakis<sup>1</sup>, F.Jackson<sup>2</sup>

<sup>1</sup>Animal Nutrition and Health Department, Scottish Agricultural College, EH26 0PH, UK; <sup>2</sup>Parasitology Division, Moredun Research Institute, EH26 0PZ, UK

- Effects of tannins in goats infected with gastrointestinal nematodes 209

V. Paolini<sup>1</sup> and H. Hoste

Unité Mixte de Recherches 1225 INRA/DGER. Ecole Nationale Vétérinaire de Toulouse. 23, chemin des Capelles F31076, Toulouse, France

- Upgrading tannin-rich forages by supplementing ruminants with Polyethylene Glycol (PEG) 221

Perevolotsky, A.<sup>1</sup>, Landau, S.<sup>1</sup>, Silanikove, N.<sup>2</sup> and Provenza, F.<sup>3</sup>

<sup>1</sup>Department of Natural Resources and Agronomy, Institute of Field and Garden Crops, Agricultural Research Organisation-The Volcani

ix

*Table of contents*

Center, P.O. Box 6, Bet Dagan 50250, Israel; <sup>2</sup> Institute of Animal Science, Agricultural Research Organisation-The Volcani Center, Israel; <sup>3</sup>Dept. of Forest, Range and Wildlife Sciences, Utah State University, Logan, USA

Chemical and biological assays for quantification of major plant secondary metabolites 235

Harinder P.S. Makkar

*Animal Production and Health Section, Joint FAO/IAEA Division, International Atomic Energy Agency, Vienna, Austria*

Nutritional characteristics of browse species from Northeastern Mexico consumed by small ruminants 251

Roque G. Ramírez-Lozano

*Facultad de Ciencias Biológicas, Universidad Autónoma de Nuevo León. Apartado Postal 142, sucursal F, San Nicolás de los Garza, N.L. 66450. México*

The effect of supplementary feeding in browsing Criollo kids and hair sheep naturally infected with gastrointestinal nematodes 261

Juan Felipe de Jesús Torres-Acosta

*Facultad de Medicina Veterinaria y Zootecnia, Universidad Autónoma de Yucatán. Km 15.5 carretera Mérida-Xmatkuil, Mérida, Yucatán, México*

Content of secondary metabolites of some indigenous browse legumes from the Yucatan Peninsula, with particular reference to phenolic compounds 279

I. R. Armendáriz-Yáñez<sup>1</sup> and J. A. Rivera-Lorca<sup>2</sup>

*<sup>1</sup> Facultad de Medicina Veterinaria y Zootecnia. Universidad Autónoma de Yucatán. Apdo. Postal 4-116 Itzimná. C.P. 97100 Mérida, Yuc., México; <sup>2</sup> Instituto Tecnológico Agropecuario No. 2 Conkal. Km 16.3 Carretera Mérida-Motul C.P. 97100 Mérida, Yucatan, México*

Leguminosae diversity in the Yucatan Peninsula and its importance for sheep and goat feeding 291

José Salvador Flores, Rita M. Vermont-Ricalde and Jesús Martín Kantún-Balam

*Facultad de Medicina Veterinaria y Zootecnia. Universidad Autónoma de Yucatán. Apdo. Postal 4-116 Itzimná. C.P. 97100, Mérida, Yucatán., México*

Index 301

**x**