

MLCNY



51027000067429



THE BRITISH JOURNAL OF PSYCHIATRY

October 1986

Vol 149

MEDICAL INFOR. CT. OCT 28 1986

ISSN 0007-1250

Published by authority of
The Royal College of Psychiatrists

NOTICE TO CONTRIBUTORS

1. *The British Journal of Psychiatry* is published monthly under the auspices of the Royal College of Psychiatrists. The *Journal* publishes original work in all fields of psychiatry. Communications on general editorial matters, including manuscripts for publication, printed matter, and books for review, should be sent to *The Editor, The British Journal of Psychiatry, 17 Belgrave Square, London SW1X 8PG.*

2. Contributions are accepted for publication on the condition that their substance has not been published or submitted for publication elsewhere. The *Journal* does not hold itself responsible for statements made by contributors. Unless so stated, material in the *Journal* does not necessarily reflect the views of the Editor or the Royal College of Psychiatrists.

3. Published articles become the property of the *Journal* and can be published elsewhere, in full or in part, only with the Editor's written permission.

4. Manuscripts accepted for publication are subject to copy-editing, and to editorial changes required for conformity with *Journal* style.

5. We regret that papers unsuitable for publication will not be returned.

6. **General advice to authors** In the assessment of manuscripts submitted to the *Journal*, great importance is attached to clarity and brevity of expression. Authors should read *General Notes on the Preparation of Scientific Papers* (3rd ed. 1974, £0.45, from The Royal Society) and/or Judith Butcher's *Typescripts, Proofs and Indexes* (1980, Cambridge University Press, £2.95). Spelling should follow the *Concise Oxford Dictionary*.

The standard of statistical work in papers submitted for publication has proved to be very variable. Authors using any statistical methods at all are strongly advised to study the paper 'Statistical guidelines for contributors to medical journals' (D. G. Altman *et al.*, *British Medical Journal*, 7 May 1983, 286, 1489-1493) at the earliest possible stage in preparing their work for publication.

7. **Manuscripts** Two high-quality copies should be submitted and the author should retain a copy. Articles must be typed on one side of the paper only, **double spaced with wide margins**, and all the pages must be numbered sequentially, starting with the title page.

a. The **title** should be brief and to the point. If necessary, a sub-title may be used to amplify the main title. The names of the authors should appear on the title-page, and **their names, degrees, affiliations and full addresses at the end of the paper.**

b. A **summary** should be given at the *beginning* of the article. It should be brief and factual and not normally more than 150 words.

c. **References** should be listed **alphabetically** at the end of the paper, **the titles of journals being given in full.** Authors should follow *Journal* style for the reference list and study the examples given below. Titles of books and journals are printed in italic and should therefore be underlined on the typescript. Reference lists not in *Journal* style will be returned to the author for correction.

Authors should check that the text references and the reference list are in complete agreement as regards dates and spelling of names. The text reference should be in the form '(Smith, 1971)' or 'Smith (1971) showed that ...'

DURKHEIM, E. (1897) *Le Suicide*. Paris. Translated (1952) as *Suicide: A Study in Sociology*, by J. A. Spaulding & C. Simpson. London: Routledge & Kegan Paul.

KENDELL, R. E. (1974) The stability of psychiatric diagnoses. *British Journal of Psychiatry*, 124, 352-358.

RUTTER, M., TIZARD, J. & WHITMORE, K. (1970) *Education, Health and Behaviour*. London: Longman.

SCOTT, P. D. (1974) Definition, classification, prognosis and treatment. In *Pathology and Treatment of Sexual Deviation* (ed. I. Rosen) Oxford: Oxford University Press.

'Personal Communications' need written authorisation.

d. **Symbols and abbreviations** Follow *Units, Symbols and Abbreviations: A Guide for Biological and Medical Editors and Authors* (3rd ed. 1977), £2.00, available from the Publications Office of the Royal Society of Medicine. Terms or abbreviations which might not be understood by the average reader should be explained at first occurrence.

e. **Tables and Figures** Each table should be on a separate sheet, with an adequate heading; table and heading should be self-explanatory without reference to the text. The desired position of the table relative to the text should be indicated in the left margin.

Figures should be individual glossy photographs, or other camera-ready prints, *not* photocopies, clearly numbered and captioned below. Avoid cluttering figures with explanatory text which is better incorporated succinctly in the caption. A figure intended to occupy a single column should be drawn (or photographed) 80-110 mm wide to allow for a 2/3 reduction; a figure requiring the whole width of the page should be 180-210 mm wide. Lettering (film-set or stencil) should be 12pt sans (initial capital for the first word only) to give 8pt on the printed page. Labels on graphs should read parallel to the axes. Units must be clearly indicated and should be in brackets (*note*—'litre' should be spelled out in full unless modified to ml, dl, etc.).

f. **Photographs** Prints must be taken directly from the original b/w negative (not, for example, from a colour slide or a printed page) and should be glossy and sharply focussed. Labels, arrows, etc. should be shown on a duplicate print or overlay. Do not write anything on photographic prints, and do not use staples or paper-clips on them. These procedures apart, all the comments on figures and tables apply equally to photographs.

8. **Proofs** A proof will be sent to the senior author of an article. Reprints, which are prepared at the same time as the *Journal*, should be ordered when the proof is returned to the Editor.

9. **Letters to the Editor** Letters should not exceed two double-spaced typed pages. They will be edited for clarity and conformity with *Journal* style and may be shortened. There should be no more than five references; tables and figures cannot be used.

THE BRITISH JOURNAL OF PSYCHIATRY

OCTOBER 1986

Published monthly

Volume 149

Founded in 1853 as the *Asylum Journal* and known as the *Journal of Mental Science* from 1855 to 1963.

EDITOR

Hugh Freeman

ASSOCIATE EDITORS

Martin Roth Kenneth Rawnsley
Sidney Crown Andrew C. Smith
Alan Kerr Philip Snaith

ASSISTANT EDITORS

Sidney Bloch	Margaret Little	William Spry
Gaius Davies	Michael Reveley	Chris Thompson
Ian Falloon	Henry Rollin	Peter Tyrer
Julian Leff		Greg Wilkinson

EDITORIAL MANAGEMENT

Jacqueline Yates

SCIENTIFIC EDITOR

David Jago

ASSISTANT

Susan Marshall

ASSISTANT FOR THE BULLETIN

Elaine Millen

Correspondence, manuscripts, books for review, for both the *Journal* and the *Bulletin* should be addressed to the Editor, 17 Belgrave Square, London SW1X 8PG (Tel 01-235 8857). See inside front cover for further instructions.

Advertising enquiries, correspondence and copy should be addressed to Mr. Peter T. Mell, Advertisement Manager, PTM Professional Publications Ltd, 282 High Street, Sutton, Surrey SM1 1PQ (Tel 01-642 0162 PBX).

Subscriptions for non-members of the College are payable to British Journal of Psychiatry Subscription Department, The Royal Society of Medicine, 1 Wimpole Street, London W1M 8AE. Queries about missing or faulty copies should be addressed within six months to the printers, Henry Ling Ltd, The Dorset Press, 23 High East Street, Dorchester, Dorset DT1 1HD.

Annual subscription rates 1986 (12 issues post free)
United Kingdom: Institutions £80.00; Individuals £65.00
United States: Institutions \$230.00; Individuals \$190.00
Elsewhere: Institutions £110.00; Individuals £90.00
Single copies of the Journal, £7.00, \$14.00 (post free)

US Mailing Agents: Expeditors of the Printed Word Ltd, 527 Madison Avenue, Suite 1217, New York, NY 10022. 2nd Class postage paid at New York City, NY (USPS No. 536-870).

Back issues published before 1986 may be purchased from William Dawson & Sons Ltd, Cannon House, Folkestone, Kent, England (Tel. 0303 57421).

Printed by Henry Ling Ltd, The Dorset Press, 23 High East Street, Dorchester, Dorset DT1 1HD (Tel 0305 65066).

© 1986 THE ROYAL COLLEGE OF PSYCHIATRISTS

Disipal® Controls symptoms and elevates mood.
Orphenadrine HCl

Neuroleptic Syndrome

Parkinsons Disease

For further information contact
Brocades/Great Britain/Limited
West Byfleet, Surrey KT14 6RA

UNIVERSITY OF LONDON
Institute of Psychiatry
(in conjunction with the Bethlem Royal & Maudsley Hospitals)

DIPLOMA IN FAMILY AND MARITAL THERAPY

Applications are invited for a training in family therapy leading to a diploma in family therapy. This training will involve a full-time placement of one year's duration. Clinical experience will be gained through honorary clinical attachments to clinical teams in the Bethlem Royal and Maudsley Hospitals (the Joint Hospital). A wide range of clinical experience will be available, including work with families and couples, in child, adolescent and adult settings.

Successful applicants will be expected to take part in the other academic and clinical activities of the Joint Hospital and Institute of Psychiatry, as well as attending regular theoretical and clinical seminars specifically related to family therapy. Video-tape supervision and live supervision will be carried out and students will be expected to carry a clinical load of families and couples under supervision.

The course will be specially addressed to students from psychiatry, social work and clinical psychology. Suitably qualified candidates from other disciplines may be considered.

Requests for further information: (course details, dates, fees, etc.) should be sent to: Dr. Justin Schlicht, Psychotherapy Unit, Maudsley Hospital, Denmark Hill, London SE5 8AF. UK.

NEW PUBLICATION

GASKELL

The Publications Section of the Royal College of Psychiatrists
**THE PROVISION OF MENTAL HEALTH SERVICES IN BRITAIN:
THE WAY AHEAD**

Edited by Greg Wilkinson and Hugh Freeman

ISBN 0 902241 15 X

Pp 197

£7.50

Published February 1986

This unique publication indicates the scope of development in mental health service provision over the past two decades and the major challenges to future progress. It is clear that the contribution made by psychiatrists is crucial. But attention is also given to the views and perspectives of the other necessary participants: regional and district health authorities, local authorities, the provisions that make up both psychiatric and primary care, multi-disciplinary teams, families, and voluntary and other non-statutory care-giving agencies, including the private sector.

Orders with cheques should be sent to: Editorial Office, Royal College of Psychiatrists, 17 Belgrave Square, London SW1X 8PG.

Guy's/Charter

4th Annual Symposium on Expatriate Stress

Guy's Hospital and the Charter Clinics are sponsoring the 4th Annual Symposium on Expatriate Stress.

All the speakers have practical experience in dealing with problems related to expatriate stress, or are involved in their prevention, treatment and research.

Papers will be presented by specialists in the fields of psychological and occupational medicine and in personnel management and recruitment, selection and preparation for overseas postings.

The symposium will be held at The Royal College of Physicians in London on **Tuesday 28 October 1986**.

For further information, and to ensure that you receive a copy of the programme and registration form, please contact:-

Diane Carter
Charter Clinic Chelsea
1/5 Radnor Walk
London, SW3 4PB
(Tel no. 01-351-1272)

Charter Clinics

Alcohol: Our Favourite Drug

ROYAL COLLEGE OF PSYCHIATRISTS

Alcohol is the western world's most widely used – and most damaging – drug. In England and Wales alone the total cost of alcohol misuse is more than £1,600 million per year.


This new book is an updated and expanded version of the much quoted *Alcohol and Alcoholism* (1979). New features include sections on causes of excessive drinking; prevention; self-help; workplace problems; and women and alcohol. The book gives a balanced view of the facts about alcohol, carefully defining such terms as 'alcoholic' and 'addict' in the light of recent thinking, and making policy recommendations on drinking and driving and taxation, as well as personal recommendations for safe, risky and harmful weekly intake.

224 pages

Hardback 0 422 61110 7
£18.00


Paperback 0 422 61120 4
£6.95

**Send your orders
to Promotion
Department A.**



TAVISTOCK

11 New Fetter Lane, London EC4P 4EE.



The alternative to tardive dyskinesia?

Effective first line therapy with no reports of tardive dyskinesia when used alone.

Dolmatil is as effective as chlorpromazine,¹ trifluoperazine² and haloperidol³ but when used alone, in the absence of previous treatment with conventional neuroleptics, it has not been associated with tardive dyskinesia⁴

sulpiride
DolmatilTM

IN SCHIZOPHRENIA



Prescribing Information Dolmatil Tablets: Plain white round tablets with a transverse breaking line on one side and the mark D200 on the other. Each tablet contains 200mg sulpiride. **Indications:** Acute and chronic schizophrenia. **Dosage:** A starting dose of 400mg to 800mg daily, given as one or two tablets twice daily (morning and early evening) is recommended. **Predominantly positive symptoms:** Starting dose of at least 400mg twice daily, increasing if necessary up to 1200mg twice daily. **Predominantly negative symptoms:** Starting dose of 400mg twice daily reducing as required towards 200mg twice daily. **Mixed positive and negative symptoms:** 400mg-600mg twice daily. The same dose ranges may be required in the elderly, but should be reduced if there is evidence of renal impairment. Clinical experience in children under 14 years of age is insufficient to permit specific recommendations. **Contraindications:** Phaeochromocytoma. **Warnings:** Extrapyramidal reactions principally akathisia have been reported in a small number of cases. If warranted, reduction in dosage or anti-Parkinsonian medication may be necessary. After over a decade of widespread use in many countries, tardive dyskinesia has occurred rarely, insomnia has been reported, increased motor agitation has been reported at high dosage in a small number of patients, in aggressive, agitated or excited phases of the disease process. 'Dolmatil' may aggravate symptoms. Care should be exercised where hypomania is present. Galactorrhoea, amenorrhoea and gynaecomastia may occur in association with hyperprolactinaemia. **Precautions:** Epilepsy - anti-convulsant therapy should be continued unchanged. Impaired renal function, as sulpiride is eliminated via the kidney. Pregnancy - the general principle of avoiding drug treatment during pregnancy, particularly during the first sixteen weeks, should be followed. **Product Licence Number:** PL 5299/0006. **Legal category:** POM. **Basic NHS cost:** 63p per day at dose of 600mg daily. **Name and address of Distributor:** E. R. Squibb & Sons Ltd, Squibb House, 141-149 Staines Road, Hounslow, Middlesex TW3 3JA. **Trade Marks of E. R. Squibb & Sons Ltd (Distributor) DOLMATIL - Trade Mark of SESIF Authorised User Delagrangre Ltd. References 1. Harnryd C et al Acta Psychiatr Scand 1984; 69: (Suppl 311) 7-30. 2. Edwards J G et al Br J Psychiatry 1980; 137: 522-529. 3. Munk-Anderson E Acta Psychiatr Scand 1984; 69: (Suppl 311) 31-41. 4. Schiff A A Brit Med J 1985; 291 (6506): 1424.**

THE BRITISH JOURNAL OF PSYCHIATRY

October 1986

Volume 149

Annotation	
Parasuicide and Unemployment; <i>S. Platt</i>	401
Review Article	
Genetics of Fear and Anxiety Disorders; <i>I. M. Marks</i>	406
Papers	
The Continuum of Psychosis and its Implication for the Structure of the Gene; <i>T. J. Crow</i>	419
The Attachment Dynamic in Adult Life; <i>D. H. Heard and B. Lake</i>	430
Significance of Positive and Negative Syndromes in Chronic Schizophrenia; <i>S. R. Kay, L. A. Opler and A. Fiszbein</i>	439
A Haven for the Severely Disabled within the Context of a Comprehensive Psychiatric Community Service; <i>J. K. Wing and R. Furlong</i>	449
Providing Information to Relatives about Schizophrenia: Some Comments; <i>N. Tarrier and C. Barrowclough</i>	458
Delineating Social Phobia; <i>L. Solyom, B. Ledwidge and C. Solyom</i>	464
The Use of Seclusion in Psychiatric Hospitals in the Newcastle Area; <i>P. Thompson</i>	471
Suicide in Young Doctors; <i>J. C. Richings, G. S. Khara and M. McDowell</i>	475
Relationship of Mood Alterations to Bingeing Behaviour in Bulimia; <i>W. H. Kaye, H. E. Gwirtsman, D. T. George, S. R. Weiss and D. C. Jimerson</i>	479
Follow-up of Agoraphobic Patients Treated with Exposure <i>in vivo</i> or Applied Relaxation; <i>L. Jansson, A. Jerremalm and L. G. Öst</i>	486
Depression and Anxiety in Patients Undergoing Diagnostic Investigations for Head and Neck Cancers; <i>A. D. M. Davies, C. Davies and M. C. Delpo</i>	491
Post-ECT Blood Pressure Rise and its Relationship to Cognitive and Affective Change; <i>M. P. O'Donnell and M. G. T. Webb</i>	494
Is There a Lithium Withdrawal Syndrome? <i>A. J. Mander</i>	498
Brief Reports	
Sodium Bicarbonate Abuse: A Case Report; <i>S. M. J. Linford and H. D. James</i>	502
Koro in an Israeli Male; <i>I. Modai, H. Munitz and D. Aizenberg</i>	503
Anorexia Nervosa in a Woman Totally Blind since the Age of Two; <i>J. Yager, C. A. Hatton and L. Ma</i>	506
Identical Twins Discordant for Presenile Dementia of the Alzheimer Type; <i>E. B. Renvoize, R. H. S. Mindham, M. Stewart, R. McDonald and D. R. D. Wallace</i>	509
Art Group Psychotherapy in a Psychiatric Day Unit; <i>C. Lund, E. Ormerod and K. George</i>	512
A Comparison of the Antidepressant Action of Citalopram and Amitriptyline; <i>D. M. Shaw et al</i>	515
Books Reconsidered	
<i>Psychotherapy by Reciprocal Inhibition: Joseph Wolpe</i> ; <i>Stuart Lieberman</i>	518
Correspondence	
<i>A Hundred Years Ago</i> ; <i>Researched by Henry Rollin</i>	520
Book Reviews	
<i>American Journal of Psychiatry, Volume 143, Number 9, September 1986</i>	526
Notice to contributors, subscribers and advertisers inside front cover	536