The Journal of Laryngology and Otology

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR
R SCOTT STEVENSON

WITH THE COLLABORATION OF
G. H BATEMAN V. E. NEGUS R. G. MACBETH

Contents

THE SEMON LECTURE		PAUL FRENCKNER
THE ÆTIOLOGY OF SWIMMER'S EXTERNAL AUDITORY ASSOCIATED CHANGES	CANALS AND OF	
и		W. STIRK ADAMS
STUDIES ON THE INERTIA OF TH	E CUPULA	THURE VILSTRUP
FENESTRATION OPERATION		R. THOMAS
Epistaxis		S. Horowitz
CLINICAL RECORDS—		
MUCOCELE OF THE MAXILL	ARY SINUS	A. BELAL
THE RELATIONSHIP OF TONSILLECTOMY		I. W. MacGregor
Societies' Proceedings-		
THE SCOTTISH OTOLOGICAL SOCIETY	AL AND LARYNGO-	
ABSTRACTS-		
THE EAR	THE TRACHEA AND BRO	NCHI
THE LARYNX	MISCELLANEOUS	

London

Headley Brothers Ltd

109 Kingsway WC2

THE PHARYNX

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR
R. SCOTT STEVENSON

G. H. BATEMAN V. E. NEGUS R. G. MACBETH

- 1. Original Articles are accepted on the condition that they have not been published elsewhere.
- 2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.
- 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no additional matter added.
- 4. Blocks illustrating articles are normally paid for by the *Journal*. Authors may, however, be required at the Editor's discretion, to contribute towards the cost of these in cases where this is particularly heavy.
- 5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.
- 6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
- 7. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers Ltd, 109 Kingsway London W C 2.
- 8. The annual subscription is three guineas sterling, post free, and is payable in advance.
- 9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.
- 10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers Ltd, 109 Kingsway London W C 2.

United States of America

Orders for this Journal may be sent either through a local bookseller, or to Messrs. G. E. Stechert & Co., 31-33 East 10th Street, New York, or they may be sent direct to the publishers, Headley Brothers Ltd, 109 Kingsway London WC2, England.

AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."—The LANCET, 23-12-50.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable and Englishmade Harvard Spondee records also available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



The Basic Instrument of Modern Otology

ACCURATE • COMPLETE • SIMPLE TO OPERATE

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.I (Welbeck 2591)



The Marconi Pure Tone Audiometer is now available. It has been developed for the Ministry of Supply to meet the specification proposed by the Committee on Electro-Acoustics appointed by the Medical Research Council. Each instrument is standardized against N.P.L. determinations so that, from a given patient, substantially comparable results can be obtained with any Marconi Audiometer. The patient, who can be orally instructed through a crystal microphone and high fidelity ear-phones, communicates with the operator via a built-in signal lamp. The sound output over the normal hearing range is automatically corrected for characteristic losses.

THE PURE TONE

Audiometer

Type TF 895

For full particulars of this efficient aid to audiometry please write:

MARCONI INSTRUMENTS LTD.

ST. ALBANS, HERTFORDSHIRE · Telephone: St. Albans 6161/7

London Office: Marconi House, Strand, W.C.2. Midland Office: 19 The Parade, Learnington Spa.

Northern Office: 30 Albion Street, Hull.

PRESCRIBE THE EASY EFFECTIVE METHOD

When spraying, the patient can hold his head in a natural position, yet the solution spreads throughout the nasal cavity, assuring thorough treatment. Effective dropper-application, on the other hand, requires a complicated posture technique which patients are apt to neglect in home treatment.





DeVilbissATOMIZERS



These illustrations, which are based on X-ray research, clearly demonstrate the advantages of the atomizer as compared with the dropper.

The AEROGRAPH Co., Ltd., Lower Sydenham, London, S.E.26

Sole Distributors of DeVilbiss Products in the United Kingdom.

Telephones: Sydenham 6060—8 Lines.

Mail Your Order Now!

PROBLEMS OF THE DEAF

By MAX A. GOLDSTEIN, M.D., F.A.C.S.

610 Pages-273 Illustrations-Leather Bound

\$6.00 Postage prepaid

An unusual, authoritative and comprehensive volume of XIX chapters, covering every phase of work with the Deaf, Deafened and Speech Defective, by an otologist and teacher of 40 years' experience, including:

Chronological History of Deafness—Anatomy and Physiology—Mechanics of Speech—Speech Defects—Cerebral Localization—Hearing Tests—Methods of Instruction—The Acoustic Method—Training of Teachers—The Deaf Child—Hard-of-Hearing Child—Physician and Deaf Child—Parent of Deaf Child—Deafened Adult—Hearing Aids—Schools for the Deaf—Quacks and Quackeries—Research.

Published by THE LARYNGOSCOPE PRESS
640 South Kingshighway ST. LOUIS, MO.



This instrument offers many unique and valuable features which allow a most comprehensive range of tests to be made. In addition its metered output ensures a constant result under all conditions of voltage and valve life.

It incorporates a reversible manual interruptor, automatic interruptor, calibrated masking, provision for speech tests with or without gramophone records and Recruitment Tests by the loudness balance method, and Luscher's monaural method.

Write for an illustrated brochure giving full details of this superb instrument.

ALFRED PETERS & SONS LTD

47 VICTORIA ST., SHEFFIELD 3.



Here is a really Portable Audiometer providing the essentials for audiometry and made to the same high standard as the SD/2.

11 fixed frequencies are provided with single zero reference levels for air and bone conduction, calibrated masking, a built-in crystal microphone and a metered output. Facilities are available for Loudness Balance Recruitment Tests.

Write for an illustrated descriptive brochure.

ALFRED PETERS & SONS LTD



POST-TONSILLECTOMY COMFORT through 'SALIVARY ANALGESIA'

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing — it brings pain-relieving acetylsalicylic acid into intimate and prolonged contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides 3½ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

AMENDAMENTAND TO THE TANDEST AND THE TANDEST A

Aspergum

for more than two decades a dependable and welcome aid to patient-comfort

Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

BINDING

Journal of Laryngology & Otology

Subscribers wishing to have their Journals bound can do so by sending them to the Publishers.

Volumes are strongly bound in whole dark blue buckram cases, with gold lettering on spine. The cost of binding is 25s. per volume, including postage.

Some missing parts can be supplied at 7s. 6d. each, or the whole volume, complete in the above binding, for 88s.

Publishers' cases can be supplied for 10s., including postage.

HEADLEY BROTHERS LTD, 109 KINGSWAY LONDON W C 2

EFFECTIVE LOCAL PENICILLIN THERAPY . . .



 the rapid and prolonged vasoconstriction of 'Paredrinex', which shrinks the oedematous and engorged tissues and aids the penetration of penicillin throughout the nasal cavity.

is indicated.

in the intranasal treatment of established nasal infections such as sinusitis, rhinitis and nasopharyngitis.

'PENDEX' is available on prescription only in 15 ml.(½-oz.) bottles. Formula: When prepared as directed, 'PENDEX' will contain not less than: Crystalline potassium penicillin G, 1,500 I.U. per ml.; 'Paredrinex', I per cent; in a specially buffered aqueous solution.

MENLEY & JAMES, LIMITED, 123 Coldharbour Lane, London, S.E.5

for Smith Kline & French International Co. owner of the trade marks 'Pendex' and 'Paredrinex'

PXP41

CONTENTS

	PAGE
THE SEMON LECTURE. Dr. Paul Frenckner (Stockholm)	217
The Ætiology of Swimmer's Exostoses of the External Auditory Canals and of Associated Changes in	
HEARING—PART II. W. Stirk Adams (Birmingham)	232
Studies on the Inertia of the Cupula. Thure Vilstrup	251
Fenestration Operation. R. Thomas (York)	259
Epistaxis. S. Horowitz (Glasgow)	275
CLINICAL RECORDS—	
Mucocele of the Maxillary Sinus. A. Belal (Alexandria) .	286
The Relationship of Poliomyelitis and Tonsillectomy. I. W. MacGregor (Hereford)	289
Societies' Proceedings—	
The Scottish Otological and Laryngological Society	291
Abstracts—	
Ear	311
Operations for the Improvement of Hearing in Chronic Inflammatory Processes of both Middle Ears. W. Moritz; New Methods of Treatment for Deafness. P. J. Kostelijk; Symposium on the Histology and Pathogenesis of Otosclerosis; Histology and Histogenesis of Cholesteatoma of the Middle Ear and Mastoid. Joseph W. Begley, Jnr., John R. McDonald and Henry L. Williams.	
Larynx	314
Streptomycin Therapy in Laryngeal Tuberculosis. Claude C. Cody; Therapy of the Alaryngeal Voice following Laryngectomy. Emil Froeschels.	
Pharynx	315
Nasopharyngeal Malignant Tumour: an Overlooked Condition. Harold L. Hickey.	
Trachea and Bronchi	315
Management of Aspirated straight Pins in the Bronchi utilizing the Stereoscopic Fluoroscope. Alden H. Miller.	
Miscellaneous	315
Aureomycin in the Treatment of Influenza: A Controlled Study. Major William G. Thalmann, C. Henry Kempe, Captain Joseph A. Worrall, and Gordon Meiklejohn.	

For Advertisement space in this Journal apply to: **HEADLEY BROTHERS Ltd, 109 Kingsway London W C 2**