

Lecture Notes in Physics

Edited by H. Araki, Kyoto, J. Ehlers, München, K. Hepp, Zürich
R. Kippenhahn, München, H.A. Weidenmüller, Heidelberg
J. Wess, Karlsruhe and J. Zittartz, Köln

305

K. Nomoto (Ed.)

Atmospheric Diagnostics of Stellar Evolution: Chemical Peculiarity, Mass Loss, and Explosion

Proceedings of the 108th IAU-Colloquium
Tokyo 1987



Springer-Verlag

Lecture Notes in Physics

Edited by H. Araki, Kyoto, J. Ehlers, München, K. Hepp, Zürich
R. Kippenhahn, München, H. A. Weidenmüller, Heidelberg
J. Wess, Karlsruhe and J. Zittartz, Köln

Managing Editor: W. Beiglböck

305

K. Nomoto (Ed.)

Atmospheric Diagnostics of Stellar Evolution: Chemical Peculiarity, Mass Loss, and Explosion

Proceedings of the 108th Colloquium of the
International Astronomical Union, Held at
the University of Tokyo, Japan, 1–4 September 1987



Springer-Verlag

Berlin Heidelberg New York London Paris Tokyo

Editor

Ken'ichi Nomoto
Department of Earth Science and Astronomy
University of Tokyo, Tokyo 153, Japan

ISBN 3-540-19478-9 Springer-Verlag Berlin Heidelberg New York
ISBN 0-387-19478-9 Springer-Verlag New York Berlin Heidelberg

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, re-use of illustrations, recitation, broadcasting, reproduction on microfilms or in other ways, and storage in data banks. Duplication of this publication or parts thereof is only permitted under the provisions of the German Copyright Law of September 9, 1965, in its version of June 24, 1985, and a copyright fee must always be paid. Violations fall under the prosecution act of the German Copyright Law.

© Springer-Verlag Berlin Heidelberg 1988
Printed in Germany

Printing: Druckhaus Beltz, Hemsbach/Bergstr.
Binding: J. Schäffer GmbH & Co. KG., Grünstadt
2158/3140-543210

TABLE OF CONTENTS

Part I. CHEMICAL PECULIARITIES AS PROBE OF STELLAR EVOLUTION

I-1. MAIN-SEQUENCE STARS

| | |
|--|----|
| Main Sequence Abundances: Observational Aspects | |
| <i>J. Jugaku (I)*</i> | 2 |
| Main Sequence Abundances, Mass Loss and Meridional Circulation | |
| <i>G. Michaud (I)</i> | 3 |
| Observed Lithium Abundances as a Test of Stellar Internal Structure | |
| <i>S. Vauclair</i> | 13 |
| On the Distribution of the Lithium Abundance in Normal Late-type Giants | |
| <i>L. Hänni</i> | 15 |

I-2. COOL EVOLVED STARS

| | |
|---|----|
| Abundances in Cool Evolved Stars | |
| <i>C.A. Pilachowski (I)</i> | 17 |
| Chemical Peculiarities, Mass Loss, and Final Evolution of AGB Stars in the Magellanic Clouds | |
| <i>P.R. Wood (I)</i> | 31 |
| Nucleosynthesis and Mixing in Low- and Intermediate-Mass AGB Stars | |
| <i>D. Hollowell and I. Iben, Jr. (I)</i> | 38 |
| Abundances in J-type Carbon Stars | |
| <i>K. Utsumi</i> | 44 |
| The Abundance of Oxygen in M92 Giants | |
| <i>C.A. Pilachowski</i> | 46 |
| A Search for Galactic Carbon Stars | |
| <i>H. Maehara</i> | 48 |
| Surface Distribution of M Stars with Different IRAS Color | |
| <i>K. Ishida and M. Othman</i> | 50 |
| SiO Isotope Emissions from Late-Type Stars | |
| <i>N. Ukita and N. Kaifu</i> | 51 |

* (I) : Invited Talk

| | |
|--|----|
| Detection of Water Maser Emission from a Carbon Star V778 Cygni | |
| <i>Y. Nakada, H. Izumiura, T. Onaka, O. Hashimoto, N. Ukita, S. Deguchi, and T. Tanabé</i> | 53 |
| Chemical and Expansion Properties of Compact Planetary Nebulae in the Galactic Anti-Center Region | |
| <i>S. Tamura</i> | 55 |
| Helium Flashes Through the NCO Reaction | |
| <i>K. Arai, K. Kaminisi, M. Hashimoto, and K. Nomoto</i> | 57 |

I-3. HOT EVOLVED STARS

| | |
|--|----|
| Abundances in Hot Evolved Stars | |
| <i>D. Husfeld (I)</i> | 59 |
| Evolutionary Helium and CNO Anomalies in the Atmospheres and Winds of Massive Hot Stars | |
| <i>N.R. Walborn (I)</i> | 70 |
| The Point on the Theoretical Changes of Surface Chemistry During Massive Star Evolution | |
| <i>A. Maeder (I)</i> | 79 |
| White Dwarf Seismology: Inverse Problem of g-Mode Oscillations | |
| <i>H. Shibahashi, T. Sekii, and S.Kawaler</i> | 86 |
| The White Dwarf Luminosity Function and the Phase Diagram of the Carbon-Oxygen Dense Plasma | |
| <i>E. Garcia-Berro, M. Hernanz, R. Mochkovitch, and J. Isern</i> | 88 |
| Wolf-Rayet Stars as a Diagnostic of Internal Mixing Processes in Massive Mass Losing Stars | |
| <i>N. Langer</i> | 90 |
| A Systematic Study of Stellar Models for C/O-Rich Wolf-Rayet Stars | |
| <i>N. Langer and M. Kiriakidis</i> | 92 |
| Overabundance of Sodium in the Atmospheres of Massive Supergiants as a Possible Manifestation of NeNa Cycle | |
| <i>A.A. Boyarchuk, P.A. Denisenkov, I. Hubený, V.V. Ivanov, I. Kubát, L.S. Lyubimkov, and N.A. Sakhbullin</i> | 94 |
| Excitation of Non-Radial Oscillations by Overstable Convection in Differentially Rotating Massive Main Sequence Stars | |
| <i>U. Lee</i> | 97 |
| Dredge-up by Sound Wave Emission from a Convective Core | |
| <i>M. Kondo</i> | 99 |

Part II. MASS-LOSING STARS IN DIFFERENT STAGES OF EVOLUTION

II-1. HOT STARS

| | |
|--|-----|
| Stellar Mass Loss and Atmospheric Instability | |
| <i>C. de Jager and H. Nieuwenhuijzen (I)</i> | 102 |
| Winds of Hot Stars as a Diagnostic Tool of Stellar Evolution | |
| <i>R.P. Kudritzki, A. Pauldrach, and J. Puls (I)</i> | 114 |
| Atmospheric Phenomena in Eta Carinae and the Hubble-Sandage Variables | |
| <i>R. Viotti, L. Rossi, A. Altamore, C. Rossi, G.B. Baratta, and A. Cassatella</i> | 127 |
| Model of Dusty Envelope of Eta Carinae | |
| <i>A.B. Men'shchikov, B.M. Shustov, and A.V. Tutukov</i> | 129 |
| Turbulence-Driven Atmospheric Instability and Large-Scale Motions in Super- and Hypergiants | |
| <i>B. Boer, J. Carpay, A. De Koter, C. De Jager, H. Nieuwenhuijzen, A. Pijpers, and F. Spaan</i> | 131 |
| Quantitative Spectroscopy of Wolf-Rayet Stars | |
| <i>W. Schmutz (I)</i> | 133 |
| Analysis of 30 Wolf-Rayet Stars | |
| <i>W. Schmutz, W.-R. Hamann, and U. Wessolowski</i> | 141 |
| NLTE Analysis of the Wolf-Rayet Star HD193077 (WN5+abs) | |
| <i>W. Schmutz, W.-R. Hamann, and U. Wessolowski</i> | 143 |
| Spectral Analysis of the Wolf-Rayet Star HD50896 | |
| <i>W.-R. Hamann, W. Schmutz, and U. Wessolowski</i> | 145 |
| Atmospheric Diagnostics of Wolf-Rayet Stars | |
| <i>C. Doom</i> | 148 |
| New Observational Results of Of/WN - Transition Types | |
| <i>B. Wolf</i> | 150 |
| The Galactic Distribution and Subtype Evolution of Wolf-Rayet Stars | |
| <i>B. Hidayat, A.G. Admiranto, K.R. Supelli, and K.A. Van Der Hucht</i> | 152 |
| A New Driving Mechanism of the Episodic Mass-Loss in Be Stars | |
| <i>H. Ando</i> | 154 |
| Stellar Wind Equations in a New Steady-State | |
| <i>M. Kato</i> | 156 |

II-2. COOL STARS

| | |
|--|-----|
| Molecular Spectroscopy as Diagnostics of Outer Atmosphere of Cool Luminous Stars: Quasi-Static Turbulent Molecular Formation Zone and Stellar Mass-Loss | |
| <i>T. Tsuji (I)</i> | 158 |
| Dust Driven Winds in Late Supergiants | |
| <i>E. Sedlmayr, C. Dominik, and H-P. Gail (I)</i> | 167 |
| Winds from Red Giants | |
| <i>Y.A. Fadeyev (I)</i> | 174 |
| Discovery of a Reflection Dust Envelope Around IRC+10216 | |
| <i>M. Tamura, T. Hasegawa, N. Ukita, I. Gatley, I.S. McLean, M.G. Burton, J.T. Rayner, and M.J. McCaughrean</i> | 181 |
| Distance Determination of Mass Losing Carbon Stars from CO and HCN Radio Observations | |
| <i>W. Unno, T. Tsuji, K. Koyama, H. Izumiura, N. Ukita, and N. Kaifu</i> | 183 |
| A Sensitive Line Search in Circumstellar Envelopes | |
| <i>Nguyen-Q-Rieu, S. Deguchi, H. Izumiura, N. Kaifu, M. Ohishi, H. Suzuki, and N. Ukita</i> | 185 |
| Photospheres of Mira Variables | |
| <i>M.S. Bessell, J.M. Brett, M. Scholz, Y. Takeda, R. Wehrse, and P.R. Wood</i> | 187 |
| The V-stokes Parameter as a Manifestation of Envelope Activity for Cool, Bright, Evolved Stars | |
| <i>B.D. Holenstein, R.H.Koch, and R.J. Pfeiffer</i> | 189 |
| The Mixing Length Ratio, Eddy Diffusivity and Acoustic Waves | |
| <i>K.L. Chan and S.Sofia</i> | 191 |
| Intermittent Transition to Irregular Pulsation with Mass Loss in Hydrodynamic Models | |
| <i>T. Aikawa</i> | 193 |
| A Model Oscillator of Irregular Stellar Variability | |
| <i>M. Takeuti and Y. Tanaka</i> | 195 |
| The Structure of a Stationary Atmosphere with a Heat Source or Sink | |
| <i>K. Narai</i> | 197 |

II-3. INTERACTING BINARIES

| | |
|---|-----|
| Evolution Diagnostics in Interacting Binaries | |
| <i>J. Sahade (I)</i> | 199 |
| Atmospheric Evidence of Evolutionary Processes in Interacting Binaries | |
| <i>Y. Kondo (I)</i> | 206 |
| W Ursae Majoris Star Models: Observational Constraints | |
| <i>A.P. Linnell</i> | 213 |

| | |
|--|-----|
| Mass and Energy Transfer in Semi-Detached Binary Systems | |
| <i>W. Unno, M. Kiguchi, and M. Kitamura</i> | 215 |
| Empirical Determination of the Gravity-Darkening Exponent for the Secondary Components Filling the Roche Lobe in Semi-Detached Close Binary Systems | |
| <i>M. Kitamura and Y. Nakamura</i> | 217 |
| CaII H and K Emission in the Secondary Component of U Cephei | |
| <i>A. Okazaki, Y. Nakamura, and J. Katahira</i> | 219 |
| Carbon Abundance in Mass-Exchanging Binaries | |
| <i>H. Cugier and J.P. De Greve</i> | 221 |
| Photometric and Polarimetric Observations of the RV Tauri Star AR Puppis | |
| <i>A.V. Raveendran and N. Kameswara Rao</i> | 223 |

Part III. CHEMICAL AND DYNAMICAL STRUCTURES OF EXPLODING STARS

III-1. NOVAE AND DWARF NOVAE

| | |
|---|-----|
| Classical Novae - Before and After Outburst | |
| <i>M. Livio (I)</i> | 226 |
| Spectral Peculiarities in Nova Vulpeculae 1984 N°2 | |
| <i>Y. Andrillat and L. Houziaux</i> | 232 |
| The Chemical Composition of the White Dwarfs in Cataclysmic Variable Systems Which Produce Novae | |
| <i>W.M. Sparks, S.G. Starrfield, J.W. Truran, and G.S. Kutter</i> | 234 |
| Numerical Modelling of the Classical Nova Outburst | |
| <i>G.S. Kutter and W.M. Sparks</i> | 236 |
| Superoutbursts and Superhumps of SU UMa Stars | |
| <i>Y. Osaki and M. Hirose</i> | 238 |
| Accretion-Disk-Instability Model for Outbursts of FU Orionis | |
| <i>H. Hanami</i> | 240 |
| Nonlinear Oscillation of the Magnetosphere Around Neutron Stars | |
| <i>H. Hanami</i> | 242 |
| Mass Ejection During Helium Shell Flashes from a Massive White Dwarf | |
| <i>H. Saio, M. Kato, and I. Hachisu</i> | 244 |

III-2. SUPERNOVAE

| | |
|---|-----|
| The Evolution of the Progenitor of SN 1987A | |
| <i>C. De Loore and C. Doom (I)</i> | 246 |
| SN 1987A: Ultraviolet Observations and Mass Loss | |
| <i>R.P. Kirshner (I)</i> | 252 |
| Spectroscopic and Photometric Observations of SN 1987A Obtained at SAAO | |
| <i>R.M. Catchpole (I)</i> | 259 |
| SN 1987A: An Australian View | |
| <i>M.A. Dopita (I)</i> | 265 |
| Enrichment of s-Process Elements in the Progenitor of SN 1987A | |
| <i>R.E. Williams (I)</i> | 274 |
| On the Origin of Supernovae of Type Ib | |
| <i>D. Branch (I)</i> | 281 |
| Model Calculations and Spectroscopic Constraints for SN 1987A | |
| <i>P. Höflich (I)</i> | 288 |
| Type II Supernova Photospheres and the Distance to Supernova 1987A | |
| <i>M. Chilukuri and R.V. Wagoner (I)</i> | 295 |
| Spectroscopic Diagnosis of SN 1987A and Lesser Lights | |
| <i>J.C. Wheeler, R.P. Harkness, and Z. Barkat (I)</i> | 305 |
| Light Curve Models for SN 1987A and Diagnosis of the Supernova Interior | |
| <i>K. Nomoto, T. Shigeyama, and M. Hashimoto (I)</i> | 319 |
| Observation of a Neutrino Burst from the Supernova SN 1987A | |
| <i>Y. Totsuka (I)</i> | 335 |
| SN 1987A: Calculations Versus Observations | |
| <i>J.R. Wilson (I)</i> | 348 |
| Supernova Mechanisms: Before and After SN 1987A | |
| <i>S.H. Kahana (I)</i> | 354 |
| SN 1987A: Theoretical Considerations | |
| <i>S.E. Woosley (I)</i> | 361 |
| Calculated Late Time Spectra of Supernovae | |
| <i>T.S. Axelrod (I)</i> | 375 |
| Observing the Nucleosynthesis from Core Collapse Supernovae | |
| <i>C. Fransson (I)</i> | 383 |
| X-Rays and Gamma-Rays from Supernova 1987A | |
| <i>P. Sutherland, Y. Xu, R. McCray, and R. Ross (I)</i> | 394 |
| X-Ray Observation of SN 1987A from Ginga | |
| <i>Y. Tanaka (I)</i> | 399 |
| The Composite Image of Sanduleak -69°202, Candidate Precursor to SN 1987A in the LMC | |
| <i>N.R. Walborn, B.M. Lasker, V.G. Laidler, and Y.-H. Chu</i> | 406 |

| | |
|---|-----|
| The Evolution of the Precursor of SN 1987A | |
| <i>A. Maeder</i> | 408 |
| Evolution of the Precursor of SN 1987A | |
| <i>P.R. Wood and D.J. Faulkner</i> | 410 |
| Calculated Energy Distributions for SN II | |
| <i>P.H. Hauschildt, W. Spies, R. Wehrse, and G. Shaviv</i> | 412 |
| L-alpha Radiation and CaII Ionization in the Type II Supernovae at Late Times | |
| <i>N.N. Chugaj</i> | 415 |
| The Effect of General Relativity and Equation of State on the Adiabatic Collapse and Explosion of a Stellar Core | |
| <i>N. Sack and I. Lichtenstadt</i> | 417 |
| Quasi-Static and Steady-State Pictures for Collapsing Core of Type II Supernova | |
| <i>D. Sugimoto, A. Sasaki, and T. Ebisuzaki</i> | 420 |
| Analysis of Neutrinos from Supernova 1987A | |
| <i>H.Y. Chiu, K.L. Chan, and Y. Kondo</i> | 422 |
| Analysis of Neutrino Burst from the Supernova in the Large Magellanic Cloud | |
| <i>H. Suzuki and K. Sato</i> | 424 |
| Time Profile of the Neutrino Burst from the Supernova 1987A | |
| <i>H. Suzuki and K. Sato</i> | 426 |
| SN 1987A and Constraint on the Mass and Lifetime of Tau Neutrinos | |
| <i>M. Takahara and K. Sato</i> | 428 |
| Collapse of the Neutron Star Induced by Phase Transitions and Neutrino Emission from SN 1987A | |
| <i>M. Takahara and K. Sato</i> | 430 |
| A Rotating Stellar Collapse Model for Supernova 1987A | |
| <i>T. Nakamura and M. Fukugita</i> | 432 |
| Neutrino Emission Processes in the Weinberg-Salam Theory | |
| <i>N. Itoh</i> | 434 |
| A Simple Treatment of the Problem of Radiative Transfer in Supernova-Like Envelopes | |
| <i>J. Isern, R. López, and E. Simonneau</i> | 436 |
| The Light Curve of SN 1987A | |
| <i>R. Schaeffer, M. Cassé, R. Mochkovitch, and S. Cahen</i> | 438 |
| Nucleosynthesis in Exploding Massive Wolf-Rayet Stars | |
| <i>M.F. El Eid and N. Langer</i> | 440 |
| Origin of a Diffuse Galactic Emission at 511 KeV | |
| <i>M. Signore and G. Vedrenne</i> | 442 |
| Chemical Composition of High-Energy Cosmic-Ray Nuclei and Its Possible Origin in Type-II Supernova | |
| <i>Y. Takahashi</i> | 444 |

| | |
|---|-----|
| Hard X-Rays and Gamma-Rays from SN 1987A | |
| <i>M. Itoh, S. Kumagai, T. Shigeyama, K. Nomoto, and J. Nishimura</i> | 446 |
| Thermal Radiation from a Neutron Star in SN 1987A | |
| <i>K. Nomoto and S. Tsuruta</i> | 448 |
| Thermal X-Rays Due to Ejecta/CSM Interaction in SN 1987A | |
| <i>K. Masai, S. Hayakawa, H. Itoh, K. Nomoto, and T. Shigeyama</i> | 450 |
| An X-Ray Investigation of Crab-Like Supernova Remnants | |
| <i>Z.R. Wang and F.D. Seward</i> | 452 |
| The Statistical Analysis of Supernovae | |
| <i>Z. Li</i> | 454 |
| The X-Ray Spectrum of the Cygnus Loop with GSPC | |
| <i>H. Tsunemi, M. Manabe, and K. Yamashita</i> | 456 |
| Radio Patrol Camera for Supernova Search | |
| <i>T. Daishido, K. Asuma, S. Inoue, K. Nishibori, H. Ohara, S. Komatsu, and K. Nagane</i> | 458 |

Part IV. CONCLUDING REMARKS

| | |
|---|-----|
| Concluding Remarks of the I.A.U. Colloquium No.108 | |
| <i>K. Kodaira</i> | 462 |
| Concluding Remarks - II | |
| <i>D. Sugimoto</i> | 464 |
| List of Participants | 466 |