

# INSECT SCIENCE AND ITS APPLICATION

The International Journal of Tropical Insect Science

Editor: **Thomas R Odhiambo**

International Centre of Insect Physiology and Ecology (ICIPE)



PERGAMON PRESS

OXFORD · NEW YORK · TORONTO · SYDNEY · PARIS · FRANKFURT

# Insect Science and its Application

The International Journal of Tropical Insect Science

Sponsored by the International Centre of Insect Physiology and Ecology (ICIPE), and the African Association of Insect Scientists (AAIS)

*Editor-in-Chief*

Thomas R. Odhiambo

*International Centre of Insect Physiology and Ecology (ICIPE), P.O. Box 30772, Nairobi, Kenya*

## Editorial Advisory Board

F. T. Abu Shama, *Khartoum, Sudan*  
P. L. Adkisson, *Texas, U.S.A.*  
J. C. M. Carvalho, *Rio de Janeiro, Brazil*  
R. Galun, *Jerusalem, Israel*  
T. Hidaka, *Kyoto, Japan*  
H. Hirumi, *Nairobi, Kenya*  
V. Landa, *Prague, Czechoslovakia*

R. Levins, *Boston, U.S.A.*  
M. Locke, *Ontario, Canada*  
F. G. Maxwell, *Texas, U.S.A.*  
J. Meinwald, *New York, U.S.A.*  
P. L. Miller, *Oxford, England*  
J. Mouchet, *Bonny, France*  
A. S. Msangi, *Dar-es-Salaam, Tanzania*  
M. D. Pathak, *Manila, The Philippines*

K. N. Saxena, *Delhi, India*  
H. Schmutterer, *Giessen, F.R. Germany*  
L. M. Schoonhoven, *Wageningen, The Netherlands*  
J. E. Treherne, *Cambridge, England*  
D. F. Waterhouse, *Canberra, Australia*  
A. Youdeowei, *Ibadan, Nigeria*

PUBLISHED BIMONTHLY

*Publishing Office:*

Journals Production Unit, Hennock Road, Marsh Barton, Exeter, Devon EX2 8RP  
[Tel. Exeter (0392) 51558; Telex 42749]

*Subscription and Advertising Office:*

Headington Hill Hall, Oxford OX3 0BW, U.K. [Tel. Oxford (0865) 64881]  
*Annual Subscription Rate 1984*

For libraries, university departments, government laboratories, industrial and other multiple-reader institutions, US\$105.00; two-year rate (1984-85) US\$199.50 (including postage and insurance). *Specially Reduced Rates for Individuals*; in the interest of maximizing the dissemination of the research results published in this important international journal we have established a two-tier price structure. Any individual whose institution takes out a library subscription may purchase a second or additional subscriptions for personal use at a much reduced rate of US\$40.00. Members of the International Centre of Insect Physiology and Ecology (ICIPE) and the African Association of Insect Scientists (AAIS) may purchase a subscription at the special rate of US\$20.00. Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K.

Application forms for Membership of the AAIS (subscription US\$20.00) may be obtained from: Hon. Secretary, African Association of Insect Scientists, P.O. Box 59900, Nairobi, Kenya.

## *Microform Subscriptions and Back Issues*

Current subscriptions are available on microfiche simultaneously with the paper editions and on microfilm on completion of the annual index at the end of the subscription year.

Copyright © 1984 Pergamon Press Ltd

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

### **Photocopying Information for Users in the U.S.A.**

The Item-Fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the U.S. Copyright Law is paid. The appropriate remittance of \$3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 21 Congress Street, Salem, MA 01970. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying. In case of doubt please contact your nearest Pergamon office.

*The Item-Fee Code for this publication is: 0191-9040/84 \$3.00 + 0.00*

## PERGAMON PRESS

HEADINGTON HILL HALL  
OXFORD OX3 0BW, U.K.

MAXWELL HOUSE, FAIRVIEW PARK  
ELMSFORD, NY 10523, U.S.A.

---

# **INSECT SCIENCE AND ITS APPLICATION**

---

**The International Journal of Tropical Insect Science**

---

**Editor:**

**Thomas R Odhiambo**

International Centre of Insect Physiology and Ecology (ICIPE)

## **List of Contents, Author and Subject Index for Volume 4, 1983**



---

**PERGAMON PRESS**

---

**OXFORD · NEW YORK · TORONTO · SYDNEY · PARIS · FRANKFURT**

---

# Insect Science and its Application

The International Journal of Tropical Insect Science

Sponsored by the International Centre of Insect Physiology and Ecology (ICIPE), and the African Association of Insect Scientists (AAIS)

*Editor-in-Chief*

**Thomas R. Odhiambo**

*International Centre of Insect Physiology and Ecology (ICIPE), P.O. Box 30772, Nairobi, Kenya*

## Editorial Advisory Board

F. T. Abu Shama, *Khartoum, Sudan*  
P. L. Adkisson, *Texas, U.S.A.*  
J. C. M. Carvalho, *Rio de Janeiro, Brazil*  
R. Galun, *Jerusalem, Israel*  
T. Hidaka, *Kyoto, Japan*  
H. Hirumi, *Nairobi, Kenya*  
V. Landa, *Prague, Czechoslovakia*

R. Levins, *Boston, U.S.A.*  
M. Locke, *Ontario, Canada*  
F. G. Maxwell, *Texas, U.S.A.*  
J. Meinwald, *New York, U.S.A.*  
P. L. Miller, *Oxford, England*  
J. Mouchet, *Bondy, France*  
A. S. Msangi, *Dar-es-Salaam, Tanzania*  
M. D. Pathak, *Manila, The Philippines*

K. N. Saxena, *Delhi, India*  
H. Schmutterer, *Giessen, F.R. Germany*  
L. M. Schoonhoven, *Wageningen, The Netherlands*  
J. E. Treherne, *Cambridge, England*  
D. F. Waterhouse, *Canberra, Australia*  
A. Youdeowei, *Ibadan, Nigeria*

## PUBLISHED BIMONTLY

*Publishing Office:*

Journals Production Unit, Hennock Road, Marsh Barton, Exeter, Devon EX2 8RP

[Tel. Exeter (0392) 51558; Telex 42749]

*Subscription and Advertising Office:*

Headington Hill Hall, Oxford OX3 0BW, U.K. [Tel. Oxford (0865) 64881]

*Annual Subscription Rate 1984*

For libraries, university departments, government laboratories, industrial and other multiple-reader institutions, US\$105.00; two-year rate (1984-85) US\$199.50 (including postage and insurance). *Specially Reduced Rates for Individuals*; in the interest of maximizing the dissemination of the research results published in this important international journal we have established a two-tier price structure. Any individual whose institution takes out a library subscription may purchase a second or additional subscriptions for personal use at a much reduced rate of US\$40.00. Members of the International Centre of Insect Physiology and Ecology (ICIPE) and the African Association of Insect Scientists (AAIS) may purchase a subscription at the special rate of US\$20.00. Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K.

Application forms for Membership of the AAIS (subscription US\$20.00) may be obtained from: Hon. Secretary, African Association of Insect Scientists, P.O. Box 59900, Nairobi, Kenya.

## *Microform Subscriptions and Back Issues*

Current subscriptions are available on microfiche simultaneously with the paper editions and on microfilm on completion of the annual index at the end of the subscription year.

Copyright © 1984 Pergamon Press Ltd

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

### **Photocopying Information for Users in the U.S.A.**

The Item-Fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the U.S. Copyright Law is paid. The appropriate remittance of \$3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 21 Congress Street, Salem, MA 01970. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying. In case of doubt please contact your nearest Pergamon office.

*The Item-Fee Code for this publication is: 0191-9040/84 \$3.00 + 0.00*

## PERGAMON PRESS

HEADINGTON HILL HALL  
OXFORD OX3 0BW, U.K.

MAXWELL HOUSE, FAIRVIEW PARK  
ELMSFORD, NY 10523, U.S.A.

## CONTENTS OF VOLUME 4

### VOLUME 4 NUMBER 1/2

T. R. ODHIAMBO	1 Preface
K. V. SESHU REDDY	3 Studies on the stem-borer complex of sorghum in Kenya
C. M. WARUI and J. N. KURIA	11 Population incidence and the control of maize stalk-borers <i>Chilo partellus</i> (Swinh.), <i>C. orichalcociliellus</i> Strand and <i>Sesamia calamistis</i> Hmps. in Coast Province, Kenya
D. T. HO and K. V. SESHU REDDY	19 Monitoring of lepidopterous stem-borer population by pheromone and light traps
M. A. SAMPSON and R. KUMAR	25 Population dynamics of the stem-borer complex on sugar-cane in Southern Ghana
K. OGWARO	33 Intensity levels of stem-borers in maize and sorghum and the effect on yield under different intercropping patterns
B. AMOAKO-ATTA and E. O. OMOLLO	39 Yield losses caused by the stem-/pod-borer complex within maize-cowpea-sorghum intercropping systems in Kenya
B. AMOAKO-ATTA, E. O. OMOLLO and E. K. KIDEGA	47 Influence of maize, cowpea and sorghum intercropping systems on stem-/pod-borer infestations
J. D. MUMFORD and C. W. BALIDDAWA	59 Factors affecting insect pest occurrence in various cropping systems
D. T. HO, J. J. NJOKAH and J. G. KIBUKA	65 Studies on rice stem-borers in Kenya with emphasis on <i>Maliarpha separatella</i> Rag.
J. B. OKEYO-OWUOR, P. O. AGWARO and C. O. J. SIMBI	75 Studies on the legume pod-borer <i>Maruca testulalis</i> (Geyer)—V. Larval population
R. S. OCHIENG and D. O. M. BUNGU	83 Studies on the legume pod-borer <i>Maruca testulalis</i> (Geyer)—IV. A model for mass rearing: rearing on artificial diet
J. B. SUH and C. O. SIMBI	89 Studies on the legume pod-borer, <i>Maruca testulalis</i> (Geyer)—VIII. Cowpea phenology and yield loss assessment: effect of loss of leaves, shoots, flowers and pods on cowpea yield in Western Kenya
P. T. WALKER	97 The assessment of crop losses in cereals
E. O. OMOLLO	105 Screening of local and exotic maize lines for stem-borer resistance with special reference to <i>Chilo partellus</i>
Z. T. DABROWSKI and E. O. NYANGIRI	109 Some field and screenhouse experiments on maize resistance to <i>Chilo partellus</i> under Western Kenya conditions
Z. T. DABROWSKI and E. L. KIDIYAVAI	119 Resistance of some sorghum lines to the spotted stalk-borer <i>Chilo partellus</i> under Western Kenya conditions
R. S. PATHAK and J. C. OLELA	127 Genetics of host plant resistance in food crops with special reference to sorghum stem-borers
A. M. ALGHALI	135 Relative susceptibility of some rice varieties to the stalk-eyed fly <i>Diopsis thoracica</i> West
Z. T. DABROWSKI, D. O. M. BUNGU and R. S. OCHIENG	141 Studies on the legume pod-borer, <i>Maruca testulalis</i> (Geyer)—III. Methods used in cowpea screening for resistance
C. A. MACFOY, Z. T. DABROWSKI and S. OKECH	147 Studies on the legume pod-borer, <i>Maruca testulalis</i> (Geyer)—VI. Cowpea resistance to oviposition and larval feeding
C. J. DEN OTTER and H. M. KAHORO	153 Taste cell responses of stem-borer larvae, <i>Chilo partellus</i> (Swinhoe), <i>Eldana saccharina</i> Wlk. and <i>Maruca testulalis</i> (Geyer) to plant substances

List of Contents, Author and Subject Index for Volume 4, 1983

S. M. WALADDE	159 Chemoreception of adult stem-borers: tarsal and ovipositor sensilla on <i>Chilo partellus</i> and <i>Eldana saccharina</i>
R. O. ABASA*	167 Current and future pest management strategies in polycultural systems in East Africa
E. H. SMITH	173 Integrated pest management (IPM)—specific needs of developing countries
D. G. BOTTRELL	179 Social problems in pest management in the tropics
M. G. JOTWANI	185 Chemical control of cereal stem-borers
D. G. CAMPION and B. F. NESBITT	191 The utilisation of sex pheromones for the control of stem-borers
L. E. N. JACKAI and S. R. SINGH	199 Varietal resistance in the integrated pest management of cowpea pests
W. R. INGRAM	205 Biological control of graminaceous stem-borers and legume pod-borers
W. A. OTIENO, M. O. ODINDO, J. B. OKEYO-OIWOR and D. M. SABWA	211 Studies on the legume pod-borer, <i>Maruca testulalis</i> Geyer—VII. Field surveys on pathogenic microorganisms
S. B. SAGNIA	217 Possible integrated pest management tools for the effective control of cereal stem-borers in The Gambia
S. S. MLAMBO	221 The status of cereal stem-borer and legume pod-borer research in Zimbabwe

VOLUME 4 NUMBER 3

A. MANSINGH and L. F. RHODES	223 Bioassay of various formulations of insecticides on the egg and larval stages of the coffee berry borer <i>Hypothenemus hampei</i> Ferrari (Scolytidae: Coleoptera)
T. R. ODHIAMBO, E. D. KOKWARO and L. M. SEQUEIRA	227 Histochemical and ultrastructural studies of the male accessory reproductive glands and spermatophore of the tsetse, <i>Glossina morsitans morsitans</i> Westwood
M. J. MUTINGA and J. N. NGOKA	237 Investigation of animal reservoirs of visceral leishmaniasis and the isolation of <i>Leishmania major</i> in Marigat, Baringo District, Kenya
E. D. KOKWARO	241 Oocyte development in the adult fleshfly, <i>Sarcophaga tibialis</i> Macquart (Diptera: Sarcophagidae), during the first reproductive cycle
E. D. KOKWARO	247 Egg-chamber development in the ovarioles of the fleshfly, <i>Sarcophaga tibialis</i> Macquart (Diptera: Sarcophagidae), during the first reproductive cycle
M. J. MUTINGA, J. B. KADDU, J. O. OLOBO, F. M. KYAI and D. M. OMOGO	253 Studies on vectors of kala-azar in Kenya: <i>Phlebotomus heischi</i> (Diptera: Psychodidae) Kirk and Lewis, a new male record in Kenya
K. HONDA	255 Evidence for <i>de novo</i> biosynthesis of osmometerial secretions in young larvae of the swallowtail butterflies ( <i>Papilio</i> ): deuterium incorporation <i>in vivo</i> into sesquiterpene hydrocarbons as revealed by mass spectrometry
H. S. QORRO and J. R. MAINOYA	263 Effects of farnesol on the corpora allata and accessory reproductive glands morphometrics in <i>Cataloipus cymbiferus</i> Krauss (Acrididae: Orthoptera)
J. B. ACKONOR	267 The nest and nesting habits of the ant <i>Cataulacus guineensis</i> F. Smith (Hymenoptera: Formicidae) in a Ghanaian cocoa farm
P. O. LAWRENCE	285 Age-specific fecundity and offspring survivorship in the Caribbean fruit fly, <i>Anastrepha suspensa</i> , after diflubenzuron treatment

List of Contents, Author and Subject Index for Volume 4, 1983

M. O. ODINDO	291 Epizootiological observations on a nuclear polyhedrosis of the African armyworm <i>Spodoptera exempta</i> (Walk.)
	<i>Book Review</i>
M. F. B. CHAUDHURY	299 <i>Blackflies: The Future for Biological Methods in Integrated Control</i> , Ed. by LAIRD M.
	301 New patents

VOLUME 4 NUMBER 4

S. N. OKIWELU	305 Further observations on the resting site preferences of the tsetse, <i>Glossina palpalis gambiensis</i> Vanderplank (Diptera: Glossinidae), in Mali
J. MACFARLANE	309 Observations on trail pheromone, trail laying and longevity of natural trails in the termite, <i>Macrotermes michaelsoni</i>
S. K. N. ATUAHENE and D. SOUTO	319 The rearing and biology of the mahogany shoot borer <i>Hypsipyla robusta</i> Moore (Lepidoptera: Pyralidae) on an artificial medium
A. G. L. DELOBEL	327 Influence of temperature and host plant condition on preimaginal development and survival in the sorghum shootfly <i>Atherigona soccata</i>
I. FAGOOONEE and V. TOORY	337 Preliminary investigations of host selection mechanisms by the leafminer <i>Liriomyza trifolii</i>
W. F. SNOW	343 Effect of size of cattle bait on the range of attraction of tsetse and mosquitoes
P. EINYU and R. W. KAPAATA	345 Mating behaviour in relation to sexual maturation of male <i>Glossina morsitans centralis</i> (Machado 1970) (Diptera: Glossinidae)
B. AMOAKO-ATTA	351 Observations on the pest status of the striped bean weevil <i>Alcidodes leucogrammus</i> Erichs. on cowpea under intercropping systems in Kenya
P. SINGH	357 A general purpose laboratory diet mixture for rearing insects
H. C. SHARMA and R. A. AGARWAL	363 Factors affecting genotypic susceptibility to spotted bollworm <i>Earias vittella</i> Fab. in cotton
H. C. SHARMA and R. A. AGARWAL	373 Oviposition behaviour of spotted bollworm, <i>Earias vittella</i> Fab. on some cotton genotypes
J. KAGAN, J.-P. BENY, G. CHAN, S. N. DHAWAN, J. A. JAWORSKI, E. D. KAGAN, P. D. KASSNER, M. MURPHY and J. A. ROGERS	377 The phototoxicity of some 1,3-butadienes and related thiophenes against larvae of the mosquito <i>Aedes aegypti</i> and of the fruit fly <i>Drosophila melanogaster</i>
J. MARGALIT and Z. EVENCHIK	383 Mosquito and copepod host range tests with <i>Coelomomyces psorophorae</i> (Blastocladiales, Chytridiomycetes)
A. A. ADESIYUN	387 Some effects of intercropping of sorghum, millet and maize on infestation by lepidopterous stalk-borers, particularly <i>Busseola fusca</i>
W. LWANDE, T. GEBREYESUS, A. CHAPYA, C. MACFOY, A. HASSANALI and M. OKECH	393 9-Acridone insect antifeedant alkaloids from <i>Teclea trichocarpa</i> bark
G. K. KARNAVAR	397 Studies on the population control of <i>Pieris brassicae</i> L. by <i>Apanteles glomeratus</i> L.
A. K. CHAKRAVARTHY	401 Relative abundance and distribution patterns of field bean ( <i>Lablab niger</i> Medick) pod-borers <i>Adisura atkinsoni</i> Moore
B. U. SINGH, B. S. RANA, B. B. REDDY and N. G. P. RAO	407 Host plant resistance to stalk-borer, <i>Chilo partellus</i> Swin., in sorghum

List of Contents, Author and Subject Index for Volume 4, 1983

- |                  |  |
|------------------|--|
| J. N. MKHIZE     | 415 Susceptibility of <i>Tribolium confusum</i> Jacquelin Duval to an insect growth regulator with juvenile hormone-like effects |
|                  | <i>Book Review</i>   |
| H. HOOGSTRAAL    | 417 <i>Physiology of Ticks.</i> Edited by Obenchain F. D. and Galun R.   |
| K. P. SRIVASTAVA | 421 Obituary   |
|                  | 423 New Patents  |

## AUTHOR INDEX

- Abasa, R. O. 167  
Ackonor, J. B. 267  
Adesiyun, A. A. 387  
Agarwal, R. A. 363, 373  
Agwaro, P. O. 75  
Alghali, A. M. 135  
Amoako-Atta, B. 39, 47, 351  
Atuahene, S. K. N. 319  
  
Baliddawa, C. W. 59  
Beny, J.-P. 377  
Bottrell, D. G. 179  
Bungu, D. O. M. 83, 141  
  
Campion, D. G. 191  
Chakravarthy, A. K. 401  
Chan, G. 377  
Chapya, A. 393  
Chaudhury, M. F. B. 299  
  
Dabrowski, Z. T. 109, 119, 141, 147  
Delobel, A. G. L. 327  
Den Otter, C. J. 153  
Dhawan, S. N. 377  
  
Einyu, P. 345  
Evenchik, Z. 383  
  
Fagoonee, I. 337  
  
Gebreyesus, T. 393  
  
Hassanali, A. 393  
Hinda, K. 255  
Ho, D. T. 19, 65  
Honda, K. 255  
Hoogstraal, H. 417  
  
Ingram, W. R. 205  
  
Jackai, L. E. N. 199  
Jaworski, J. A. 377  
Jotwani, M. G. 185  
  
Kaddu, J. B. 253  
Kagan, E. D. 377  
Kagan, J. 377  
Kahoro, H. M. 153  
Kapaata, R. W. 345  
Karnavar, G. K. 397  
Kassner, P. D. 377  
Kibuka, J. G. 65  
Kidega, E. K. 47  
Kidiavai, E. L. 119  
Kokwaro, E. D. 227, 241, 247  
Kumar, R. 25  
Kuria, J. N. 11  
Kyai, F. M. 253  
  
Lawrence, P. O. 285  
Lwande, W. 393  
  
MacFarlane, J. 309  
MacFoy, C. A. 147  
Macfoy, C. 393  
Mainoya, J. R. 263  
Mansingh, A. 223  
Margalit, J. 383  
Mkhize, J. N. 415  
Mlambo, S. S. 221  
Mumford, J. D. 59  
Murphy, M. 377  
Mutinga, M. J. 237, 253  
  
Nesbitt, B. F. 191  
Ngoka, J. N. 237  
Njokah, J. J. 65  
Nyangiri, E. O. 109  
  
Ochieng, R. S. 83, 141  
Odhiambo, T. R. 1, 227  
Odindo, M. O. 211, 291  
Ogwaro, K. 33  
Okech, M. 393  
Okech, S. 147  
Okeyo-Owuor, J. B. 75, 211  
Okiwelu, S. N. 305  
Olela, J. C. 127  
Ololo, J. O. 253  
Omogo, D. M. 253  
Omolo, E. O. 39, 47, 105  
Otieno, W. A. 211  
  
Pathak, R. S. 127  
  
Qorro, H. S. 263  
  
Rana, B. S. 407  
Rao, N. G. P. 407  
Reddy, B. 407  
Rhodes, L. F. 223  
Rogers, J. A. 377  
  
Sabwa, D. M. 211  
Sagnia, S. B. 217  
Sampson, M. A. 25  
Sequeira, L. M. 227  
Seshu Reddy, K. V. 3, 19  
Sharma, H. C. 363, 373  
Simbi, C. O. 89  
Simbi, C. O. J. 75  
Singh, L. U. 407  
Singh, P. 357  
Singh, S. R. 199  
Smith, E. H. 173  
Snow, F. 343  
Souto, D. 319  
Srivastava, K. P. 421  
Suh, J. B. 89  
  
Toory, V. 337  
  
Waladde, S. M. 159  
Walker, P. T. 97  
Warui, C. M. 11

## SUBJECT INDEX

- Acacia fiscula* 253  
*Acalymma vittata* 61  
*Acanthocyclops vernalis* 374  
*Acanthocyclops viridis* 373-374  
*Acanthomyops claviger* 255  
 accessory reproductive glands (ARG) 227-236, 263-266  
*Glossina morsitans morsitans* 227-236  
*Acheta domesticus* 297  
*Acigoma ignefusalis* 3, 218, 387, 390-391  
*Acomys* spp. 237-238  
*Acrotylus patruelis* 291-292, 294, 297  
 acetic 223-225  
*Adisura atkinsoni*  
 on field bean 401-406  
*Adoryphorus couloni* 360  
*Aedes aegypti* 334, 373-374  
 phytotoxicity 377-381  
*Aelia* spp. 100  
*Aenetus virescens* 360  
 African armyworm  
 epizootiological observations 291-298  
*Agathis stigmatera* 206  
*Agrotis ipsilon* 101, 359  
*Agrotis segetum* 98  
 Ahero Irrigation Research Station (AIRS) 66-67, 71  
*Alcidodes leucogrammus* on cowpea 351-356  
 aldicarb 223-225  
 aldrin 186  
 alkaloids  
 from *Teclea trichocarpa* 393-395  
 alternate hosts  
 for sorghum stem-borer 5-7, 9  
 altitude  
 effect on stem-borer 9  
*Amaranthus* spp. 169  
 ambush 17  
 amino acid  
 content in cowpea cultivars 150-152  
*Amorbia emigratella* 360  
*Anagasta kühniella* 227  
*Anagotus carinirostris* 360  
*Anagotus fairburni* 360  
*Anagotus turbotti* 360  
*Anastrepha suspensa*  
 fecundity and offspring survivorship 285-290  
*Ancylis comptana fragariae* 62  
*Ancylostoma stercoriae* 208  
*Andropogon tectorum* 65  
 animal reservoirs  
 visceral leishmaniasis 237-240  
*Anisomorpha buprestoides* 255  
*Anopheles maculipennis* 379  
*Anopheles superpictus* 379  
*Anoplocnemis* 203  
 ant  
 nest and nesting habits 267-283  
*Antennorphorus farah* 280  
*Antennorphorus fareli* 267  
*Anthonomus grandis* 62, 255, 385  
 antibiosis 110, 152, 200-202  
 antifeedant  
 from *Teclea trichocarpa* 393-395  
*Antigastora* spp. 355  
 antixenosis 117, 150  
*Apanteles* spp. 218, 398  
*Apanteles cerialis* 398  
*Apanteles flavipes* 206-207  
*Apanteles glomeratus*  
 control of *Pieris brassicae* 397-399  
*Apanteles marginiventris* 398  
*Apanteles sesamiae* 7, 9, 206  
*Apanteles subandinus* 398  
*Aphis craccivora* 200, 391  
*Aphis fabae* 169  
 ARG 227-236, 263-266  
*Artemia salina* 373  
 artificial diet 357-362  
 legume pod-borer rearing 83-87  
*Ascogaster quadrifentata* 208  
*Aspavia* sp. 65  
*Atelura* sp. 280  
*Atherigona* spp. 101  
*Atherigona indica infuscata* 169  
*Atherigona soccata* 39, 45, 47, 51, 119, 194, 217  
 development and survival 327-335  
*Auripasser luteus* 168  
*Austrocidaria similata* 359  
*Avicandthis niloticus* 237-238  
*azinophos* 186, 188  
*azodrin* 223-225  
  
*Bacillus cereus* 213-214  
*Bacillus sphaericus* 374  
*Bacillus subtilis* 393-394  
*Bacillus thuringiensis* 213-214, 374  
*Bacillus thuringiensis israelensis* 374  
 bacteria 211, 213-214  
*Basiliorhinus araucarie* 360  
*Basudin* 218  
 on maize stalk-borer 17  
*Battus polydamas* 260  
*Bdeogale crassicauda* 237-238  
*Bemisia tabaci* 181  
*BHC* 12 185-188  
 bimarit 223-225  
 biological control of stem-borers and pod-borers 205-209  
 biosynthesis  
 of sesquiterpenes 255-261  
 biotypes 131  
 birlane dust  
 on maize stalk-borer 17  
 black ants 6-7, 9  
*Blissus leucopterus* 128  
*Bombyx mori* 165, 296-297  
*Borrelinavirus reprimens* 297  
*Bracon* spp. 218  
*Bracon cajani* 208  
*Bracon chinensis* 206-207  
*Bracon pectoralis* 208  
*Bracon piger* 208  
 broods  
*Cataulacus guineensis* 267, 273, 279  
*Bruchus* sp. 402  
*Bunyaeus monteithi* 360  
*Busseola* sp. 109  
*Busseola fusca* 39, 47, 55, 83, 100-101, 123, 185, 187, 191, 193, 359  
 control of 217-221  
 distribution and importance 3-10  
 effect on maize and sorghum yield 33-37  
 host plants 127-134, 205-206  
 intercropping effects on 51-52  
 population monitoring 11-23  
 resistance to 127-134  
 on sorghum, millet and maize 387-391  
*Busseola segeta* 3  
 butadiynes  
 on mosquito and fruit fly 377-381  
  
*Calosoma sycophanta* 297  
*Camponotus* spp. 32  
*Camponotus herculeanus* 267  
*Camponotus ligniperda* 267  
*Camponotus olivieri* 282  
*Camponotus pennsylvanicus* 267  
*Camponotus rufoglaucus* 7  
*Camponotus vagus* 267  
*Canis familiaris* 237-238  
*Canis mesomeias* 237-238  
 carbamates 223-224  
 carbaryl 186-187  
 carbicron 223-225  
 carbofuran 181, 186-187, 222  
 on maize stalk-borers 12-13, 17  
 Caribbean fruit fly  
 fecundity and offspring survivorship 285-290  
*Carposina adreptella* 359  
 carryover 55  
 crop pests 59-62  
 in maize stalk-borer 11  
 in maize stem-borer 5  
 castes, termite  
 trail pheromones 309-310, 313-314, 316-317  
*Cataloipus cymbiferus* 263-266  
*Cataulacus guineensis*  
 nest and nesting habits 267-283  
*Cenchrus ciliaris*  
 stem-borers on 6-7, 9  
*Cephus* spp. 100  
*Cephus cinctus* 127  
 cereal  
 assessment of losses 97-104  
 cereal stem borers 185-189, 217-218, 221-222  
 chemical control 185-189  
 cowpea pests 199-200, 202-203  
*Hypothenemus hampei* 223-226  
 integrated pest management 217-219  
 maize stalk-borers 11-18  
*Maruca testulalis* 75-81  
 'chaffy heads' see 'whitehead' condition  
*Cheiromenes* spp. 7  
*Chelonus inanitus* 208  
 chemical control 105, 135, 211, 221-222  
*Chilo* spp. 217-218  
*Chilo agamemnon* 3, 187  
*Chilo infuscatellus* 3  
*Chilo nigricana* 205  
*Chilo orichalcociliellus* 327  
 distribution and importance 3-10  
 incidence and control on maize 11-18  
*Chilo partellus* 83, 100, 221, 327, 359  
 biological control 205-207  
 chemoreception 159-165  
 control 185-189  
 distribution and importance 3-10  
 effect of intercropping on

- 47-57  
effect on yield losses 39-45  
host plant resistance 127-134,  
407-413  
incidence and control on maize  
11-18  
population on maize and  
sorghum 33-37  
population monitoring 19-23  
resistance of maize to 105-108.  
109-118  
resistance of sorghum to  
119-127  
on rice in Kenya 65-72  
sex-pheromones 192-193  
taste cell responses to plant  
substances 153-157
- Chilo sacchariphagus* 192, 195,  
205-206
- Chilo suppressalis* 83, 187, 192  
control, sex pheromones  
191-197
- Chilo zacconius*  
population dynamics 25-32
- China  
stem-borer trapping 19, 22
- chlordanne 224
- chlordimeform 187
- chlorfenvinphos 187
- chlorinated hydrocarbons 223-224
- chlorpyrifos 187, 223, 225
- Choristoneura occidentalis* 360
- Chrysodeixis eriosoma* 359, 360
- CIMMYT 105, 107  
maize resistant cultivars to  
*Chilo partellus* 109-118
- Citrus unshiu* 256, 258
- Cladosparium cucumerinum* 393-  
394
- Claviger testaceus* 267
- Cleora scriptaria* 359  
'*Cnephasia*' *incepsana* 360  
'*Cnephasia*' *jactatana* 360
- Coelomomyces indicus* 374-375
- Coelomomyces psorophorae*  
mosquito and copepod host  
range 373-375
- coffee  
*Hypothenemus hampei* 223-226
- Coffee arabica* 223
- coffee berry borer 223-226
- competition, interspecific  
*Glossina* 305, 307
- Contarinia sorghicola* 98
- control  
cereal stem-borers 217-219  
sex-pheromones 191-197  
stem-borers 191-197
- Corvus alata* 263-266
- Corvus albus* 292
- cost-effectiveness  
pest management 1
- Costelytra zealandica* 360
- cotton genotypes  
*Earias vittella* 363-372  
oviposition behaviour 383-386
- cowpea  
pod-borer 89-96  
pod-borer larval population  
75-81  
resistance to *Maruca testulalis*  
147-152  
resistance to pests 199-204  
screening for resistance to  
*Maruca testulalis* 141-145  
stem-and pod-borers 39-46.  
47-57  
stem-borer catches on 20
- Crematogaster* spp. 32
- Crematogaster depressa* 267,  
278-279, 282
- crop-borers  
mass rearing 83
- crop damage
- Chilo partellus* 122-126  
*Earias vittella* 363-364, 370  
rice stem-borers 65-73  
stalk-borers 120-125  
stalk-eyed fly 136-139  
crop loss assessment 97-104  
cropping systems  
insect pest population 59-64  
*see also* intercropping
- crop values, losses  
stem-borers 33-37  
stem- and pod-borers 39-46
- Crotalaria juncea* 203
- Cryptophlebia pallifimbria* 360
- Ctenoplusia albostriata* 360
- Ctenopseustis obliquana* 360
- Culex pipiens* 373-374
- Culex pipiens quinquefasciatus* 373
- Culiseta inornata* 373
- Culicidae longiareolata* 373
- cultural control  
maize stalk-borers 11-18
- Cyclops vernalis* 373-374
- Cydia* spp. 205
- Cydia fabivora* 207-208
- Cydia nigricana* 207-208
- Cydia pomonella* 359
- Cydia ptychora* 151-152, 207-208
- Cymbopogon excavatus* 292
- Cymbush 203  
on maize stalk-borers 14, 17
- Cynodon dactylon* 263, 292, 297
- Cynodon nemfuensis* 292
- cypermethrin 188
- Cyperus* spp. 205
- Cyperus esculentus* 292
- Cyperus rotundus* 292
- cytoplasmic polyhedrosis virus 213
- Dactyloctenium aegyptium* 292
- Dasypodia cymatoidea* 359
- Datana integerrima* 360
- DDT 180-181, 185, 199  
on maize stalk-borers 12, 17  
'dead heart' condition 187  
on maize 12, 116-117  
on rice 68-73, 135-139  
on sorghum 3-4, 119-120, 122,  
126, 127-131, 407-412  
stem- and pod-borers 47, 51-52  
decis 223-225
- Declana leptomeria* 360
- Delia* spp. 99
- Delia arambourgi* 101
- Dentichasmias busseolae* 7, 9, 206
- Descampsina sesamiae* 32, 207
- developing countries  
integrated pest management  
173-177  
*see also* tropics
- Diabrotica* sp. 99
- diapause  
of stem-borer 5, 9  
of maize stalk-borer 11, 17
- Diaperasticus erythrocephala* 7
- Diatraea centrella* 206
- Diatraea grandiosella* 3, 105, 107
- Diatraea lineolata* 3
- Diatraea rufescens* 192
- Diatraea saccharalis* 3, 83, 99,  
105, 107, 192, 359  
biological control 205, 207
- Diatraeaphaga striatalis* 206
- diazinon 186-188
- Dicladispa* spp. 65
- dieldrex 224
- dieldrin 186, 223-225
- diflubenzuron  
on *Anastrepha suspensa*  
285-290
- Digitaria scalarum* 292
- dimethoate 181, 203
- dimilin 223-225
- Diopsis* spp. 99
- Diopsis macrophthalmia* 101
- Diopsis thoracica* 217  
distribution 65-73  
on rice 135-140
- Dioryctria abietella* 319
- diptera  
on maize stalk-borers 14, 17
- distribution  
stem-borers in Kenya 7-9
- disulfoton 186, 188
- docs 224
- Dorylus* 280
- Drosophila* spp. 334
- Drosophila immigrans* 359
- Drosophila melanogaster* 241, 245,  
247, 251-252, 359  
phytotoxicity 377-381
- dursban  
on *Hypothenemus hampei*  
223-225
- on maize stalk-borers 14, 17
- Earias biplaga* 370
- Earias insulana* 363
- Earias vittella*  
genotypic susceptibility 363-372  
oviposition behaviour 383-386
- earwigs 6-7, 9
- East Africa  
pest management strategies  
167-171
- Echinochloa haploclada*  
stem-borer on 7
- Echinochloa pyramidalis* 29
- economic infestation levels  
stem-borers 33-37
- economic injury levels  
losses 39-46, 167
- economic thresholds 99
- egg-chamber development  
*Sarcophaga tibialis* 247-252
- Eiphosoma annulatum* 208
- ekamet  
on maize stalk-borers 4, 17
- Elasmopalpus lignosellus* 3
- Eldana* sp. 109
- Eldana saccharina* 83, 123, 205, 221  
biological control 205-207  
chemical control 185, 187  
chemoreception 159-165  
control, sex pheromones  
192-193
- distribution and importance  
3-10
- effect of intercropping 47,  
51-52, 54
- effect on yield 39, 45
- host plant resistance to 127-134
- intensity and effect on yield  
of 33-36
- population dynamics 25-32
- population monitoring 19-23
- taste cell responses to plant  
substances 153-157
- Eleusine africana* 292
- Eleusine coracana* 168, 405
- Emathendes* spp. 3
- Empoasca* spp. 200
- Empoasca dolichi* 152
- Endoclitia* sp. 360
- endosulfan 200  
on maize stalk-borers 12  
stem-borer control 186-188  
*see also* thiadan
- endrin 186-187
- Entomophthora* spp. 213-214
- Entorna phaulacosma* 360
- Epaixiphora axenana* 360
- Ephestia kühniella* 241, 252
- Ephippiger* sp. 297
- Epiphyas postvittana* 359, 360, 362
- epizootiology of armyworm virus  
291-298

List of Contents, Author and Subject Index for Volume 4, 1983

- Etiella zinckenella* 205, 207-208, 402  
*Euchrysops* spp. 76  
*Euproctis melania* 398  
*Eutoma phaulacosma* 361  
*Fagara ailantoides* 255-256, 258, 260  
 farming systems 182-183  
 farnesol 263-266  
 fecundity  
   *Anastrepha suspensa* 285-290  
 fenitrothion 186, 188, 223, 225  
   on maize stalk-borer 12  
 fensulfofothion 188  
 fenthion 188  
*Feredayia graminosa* 361  
 fertilizer 66  
   on maize 11-12, 17  
 fibre  
   content in cowpea cultivars 151-152  
 finger millet  
   stem-borer on 7  
 flavonoid content in cowpea cultivars 151-152  
 fleshfly  
   egg-chamber development 247-252  
   oocyte development 241-246  
 folimat 223-225  
 fox tail millet  
   stem-borer on 7  
 fruit fly  
   phytotoxicity 377-381  
*Fundella pellucens* 208  
 fungi 211, 213-214  
 furadan *see* carbofuran  
*Fusarium moniliforme* 221-222  
 gallery forests, tsetse in 305-307  
 Gambia  
   control of cereal stem-borers 217-219  
 gardona 223, 225  
*Gastrosarus* sp. 360  
*Gastrosarus nigricollis* 360  
*Gellonia dejectaria* 359  
 gene-for-gene relationships 131-132  
 genetics  
   food crop resistance to stem-borers 127-134  
*Genette* spp. 237-238  
 germplasm 108, 117, 119  
 Ghana  
   *Cataulacus guineensis* 267-283  
   stem-borer complex 25-32  
*Gilpinia hercyniae* 294  
*Glossina austeni* 227, 345  
*Glossina morsitans* 334, 345, 347-348  
*Glossina morsitans centralis*  
   mating behaviour 345-349  
*Glossina morsitans morsitans* 227-236, 345  
*Glossina morsitans orientalis* 347  
*Glossina morsitans submorsitans*  
   infestation in Mali 305-307  
*Glossina pallidipes* 228, 236  
   mating behaviour 345-347  
*Glossina palpalis*  
   nesting site preferences 307, 347  
*Glossina palpalis gambiensis*  
   nesting site preferences 305-308  
*Glossina tachinoides*  
   distribution in Mali 305  
*Glypta haesitator* 208  
*Gnorimoschema operculella* 156  
*Gossypium arboreum* 363, 383  
*Gossypium barbadense* 360, 383-384  
*Gossypium hirsutum* 363, 383  
 graminaceous stem-borers  
   biological control 205-209  
*Graphania insignis* 359  
*Graphania lignana* 359  
*Graphania mutans erebia* 359  
*Graphania mutans mutans* 359  
*Graphania scutata* 359  
*Graphania ustistriga* 359  
*Graphognathus leucomoma* 360  
*Grapholita molesta* 62, 359  
 grasshopper 263-266  
   'green revolution' 173, 180  
 Guinea savanna woodland 25, 32  
*Guizotica abyssinica* 405  
*Hadramphus* spp. 360  
*Harmologa oblongana* 360  
*Helicoverpa armigera confertus* 362  
*Heliothis atychioides* 361  
*Heliothis* spp. 62, 99-100, 176, 207  
   host plant resistance to 370-371  
*Heliothis armigera* 39, 45, 76, 83, 402  
   effect of intercropping on 47, 51-52  
   host plants 168-170  
*Heliothis armigera confertus* 359  
*Heliothis virescens* 131, 181  
*Heliothis zea* 128, 169, 370  
*Hellastia lucidata* 359  
*Hemiandrus* spp. 360  
*Hermetia illucens* 360  
*Heterocrossa adreptella* 359  
*Heteronychus* spp. 99  
*Heteronychus arator* 360  
 heterosis 107, 129  
*Hexameritis* spp. 324  
*Hodotermes mossambicus* 309, 316-317  
 horizontal resistance 130-133, 145  
 host location  
   tsetse and mosquitoes 343-344  
 host plant resistance to *Chilo partellus* 407-413  
 host selection mechanisms of *Liriomyza trifolii* 337-341  
 humidity 19-20  
*Hyalophora cecropia* 252  
*Hydrellia* spp. 99  
*Hypera meles* 360  
*Hyperrhina rufa* 263  
*Hypothenemus hampei* 223-226  
*Hypsipyla grandella* 319-320, 324  
*Hypsipyla robusta*  
   rearing and biology 319-325  
*Ichnneumia albicanda* 237-238  
*Ichnneutica ceraunias* 361  
 ICIPE *see* International Centre of Insect Physiology and Ecology  
 ICRISAT *see* International Crop Research Institute of Semi-Arid Tropics  
 IFAD *see* International Fund for Agricultural Development  
 IITA *see* International Institute of Tropical Agriculture  
 imidan 224  
 India  
   maize stalk-borers 11, 14, 17  
 infestation  
   tsetse single-species and mixed 305  
 inquilines 270-271, 279  
 insect growth regulators  
   susceptibility of *Tribolium confusum* 415-416  
 insecticides *see* chemical control  
 insect pests  
   cereals 97  
   in cropping systems 59-64  
 integrated pest management 89, 95, 127, 185  
   cereal stem-borers 217-219  
   cowpea pests 199-204  
   needs for developing countries 173-177  
   social problems 179-184  
 intercropping  
   effect on *Alcidodes leucogrammus* on cowpea 351-356  
   effect on *Busseola fusca* 387-391  
 legume pod-borer 75, 77, 81  
 stem-borer infestation levels 33-37  
 stem- and pod-borer damage 39-46  
 stem- and pod-borer infestations 47-57  
 International Centre of Insect Physiology and Ecology 1-2, 3-4, 19, 22, 33, 90, 109, 119, 141, 147, 153, 159, 201  
 studies on *Alcidodes leucogrammus* 351-352  
 studies on *Maliarpha separatella* 66-71  
 studies on stem- and pod-borers 48-49, 52-53  
 studies on yield losses 40-42  
*see also* Mbaita Point Field Station  
 International Crop Research Institute of Semi-Arid Tropics 4  
   sorghum resistance to *Chilo partellus* 119-120, 122, 124-125  
 International Fund for Agricultural Development 2  
 International Institute of Tropical Agriculture 76, 135, 139, 147, 211  
   resistance to cowpea pests 199-202  
 International Rice Research Institute (IRRI) 193  
 interspecific competition *see* competition, interspecific  
 IPM *see* integrated pest management  
*Ips paracanopus* 255  
*Irenimus compressus* 359  
*Isotoma javensis* 207  
*Jaynesleskia jaynesi* 206  
 juvenile hormone analogue 263-266  
 Kajiado (Kenya)  
   termite studies 309  
 kala azar 237, 239-240  
   *Phlebotomus heischi* 253-254  
 kelthane 223-225  
 Kenya  
   *Alcidodes leucogrammus* on cowpea 351-356  
   *Leishmania major* 237-240  
   maize resistance to *Chilo partellus* 109-118  
   maize stalk-borer incidence and control 11-18  
   *Maruca testulalis* damage 75-76, 78-81, 89-96  
   *Phlebotomus heischi* male record 253-254  
   sorghum resistance to *Chilo partellus* 119-126  
   stem-borer complex on sorghum 3-10  
   stem-borers 65-73  
   stem- and pod-borers 39-46  
*Khaya ivorensis* 319  
   stem-borers on sorghum 4-6  
 Kisii  
   stem-borers on sorghum 4-6  
*Kyllinga* sp.  
   stem-borer on 6-7, 9  
*Kyllinga erecta* 292  
*Lablab niger*  
   distribution and abundance on *Adisura atkinsoni* 401-406  
 ladybird beetles 7, 9  
*Lampides boeticus* 205, 207-208, 402

List of Contents, Author and Subject Index for Volume 4, 1983

- Lasius niger* 267, 280  
*Laspeyresia pomonella* 359  
*Launaea cornuta*  
 stem-borer on 7  
 leaf miner  
 host selection 337-341  
 legume pod-borers  
 biological control 205-209  
 cowpea phenology and yield loss 89-96  
 larval population 75-81  
 mass rearing 83-87  
 pathogenic microorganisms 211-215  
*Leishmania aethiopica* 239-240  
*Leptinotarsa decemlineata* 156, 227, 229  
*Leptoithoras* sp. 267  
*Leptuus repens*  
 stem-borers on 6-7, 9  
*Leucania lareyimima* 359  
 libaycid 224  
 light traps  
 stem-borer population monitoring 19-23  
 lindane 181, 186, 224  
*Liriomyza trifolii*  
 host selection 337-341  
*Listronotus bonariensis* 359  
*Lixophaga diatraea* 206-207  
*Locusta migratoria* 156, 263  
*Lucilia cuprina* 245  
*Lymantria dispar* 296  
*Lytta vesicatoria* 255  
*Macrocentrus aencylivorus* 208  
*Macromischoides aculeatus* 267  
*Macrotermes michaelensi*  
 trail pheromone and trail laying 309-318  
 mahogany shoot-borer  
 rearing and biology 319-325  
 maize  
 resistance to *Chilo partellus* 109-118  
 stalk-borer incidence and control 11-18  
 stem- and pod-borer 39-46, 47-57  
 stem-borer on 7-9  
 stem-borer catches on 20  
 stem-borer effect on yield 33-37  
 stem-borer resistance 105-108  
 malathion 186-188, 218  
 on maize stalk-borers 12  
*Maleuterpes spinipes* 360  
 Mali  
 tsetse resting sites 305-308  
*Maliarpha separatella* 3, 185, 187, 361  
 biological control 206-207  
 population monitoring 19-23  
 on rice 65-73  
*Marasmarcha liphanes* 402  
*Maruca testulalis* 22, 131, 185, 217, 221, 352, 360, 402  
 biological control 205, 207-208  
 cowpea phenology and yield loss 89-96  
 cowpea resistance to 147-152  
 cowpea screening for resistance 141-145  
 effect of intercropping on 47, 51, 53-55  
 effect on yield 39, 43, 45  
 larval population 75-81  
 mass rearing 83-87  
 pathogenic microorganisms 211-215  
 rearing on artificial diet 83-87  
 mass rearing  
*Maruca testulalis* 83-87  
 mass spectrometry  
 deuterium in sesquiterpene hydrocarbons 255-261  
*Mastomys natalensis* 237-238  
 mating behaviour  
*Glossina morsitans centralis* 345-349  
*Mayetiola destructor* 100-101, 127  
 Mbita Point Field Station (MPFS) 1-2, 3-10, 19-20, 33, 105, 128, 148, 211, 141, 144, 351-352  
 maize resistance to *Chilo partellus* 109-111, 115-117  
 studies on intercropping effects on borers 48-49, 52-53  
 studies on legume pod-borer, cowpea phenology and yield loss 89-95  
 studies on legume pod-borers, larval population 75-78, 81  
 studies on *Maliarpha separatella* 66-71  
 studies on sorghum resistance to borers 119-124  
 yield loss studies 40-42  
*Melanagromyza obtusa* 402  
*'Melanchra' alycone* 360  
*'Melanchra' ochthistis* 359  
*Melicope fareana* 394  
*Meloidogyne arenaria* 351  
*Meloidogyne incognita* 351  
*Meloidogyne javanica* 351  
 mephosfalan  
 on cereal stem-borers 186-188  
 on maize stalk-borers 12  
*Meroephys leucaniana* 360  
*Mesocyclops leuckarti* 373-374  
 methomyl 223-225  
 methoxychlor 223-225  
 methyl 186  
 methyl parathion 181  
*Microdes quadristrigata* 359  
*Microtermes* sp. 270-271, 276, 279-280, 282  
 miral  
 on maize stalk-borers 17  
*Mnesictena flavidalis* 360  
 monocrotophos 181, 199  
 on cereal stem-borers 186-188  
*Monomorium floridols* 281  
*Monomorium pharaonis* 281  
 moonlight  
 effect on stem-borer catches 19-22  
 mortality  
*Atherigona soccata* 331-332, 334  
 mosquitoes  
 copepod host range 373-375  
 host location 343-344  
 phototoxicity 377-381  
 MPFS see Mbita Point Field Station  
 mucocutaneous leishmaniasis 239-240  
*Musca domestica* 229, 251, 380  
*Myrmica* sp. 267  
*Myzithma separata* 359  
*Myzus persicae* 327  
*Nasutitermes corniger* 317  
*Nasutitermes exitiosus* 316  
*Nasutitermes octopilis* 255  
*Navomorpha sulcata* 360  
*Neodiprion sertifer* 259  
*Neodiprion swainei* 296  
*Neoterms* spp.  
*Cataulacus guineensis* nest initiation 267, 270-271, 279-282  
*Nephrotettix impicticeps* 127  
 nest and nesting habits  
*Cataulacus guineensis* 267-283  
 Nigeria  
 maize stalk-borers 11  
*Maruca testulalis* damage 75-76, 78  
*Nilaparvata lugens* 98, 100, 127

- nitrogen  
 content in cowpea cultivars 150-151  
 nodulation  
 cowpea 356  
*Nomadacris septemfasciata* 169  
 non-preference for oviposition 149, 150, 340, 363, 371  
*Busseola fusca* 387  
*Chilo partellus* 110, 117  
 cowpea pests 200-202  
*Earias vittella* 383-385  
 sorghum stem-borers 126, 128  
 Northern Guinea Savanna vegetation zone 305  
*Nosema* spp. 87, 213-214  
*Notomacer leai* 360  
*Nyctemera annulata* 359, 360  
*Odontomachus haematodus* 267  
*Oecophylla longinoda* 267, 280-281  
*Oenoma hirta* 360  
 offspring survivorship  
*Anastrepha suspensa* 285-290  
*Oligochora oculifera* 360  
 oocyte development  
*Sarcophaga tibialis* 241-246  
*Ootheca* sp. 203, 355  
 organophosphates 223-225  
*Orius* sp. 203  
*Orocrambus flexuosellus* 360  
*Orthoclydon praefectata* 361  
*Oryzaephilus surinamensis* 241  
*Oscinella frit* 100  
*Ostrinia furnacalis* 192  
*Ostrinia nubilalis* 3, 99, 101, 105, 128, 187  
 control, sex pheromones 191-197  
*Oulema melanopus* 99, 127  
 oviposition 201  
 oviposition behaviour  
*Earias vittella* 383-386  
 oviposition preference 149  
*Chilo partellus* 121-122  
*Diopsis thoracica* 135-136, 139  
*Pachydiplosis oryzae* 127  
 Pakistan  
 maize stalk-borers 11, 12, 14, 17  
*Panicum maximum* 263  
 stem-borers on 7  
*Panicum trichocladum* 292  
*Papilio aegeus* 255  
*Papilio helenus* 255-260  
*Papilio protenor* 255-258  
 paraquat 181  
 parasitoids (parasites) 203, 373  
 leishmania 237, 240  
 on maize stalk-borers 12  
 of stem-borer complex 6-7, 9  
 of stem- and pod-borers 205-208  
 parathion 181, 185  
*Parus ater* 297  
*Parus caeruleus* 297  
*Parus major* 297  
 pathogenic microorganisms  
*Maruca testulalis* 211-215  
 pearl millet  
 stem-borer on 7  
*Pectinophora gossypiella* 364, 370-371  
*Pediobius furvus* 206  
*Pennisetum clandestinum* 292, 296-297  
*Pennisetum purpureum*  
 stem-borers on 7  
*Pennisetum typhoides* 168, 387  
 perfekthon 223-225  
*Periplaneta americana* 241, 359  
*Peristoreus trilopus* 360  
 permethrin 188

List of Contents, Author and Subject Index for Volume 4, 1983

- Persectania atristrige* 360  
*Persectania aversa* 359  
 pest assessment 99-100  
 pesticides  
     social problems in usage 179-182, 184  
 pest management 99, 238  
     of maize stalk-borer 11-18  
     social problems 179-184  
     stem-borers 9  
     strategies 167-171  
*Phanerotoma planifrons* 208  
*Phaseolus* spp. 208  
*Phaseolus vulgaris* 337  
*Pheidole* spp. 267  
*Pheidole megacephala* 32  
*Phellodendron amurense* 256-258  
 phenol  
     content in cowpea cultivars 151-152  
 phenthoate 186-187  
 pheromone, trail  
     termite 309-318  
 pheromone traps 101  
     stem-borer population monitoring 19-23  
*Phlebotomus dubosqui* 240  
*Phlebotomus heischi*  
     male record 253-254  
*Phlebotomus martini* 240, 253  
*Phlebotomus orientalis* 253  
*Phlebotomus robaudi* 240  
*Phlebotomus rodhaini* 253  
*Phlebotomus sergenti saevus* 240  
 phorate 186  
*Phormia regina* 163  
 phosdrin 223-225  
 phosphamidon 188  
 phototoxins  
     thiophenes 377-381  
*Phryssonotus laticostatus* 359  
*Phthorimaea operculella* 359, 398  
*Phthorimaea rapae* 398  
*Phyllotreta conciserae* 61  
 phytotoxins  
     butadiynes 377-381  
*Pieris brassicae* control 397-399  
*Pipio anubis* 237  
 pirimiphos-methyl 188  
*Planotortrix conditana* 360  
*Planotortrix excessana* 360  
*Planotortrix notophaea* 360  
 planting dates for maize 16-17  
 plant nematodes 170  
 plant substances  
     taste cell responses to 153-157  
*Ploceus* spp. 168  
*Plusia argentifera* 359  
*Plutella xylostella* 61, 361  
 pod-borers  
     bean, 401-406  
     cowpea resistance to 147-152  
     cowpea screening for resistance to 141-145  
     intercropping infestations 47-57  
     intercropping, yield losses 39-46  
*Poecilasthena subpurpureata* 359  
*Poekilocerus bufonius* 258  
 polycultural farming systems 167-171  
 polyhedral inclusion bodies 294, 297  
 polyhedrosis virus 291-298  
*Ponera edouardi* 281  
 population, stem-borer 19-23  
 population control  
     maize stalk-borers 11-18  
 population dynamics  
     stem-borer complex 25-32  
*Porthetria dispar* 297  
 predators 203  
     as biological control 205, 207-208  
     on maize stalk-borers 12  
     of stem-borer complex 6-7, 9  
*Prenolepis longicornis* 282  
*Procerus venosatus* 3  
 protein content in cowpea cultivars 150-152  
 protozoa 211, 213-214  
*Pseudaleitia separata* see *Mythimna separata*  
*Pseudaleitia unipuncta* 294  
*Pseudocoremia rufisata* 360  
*Pseudocoremia suavis* 361  
*Pyrausta nubilalis* 109  
 pyrethrroids 224  
*Pyrgotis plagiata* 360  
*Quelea erythrops* 168  
 quinalphos 186  
 rain  
     effect on maize stalk-borers 11-15, 17  
     effect on pod-borer larval population 75  
     effect on stem-borers 4-6, 9  
     effect on stem-borer catches 19-20  
     effect on stem-borer population 25, 27, 29-32  
     effect on stem- and pod-borer infestation 48, 51  
 range of attraction  
     tsetse and mosquitoes 343-344  
 rearing insects 357-362  
 relative humidity  
     effect on stem-borer catches 19-20  
 resistance  
     cowpea to *Maruca testulalis* 141-145, 147-152  
     cowpea pests 199-204  
     *Earias vittella* 383-384  
     food crops to stem-borers 127-134  
     maize to *Chilo partellus* 109-118  
     maize to stem-borer 105-108  
     sorghum to *Chilo partellus* 119-120  
     sorghum to stem-borers 6, 8-9  
 resting sites  
     of tsetse in Mali 305-308  
*Reticulitermes lucifugus* 314  
*Reticulitermes santonensis* 314  
*Reticulitermes virginicus* 316  
*Rhaconotus scirpoprophagae* 206  
*Rhinorhynchus rufulus* 360  
*Rhizobium* sp. 351  
*Rhodnius prolixus* 241  
*Rhopalosiphum maidis* 128  
 rice  
     *Diopsis thoracica* 135-140  
     stem-borers 7, 65-73, 176  
     stem-borer catches on 20-21  
 Ruri (Lambwe Valley, Kenya)  
     stem-borers on sorghum 4-5  
*Sabicebra sublignalis* 360  
*Sabulodes caberata* 360  
*Saccharomyces cerevisiae* 378-380  
 salithion 188  
*Samia cynthia* 255  
 sandfly 253-254  
*Sarcophaga bullata* 255  
*Sarcophaga tibialis*  
     egg-chamber development 247-252  
     oocyte development 241-246  
*Scelidodes cordalis* 360  
*Schistocerca gregaria* 102, 128, 227, 263, 265  
*Schizaphis graminum* 128  
*Schizaphis graminum* 127  
*Scirpophaga incertulas* 101, 195  
*Scirpophaga innotata* 206  
*Scoparia hallopis* 359
- Scopula rubraria* 359  
*Serratio marcescens* 213-214  
*Sesamia* spp. 109, 217  
     population dynamics 25-32  
*Sesamia botanephaga* 3, 206  
     population dynamics 27, 29, 31-32  
*Sesamia calamistis* 123, 169, 187, 221  
     biological control 205-206  
     distribution and importance 3-10  
     effect on yield 34, 37, 39, 45  
     host plant resistance to 127-134  
     incidence and control on maize 11-18  
     intercropping effect on 47, 51-52, 55  
     population dynamics 27, 29, 31-32  
     population monitoring 19-23  
     on rice 65-73  
*Sesamia cretica* 3, 168, 192, 206  
     chemical control of 185-187  
*Sesamia grisescens* 206  
*Sesamia inferens* 3, 83, 100, 192, 206  
     chemical control of 185-189  
*Sesamia nonagrioides* 101  
*Sesamia nonagrioides botanephaga* 217-218  
*Sesamia penniseti* 3  
     population dynamics 27, 29, 31-32  
*Sesamia poephaga* 3, 206  
 sesquiterpene hydrocarbons  
     biosynthesis of 255-261  
*Setaria verticillata* 292  
 sevin 223-225  
 sex-pheromones 222  
     *Anthonomus grandis* 255  
     stem-borer control 191-197  
*Simulium damnosum* 299  
*Simulium vittatum* 377  
 social problems  
     pest management 179-184  
 sodium benzoate 285  
*Sogatella furcifera* 127  
*Solanum tuberosum* 337  
*Solenopsis geminata* 311  
 sorghum  
     resistance to *Chilo partellus* 119-126  
     stem-borers 3-10, 127-134  
     stem-borer catches on 20-21  
     stem-borer effect on yield 33-37  
     stem- and pod-borer complex 39-46, 47-57  
*Sorghum arundinaceum* 334  
     stem-borer on 7  
*Sorghum bicolor* 3, 387  
 sorghum shootfly  
     development and survival 327-335  
*Sorghum vulgare* 168, 405  
*Sperchia intractana* 360  
*Sphenarches caffer* 402  
*Spilosoma vestale* 360  
*Spodoptera* spp. 100, 207  
*Spodoptera exempta* 101  
     antifeedant activity on 393-394  
     epizootiological observations 291-298  
*Spodoptera exigua* 168  
*Spodoptera frugiperda* 99, 128  
*Spodoptera littoralis* 193  
*Spodoptera litura* 359  
*Sporobolus marginatus*  
     stem-borers on 6-7, 9  
*Sporobolus pyramidalis* 292  
 spotted bollworm  
     genotypic susceptibility 363-372  
     oviposition behaviour 383-386  
 stalk-borer

- host plant resistance 407-413  
on maize 11-18  
on sorghum millet and maize intercrop 387-391  
stem-borer 135  
assessment 100  
chemoreception 159-165  
control by sex-pheromone 191-197  
effect on yield 33-37  
genetics of host plant resistance to 127-134  
intercropping infestations 47-57  
intercropping yield losses 39-46  
larvae taste cell responses to plant substances 153-157  
population complex 25-37  
population monitoring 19-23  
resistance of maize to 105-110, 173  
resistance of sorghum to 119-126  
on rice 65-73, 135-140  
on sorghum 3-10  
*Stenobracon* spp. 218  
*Stenocoris* spp. 65  
sternal gland  
termite 309-310, 312-316  
*Stomoxys calcitrans* 285, 289  
*Strepsicrates macropenata* 360  
*Streptococcus faecalis* 213-214  
striped bean weevil  
on cowpea 351-356  
*Sturmiospis inferens* 207  
*Sturmiospis parasitica* 207  
*Sturnus vulgaris* 297  
sugar  
content in cowpea cultivars 150-152  
sugar-cane  
stem-borer complex 7, 9, 25-32  
sumicidin  
on maize stalk-borers 17  
supona 223-225  
swallowtail butterfly 255-261  
*Synathedon tipuliformis* 360  
*Syringopais temperatella* 100  
  
Tanganyika  
maize stalk-borers 17  
tanglefoot method of tsetse trapping 306  
taste cell  
responses to plant substances 153-157  
*Tatera robusta* 237-240  
  
*Teclea boiviniana* 395  
*Teclea natalensis* 394  
*Teclea trichocarpa*  
antifeedant 393-395  
*Telenomus* sp. 208  
*Telenomus alecto* 206  
temperature  
effect on *Atherigona soccata*  
development and survival 327-335  
effect on maize stalk-borers 17  
effect on stem-borer catches 19-20  
termite  
trail pheromone and trail laying 309-318  
tetrachlorvinphos 188  
*Tetrastrichus* sp. 324  
*Thelohemia* spp. 87, 374  
*Themeda triandra* 292  
thiodan  
on *Hypothenemus hampei* 223-225  
on maize stalk-borers 12-14, 17  
*see also* endosulfan  
thiophenes  
on mosquito and fruitfly 377-381  
time  
effect on stem-borer catches 20-21  
tiovel 223-225  
*Tmetolophota atristriige* 360  
tolerance 110, 126, 132  
*Tortrix' flavescentis* 360  
trail laying  
termite 309-318  
trail longevity  
termite 309-318  
trail pheromone  
termite 309-318  
trails, natural  
termite 309-318  
traps  
stationary cattle baits 343  
*see also* light traps, pheromone traps  
*Tribolium castaneum* 416  
*Tribolium confusum*  
susceptibility to insect growth regulator 415-416  
*Trichispa* spp. 65  
trichlorphon 188  
*Trichogramma* sp. 169  
*Trichogramma australicum* 207  
*Trichogramma chilotraeae* 207  
  
*Trichogrammia fasciatum* 207  
*Trichogramma flandersi* 207  
*Trichogramma semifumatum* 207  
trichomes 337-340  
*Trichoplusiani* 294, 359  
*Trinervitermes bettonianus* 309, 314, 316-317  
*Trinervitermes trinervoides* 309, 316-317  
tropics  
social problems in pest management 179-184  
*Tryporyza incertulas* 185, 187  
*Tryporyza innotata* 187  
tsetse  
cell responses to plant substances 153-157  
host location 343-344  
male accessory reproductive glands and spermatophore 227-236  
mating behaviour 345-349  
*see also* *Glossina* spp.  
  
Uganda  
maize stalk-borers 11  
United States of America 180-181  
*Uresiphita polygonalis maorialis* 359  
  
*Varanus* spp. 237-239  
vertical resistance 130-133, 145  
*Vigna unguiculata* 75, 147, 211, 351  
viruses 211, 213-214  
visceral leishmaniasis 253  
  
'whitehead' condition 187  
in rice 65-73  
in sorghum 3-4  
winds  
effect on stem-borer catches 19  
*Wiseana cervinata* 360  
  
yield loss 125  
  
*Zatropis tortricidis* 208  
*Zea mays* 394  
zectran 224  
Zimbabwe  
cereal stem-borers and legume pod-borers 221-222  
*Zootermopsis nevadensis* 309, 316-317