

The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

WITH THE ASSISTANCE OF
V. E. NEGUS AND F. W. WATKYN-THOMAS

Contents

ABNORMAL HÆMORRHAGE AFTER THE TONSIL AND ADENOID OPERATION	J. A. KEEN
THE EAR IN CONGENITAL SYPHILIS: SOME CLINICAL OBSERVATIONS	N. ASHERSON
CLINICAL RECORDS—	
TWO UNUSUAL CASES OF SUPPURATIVE LABYRINTHITIS	F. W. WATKYN-THOMAS
A CASE OF SPONTANEOUS HÆMORRHAGE INTO THE FOSSA OF AN INFLAMED TONSIL	J. B. HORGAN
SOCIETIES' PROCEEDINGS:—	
AMERICAN LARYNGOLOGICAL SOCIETY	
VIENNA LARYNGO-RHINOLOGICAL SOCIETY	
ABSTRACTS:—	
THE EAR	THE NOSE AND ACCESSORY SINUSES
THE LARYNX AND TRACHEA	THE TONSIL AND PHARYNX
THE ŒSOPHAGUS	MISCELLANEOUS
RECENT PAPERS ON RADIOGRAPHY	
REVIEW OF BOOK	
GENERAL NOTES	

Edinburgh: Oliver and Boyd
London: 33 Paternoster Row

Monthly, 4/- net

Annual Subscription, 40/- net

PERCAINE "CIBA"

Trade Mark Registered

The New Local Anæsthetic for Regional Infiltration, Surface and Spinal Anæsthesia

Acts in extreme dilution (0.5—2 : 1000).
 Produces anæsthesia of unattained intensity and duration.
 Not a narcotic. Economical in use.
 Belongs chemically to a class entirely different from cocaine and its derivatives.

Vide *British Medical Journal*, March 15, 1930, pp. 488-9 and 495-6, and April 5, 1930, pp. 669-70. *The Lancet*, March 15, 1930, pp. 573-4 and 587. *British Journal of Anæsthesia*, April and July 1930. *Proceedings of the Royal Society of Medicine*, May 1930, pp. 919-28. *British Journal of Urology*, June 1930, pp. 129, 130 and 179.

Packages available:

<p>Percaine Crystals 1 grm. and 5 grm.</p> <p>Percaine Tablets (for the preparation of solutions). Tubes of 20 × 0.05 grm. Tubes of 10 × 0.1 grm.</p>	<p>Percaine Ampoules</p> <p>Boxes of 5 × 5 c.c. Solution 1 : 1000 (with Adrenalin). Boxes of 10 × 2.3 c.c. Solution 1 : 1000 (with Adrenalin). Boxes of 10 × 2.3 c.c. Solution 2 : 1000 (with Adrenalin). Boxes of 12 × 20 c.c. Solution 1 : 1500, for Spinal Anæsthesia</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

THE CLAYTON ANILINE Co. Ltd., 40 Southwark Street, LONDON. S.E.1
 Telephones: Hop 6954, 6955. Pharmaceutical Department. Telegrams: Cibadyes Boroh London.

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

WALTER HOWARTH

ASSISTED BY


V. E. NEGUS AND F. W. WATKYN-THOMAS

1. Original Articles are accepted on the condition that they have not been published elsewhere.
2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.
3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.
4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.
5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
6. Editorial Communications should be addressed to "EDITOR, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."
7. The Annual Subscription is Forty Shillings, post free, and is payable in advance.
8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings each.
9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings each.

UNITED STATES OF AMERICA

Orders for this Journal, for single parts or yearly subscriptions, can be sent either through a local bookseller, or to Messrs G. E. STRECHT & Co., 31-33 East 10th Street, New York.

a



CHEVALIER JACKSON'S INSTRUMENTS FOR OESOPHAGOSCOPY, LARYNGOSCOPY, AND BRONCHOSCOPY

New Models as made for Walter G. Howarth, F.R.C.S.

Each Instrument is made in accordance with the details of Chevalier Jackson's most recent models, and each is supplied with a *spare light carrier*, i.e., 2 light carriers and 2 lamps. All the models have been redesigned with a view to rendering them more easily cleansed; all the crevices and corners for the dirt have been taken away.

To ensure better visibility the tips of the forceps are *black*.

The Howarth-Jackson's Instruments are **less expensive than other American or English models**, and a further economy has been effected by rendering the instrument tips interchangeable, thus reducing the number of forceps handles and tips required.

The lamps are 2.5 volt and more durable than the usual models.

Manufactured only by

DOWN BROS., L^{TD.}

SURGICAL INSTRUMENT MAKERS

21 and 23 ST THOMAS'S STREET

LONDON, S.E. 1

(Opposite Guy's Hospital)



Telegrams—"DOWN, LONDON."

Telephone—HOP 4400 (4 lines).

DEAFNESS!

The Choice of Medical Men

for their own deafness or to recommend to patients is the "Ardente" method, because it is so entirely different, uncopyable, and carries a written lifelong guarantee and service by its originator—Mr R. H. Dent—not any mere selling agent or company.

It is the most complete method—the commonsense way and the only individual method. Made in a wide range of types—one is suited to the individual needs of the patient, and only when tested and found suitable is the right type completed and supplied. Interest is taken and adjustments made in accordance with any changed condition of hearing of the user.

"Ardente" is the Choice of

Prof. SIR AMBROSE FLEMING, Kt., M.A., B.Sc., F.R.S., and many leading medical men—professional etiquette makes it necessary for us to withhold their names. "ARDENTE" is shown and appreciated at every B.M.A. meeting, and every improvement is made in direct collaboration after test and consultation with eminent medical men and scientists. No distinguished name used is that of a staff-member—all are of deaf people themselves lending their names and experience for the benefit of fellow-sufferers without personal gain or profit.

All are men of knowledge and world-wide experience, able to judge and have the BEST.

"Ardente" is the choice of every important medical journal and "TRUTH," and for use at Hospitals and supplied through charities, Government Departments (also used by government officials). Behind "ARDENTE" is a personality—his interest is yours, his success built by the recommendation of his users who chose "Ardente" on its merits—

"Ardente" can be tested Free at any of our Service Bureaux—the most complete in the whole deaf world—or at Doctors' surgeries or patients' homes any day, any time—week-ends and evenings if preferred. Please send for particulars—we will be happy to arrange a free demonstration to you if Deaf yourself or interested on behalf of patients.

"ARDENTE" STETHOSCOPE

Mr R. H. Dent makes a Stethoscope specially for members of the medical profession suffering from deafness. Many are in use, and excellent results are reported on the latest, as evidenced by the interest shown at the last B.M.A. Meeting.

Mr Dent is the inventor of "Ardente."

Mr Dent is the pioneer of individual ear-fitting.

Mr Dent is the originator of the "Free Home Test."



309 OXFORD STREET, LONDON, W.1

(between Oxford Circus and Bond Street Tube Station)

'PHONE MAYFAIR 1380/1718

9 Duke Street, CARDIFF
64 Park Street, BRISTOL
271 High Street, EXETER
118 New Street, BIRMINGHAM
37 Jameson Street, HULL

27 King Street, MANCHESTER
23 Blackett Street, NEWCASTLE
206 Sauchiehall Street, GLASGOW
111 Princes Street, EDINBURGH
97 Grafton Street, DUBLIN

ACUTE LYMPHADENITIS

ACUTE lymphadenitis in children is a frequent, and sometimes dangerous, condition, which, however, can often be satisfactorily treated with the avoidance of operative measures. ■ In addition to passive hyperaemia and iodine, the continuous application of moist heat, without the occurrence of alternating periods of heat and cold, is an essential measure. ■ Antiphlogistine offers one of the best methods for applying continuous moist heat. Spread in a hot, thick layer over the affected area, this treatment will often result in reduction of the lymphadenitis in a short period of time.

*Write for
sample and
literature*

THE DENVER CHEMICAL MANUFACTURING CO.

(Inc. U.S.A. Liability Ltd.)

LONDON, E. 3



R_x
ANTIPHLOGISTINE

Second Edition (Reprint). Fully Revised and Enlarged.
Demy 8vo, 464 pp. 234 Text Illustrations and 12 Plates (of which 8 are in colour). 20s. net, Postage 9d.

**DISEASES OF THE
 NOSE, THROAT, AND EAR**

For Practitioners and Students
 Edited by **A. LOGAN TURNER, M.D., LL.D., F.R.C.S.E.**
Consulting Surgeon, Ear and Throat Department, Royal Infirmary, Edinburgh

With the collaboration of
J. S. FRASER, M.B., F.R.C.S.E. **J. D. LITHGOW, M.B., F.R.C.S.E.**
W. T. GARDINER, M.C., M.B., F.R.C.S.E. **G. EWART MARTIN, M.B., F.R.C.S.E.**
 and **DOUGLAS GUTHRIE, M.D., F.R.C.S.E.**

"May confidently be recommended for the use of students and practitioners."—LANCET.
"Will prove of the greatest value."—JOURNAL OF LARYNGOLOGY AND OTOTOLOGY.

Bristol: John Wright & Sons Ltd. Illustrated Catalogue free London: Simpkin Marshall Ltd.

INSTRUMENTS AND EQUIPMENT FOR
Examination of Ear, Nose and Throat, Operation
on Tonsils, Adenoids, Mastoid, Nasal Septum


As supplied to and used in
 EAR, NOSE AND THROAT DEPARTMENT, ROYAL INFIRMARY, EDINBURGH
 THE EDINBURGH EYE, EAR AND THROAT INFIRMARY, ETC., ETC.

ALSO THE CHEVALIER JACKSON INSTRUMENTS

ARCHD. YOUNG & SON LTD., 57-61 FORREST RD., EDINBURGH
 Surgical Instrument Makers to Royal Infirmary, Edinburgh
 'Phone: 20669. Telegrams: "Bandage, Edinburgh," A.B.C. Code, 5th Ed.

DeVILBISS SPRAY No. 15

FULLY
 GUARANTEED



FOR ALL
 PURPOSES

For Spraying the Nose and Throat with Oils and Aqueous Solutions

Important

The adjustable tip permits spraying in any direction, and is especially important when the bronchial tubes or the post-nasal cavities are to be treated.

When prescribing, please specify

"DeVilbiss Spray No. 15"
(of all Chemists and Surgical Instrument makers)

Complete illustrated Catalogue from the Sole Distributors in the United Kingdom
THE AEROGRAPH CO., LTD., 43 Holborn Viaduct, London, E.C1.

CONTENTS

	PAGE
ABNORMAL HÆMORRHAGE AFTER THE TONSIL AND ADENOID OPERATION. J. A. Keen, Leicester	297
THE EAR IN CONGENITAL SYPHILIS: SOME CLINICAL OBSERVATIONS. N. Asherson, London	326
CLINICAL RECORDS—	
Two Unusual Cases of Suppurative Labyrinthitis. F. W. Watkyn-Thomas, London	332
A Case of Spontaneous Hæmorrhage into the Fossa of an Inflamed Tonsil. J. B. Horgan, Cork	335
SOCIETIES' PROCEEDINGS—	
American Laryngological Association	337
Vienna Laryngo-Rhinological Society	348
ABSTRACTS—	
The Ear	352
The Nose and Accessory Sinuses	355
The Larynx and Trachea	361
The Tonsil and Pharynx	362
The Œsophagus	363
Miscellaneous	364
Recent Papers on Radiography	364
REVIEW OF BOOK	367
GENERAL NOTES	368