Two new books for all nutrition and animal production experts and feedstuff manufacturers

Recent Developments in Ruminant Nutrition

W Haresign and D A Cole

Since feed is a major cost of production, much of the effort to improve livestock production is directed towards nutrition. This book is an important compilation of papers presented at recent University of Nottingham Nutrition Conferences for Feed Manufacturers, which discusses the developments in many important facets of ruminant nutrition and feeding. Will be essential to advisers, research workers, academics and students.

1981 384 pages £7.95 paperback

Recent Advances in Animal Nutrition 1981

Studies in the Agricultural and Food Sciences Series

W Haresign

Continuing improvement in the economic efficiency of livestock production demands continuing research into the nutritional requirements of farm animals and the assessment and development of feedstuffs and feeding methods to meet these requirements. This book discusses recent progress in the nutrition of farm livestock and will be of interest to research workers in animal nutrition and production and commercial feed manufacturers.

1981 192 pages £17.00 hardback

Order today from your Bookseller A complete listing of all Agriculture and Food Science titles is available on request to

Butterwort	hs,			
Borough Green,	Sevenoaks,	Kent	TN15	8PH

Animal Production

Journal of the British Society of Animal Production

Edited by

J. A. F. ROOK

P. J. AVERY

R. C. CAMPLING

C. J. M. HINKS

T. L. J. LAWRENCE

A. M. RAVEN

J. H. B. ROY

A. J. F. WEBSTER

Volume 33 1981



copyright © 1981 british society of animal production printed in great britain by Bell & Bain Limited, Glasgow

CONTENTS OF VOLUME 33

(LISTED ALPHABETICALLY BY AUTHOR)

	PAGE
Aboagye, G., see Ngere, L. O.	
AHERNE, F. X., see PRICE, M. A.	
Armstrong, R. H., see Whitelaw, A.	
Arnot, D. P., see Dickson, I. A.	
Aston, K., see Thomas, C.	
AVALOS, E. and HILL, W. G. An experimental check on an index combining individual and family measurements	1
BALOGUN, O. O. and Fetuga, B. L. A. Methionine requirements of weanling European pigs given cassava flour/soya bean meal diets	305
BAR-ANAN, R. and GENIZI, A. The effects of lactation, pregnancy and calendar month on milk records	281
BARBER, R. S., BRAUDE, R. and MITCHELL, K. G. Copper supplementation of isonitrogenous diets for growing pigs containing white-fish meal or soya bean meal as the protein supplement.	81
Bass, Jean M., Fishwick, G. and Parkins, J. J. The effect of the method of presentation of a concentrated solution containing urea, minerals, trace elements and vitamins on the voluntary	
intake of oat straw by beef cattle	15
Black, J. L., see Colebrook, W.F.	
BLACKSHAW, JUDITH K. Some behavioural deviations in weaned domestic pigs: persistent inguinal nose thrusting, and tail and ear biting	325
BOON, C. R. The effect of departures from lower critical temperature on the group postural	
behaviour of pigs	71
Braude, R., see Barber, R. S.	
BRIGSTOCKE, T. D. A., CUTHBERT, N. H., THICKETT, W. S., LINDEMAN, M. A. and WILSON, P. N. A comparison of a dairy cow compound feed with and without cassava given with grass silage BRIGSTOCKE, T. D. A., see also THICKETT, W. S.	19
Buck, N. G., see Makobo, A. D.	
Butler, L. G. Effect of sex and birth status on the wool follicle population in unselected Corriedale sheep	67
BUTLER-HOGG, B. W., PRESCOTT, J. H. D. and LOWMAN, B. G. A note on the effect of early weaning	
on performance and carcass characteristics in Angus cross and Charolais cross steers. Castle, M. E., see Laird, R.	211
Chadwick, J. P., see Kempster, A. J.	
CLAYTON, G. A., POWELL, J. C. and HILEY, P. G. Inheritance of teat number and teat inversion in	
pigs	299
COLE, D. J. A., see TAYLOR, A. J.	
COLEBROOK, W. F. and BLACK, J. L. Influence of dietary lysine content on energy utilization in	252
pre-ruminant lambs	253
Congleton, W. R., Jr. A note on the relationship between litter size at birth and litter weight at	210
weaning in domesticated and feral mice	219
COWAN, R. T., ROBINSON, J. J., MCHATTIE, I. and PENNIE, K. Effects of protein concentration in the diet on milk yield, change in body composition and the efficiency of utilization of body tissue for milk production in ewes	111
milk production in ewes	111
CRUICKSHANK, D. K. R., see THORPE, W.	
CSERMELY, D., see Wood-Gush, D. G. M.	
Curran, M. K., see Roberts, D. J.	
Cuthbert, N. H., see Brigstocke, T. D. A., also Thickett, W. S.	

iv CONTENTS

	PAGE
CUTHBERTSON, A., see Kempster, A. J.	
Daley, S. R., see Thomas, C.	
Dekker, R. A., see Metz, S. H. M.	
DICKSON, I. A., FRAME, J. and ARNOT, D. P. Mixed grazing of cattle and sheep versus cattle only in	
an intensive grassland system	265
DONEY, J. M., GUNN, R. G., PEART, J. N. and SMITH, W. F. Effect of body condition and pasture	
type on herbage intake, performance during lactation and subsequent ovulation rate in Scottish	
Blackface ewes	241
DONEY, J. M., PEART, J. N. and SMITH, W. F. The effect of interaction of ewe and lamb genotype on	
milk production of ewes and on growth of lambs to weaning	137
Doney, J. M., see also Louda, F.	
DUCKER, M. J., KENDALL, P. T., HEMINGWAY, R. G. and McClelland, T. H. An evaluation of	
feedblocks as a means of providing supplementary nutrients to ewes grazing upland/hill pastures	51
ELLIOT, J. I., see PRICE, M. A.	
Evans, C. C., see Whitelaw, A.	
EVANS, D. G., see Kempster, A. J.	
FAWCETT, A. R., see Whitelaw, A.	
FETUGA, B. L. A., see BALOGUN, O. O.	
FISHWICK, G., see Bass, Jean A.	
Frame, J., see Dickson, I. A.	
GENIZI, A., see BAR-ANAN, R.	
GIBB, M. J., TREACHER, T. T. and SHANMUGALINGAM, V. S. Herbage intake and performance of	
grazing ewes and of their lambs when weaned at 6, 8, 10 or 14 weeks of age	223
GIBB, M. J., see also Shanmugalingam, V. S.	
GIBBONS, DIANA N., see LITTLE, W.	
Gunn, R. G., see Doney, J. M.	
HEMINGWAY, R. G., see DUCKER, M. J.	
HILEY, P. G., see CLAYTON, G. A.	
HILL, W. G., see Avalos, E.	
HORRELL, I. and BENNETT, Josie. Disruption of teat preferences and retardation of growth following	00
cross-fostering of 1-week-old pigs	99
Hughes, P. M., see Thomas, C.	
JEDLIČKA, J., MOJTO, J., VANČIŠIN, J., KMEŤOVÁ, E. and PÁLENÍK, Š. Response of Slovak Spotted	105
cattle to stresses evoked by physical stimuli and the administration of pharmaceutical agents	195
JOHNSON, E. R. Carcass composition of double-muscled cattle	31
Jones, D. W., see Kempster, A. J.	
KEMPSTER, A. J., CHADWICK, J. P., JONES, D. W. and CUTHBERTSON, A. An evaluation of the	
Hennessy and Chong Fat Depth Indicator, and the Ulster Probe, for use in pig carcasss	210
classification and grading	319
KEMPSTER, A. J., CROSTON, D. and JONES, D. W. Value of conformation as an indicator of sheep	39
carcass composition within and between breeds	39
KEMPSTER, A. J. and EVANS, D. G. The value of shape as a predictor of carcass composition in pigs	313
from different breeding companies	313
KENDALL, P. T., see DUCKER, M. J.	
Kmeťová, see Jedlička, J.	
KŘÍŽEK, J., see LOUDA, F.	
LAIRD, R., LEAVER, J. D., Moisey, F. R. and Castle, M. E. The effects of concentrate supplements	199
on the performance of dairy cows offered grass silage ad libitum	177
Leaver, J. D., see Laird, R. Lethola, L. L., see Makobo, A. D.	
Lewis, D., see Taylor, A. J.	
LIGHT, D. E., see MAKOBO, A. D.	
LIGHT, D. D., SEE WANDO, A. D.	

CONTENTS

	AGE
LINDEMAN, M. A., see BRIGSTOCKE, T. D. A., also THICKETT, W. S.	
LITTLE, W., MALLINSON, C. B., GIBBONS, DIANA, N. and ROWLANDS, G. J. Effects of plane of	
nutrition and season of birth on the age and body weight at puberty of British Friesian heifers	273
Lodge, G. A., see Price, M. A.	
LOUDA, F., DONEY, J. M., ŠTOLC, L., KŘÍŽEK, J. and ŠMERHA, J. The development of sexual activity and semen production in ram lambs of two prolific breeds: Romanov and Finnish	
Landrace	143
LOWMAN, B. G., see BUTLER-HOGG, B. W.	
McClelland, T. H., see Ducker, M. J.	
McHattie, I., see Cowan, R. T.	
MAKOBO, A. D., BUCK, N. G., LIGHT, D. E. and LETHOLA, L. L. A note on the growth of Beefalo	
crossbred calves in Botswana	215
MALLINSON, C. B., see LITTLE, W.	
METZ, S. H. M. and DEKKER, R. A. The contribution of fat mobilization to the regulation of fat	
deposition in growing Large White and Piétrain pigs	149
MITCHELL, K. G., see BARBER, R. S.	
Moisey, F. R., see Laird, R.	
Mojto, J., see Jedlička, J.	222
NEWPORT, M. J. A note on the effect of low levels of biotin in milk substitutes for neonatal pigs	333
NEWTON, J. E. and ORR, R. J. The intake of silage and grazed herbage by Masham ewes with single	
or twin lambs and its repeatability during pregnancy, lactation and after weaning	121
NGERE, L. O. and ABOAGYE, G. Reproductive performance of the West African Dwarf and the	240
Nungua Black Head sheep of Ghana	249
ORR, R. J., see Newton, J. E.	
Owen, E., see Salman, A. D.	
PÁLENÍK, Š., see JEDLIČKA, J.	
PARKINS, J. J., see BASS, JEAN M.	
PEART, J. N., see DONEY, J. M.	
Pennie, K., see Cowan, R. T. Powell, J. C., see Clayton, G. A.	
PRESCOTT, J. H. D., see Butler-Hogg, B. W.	
PRICE, M. A., AHERNE, F. X., ELLIOT, J. I. and Lodge, G. A. The effect of age at puberty on growth	
and carcass quality at market weight in the gilt	159
PRIESTLEY, G. C. and RYDER, M. L. Autoradiographic studies of wool growth rate in Wensleydale	137
crossbred lambs: absence of a marked circadian rhythm	259
ROBERTS, D. J. and Curran, M. K. A comparison of 'on-farm' and station testing in pigs .	291
ROBINSON, J. J., see Cowan, R. T.	2)1
Rowlands, G. J., see Little, W.	
Russel, A. J. F., see Whitelaw, A.	
Ryder, M. L., see Priestley, G. C.	
SALMAN, A. D. and Owen, E. A note on the effect of autumn shearing on performance of fattening	
	337
lambs	
	59
lambs of 10 breeds	
repeated measurements of live weight from an experiment involving sequential weaning	
treatments	233
Shanmugalingam, V. S., see also Gibb, M. J.	-
SLEE, J., see Samson, Deborah, E.	
Šmerha, J., see Louda, F.	
SMITH, W. F., see DONEY, J. M.	
ŠTOLC, L., see LOUDA, F.	

vi CONTENTS

	PAGE
TAYLOR, A. J., COLE, D. J. A. and LEWIS, D. Amino acid requirements of growing pigs. 2.	
Identification of the limiting amino acid(s) in a low-protein diet supplemented with lysine.	87
TAYLOR, ST C. S., TURNER, H. G. and YOUNG, G. B. Genetic control of equilibrium maintenance	
efficiency in cattle	179
THICKETT, W. S., CUTHBERT, N. H., BRIGSTOCKE, T. D. A., LINDEMAN, M. A. and WILSON, P. N. The	
management of calves on an early-weaning system: the relationship of voluntary water intake to	
dry feed intake and live-weight gain to 5 weeks	25
THICKETT, W. S., see also Brigstocke, T. D. A.	
THOMAS, C., DALEY, S. R., ASTON, K. and HUGHES, P. M. Milk production from silage. 2. The	
influence of the digestibility of silage made from the primary growth of perennial ryegrass.	7
THOMPSON, R., see THORPE, W.	
THORPE, W., CRUICKSHANK, D. K. R. and THOMPSON, R. Genetic and environmental influences on	
beef cattle production in Zambia. 4. Weaner production from purebred and reciprocally	1.00
crossbred dams	165
TREACHER, T. T., see GIBB, M. J., also Shanmugalingam, V. S.	
TURNER, H. G., see TAYLOR, ST C. S.	
Vančišin, J., see Jedlička, J.	
WHITE, I. R., see WHITELAW, A.	
WHITELAW, A., RUSSEL, A. J. F., ARMSTRONG, R. H., EVANS, C. C., FAWCETT, A. R. and	
WHITE, I. R. Copper deficiency: a study of prophylaxis and the interaction with cobalt	
therapy in lambs on improved hill pastures	129
WILSON, P. N., see Brigstocke, T. D. A., also Thickett, W. S.	
WOOD-GUSH, D. G. M. and CSERMELY, D. A note on the diurnal activity of early-weaned piglets in	
flat-deck cages at 3 and 6 weeks of age	107
Young, G. B., see Taylor, St C. S.	

APOLOGY

Volume 33, No. 3 December 1981

Due to industrial action at the printer, the publishers regret the late receipt of the December 1981 issue of Animal Production.

Illustrations. The same material should not normally be presented in tables and figures. Legends should be typed on a separate sheet.

- (a) Diagrams should be drawn in Indian ink, about twice the size of the finished block, on Bristol board, stout tracing paper or plastic film. Photographed diagrams are also accepted. Lettering inside the framework of the diagram should be avoided as far as possible but if unavoidable it should be included on a fly-leaf. Marginal lettering should be inserted lightly in pencil on the original diagram or on a fly-leaf.
- (b) Photographs intended for half-tone reproduction should be on glossy paper. They will be accepted only if found necessary by the Editors.
- (c) Colour plates are unlikely to be accepted unless authors bear the cost.

Tables should be as simple and as few as possible. Each table should be typed on a separate sheet.

Abstract. Every article should have a short abstract (not more than 250 words) complete in itself and understandable without reference to the paper. The abstract will be printed at the beginning of the paper.

References. Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. The arrangement of references should be as in recent papers in *Animal Production*; details are given in the notes for guidance.

Proofs are supplied once and must be returned corrected to the Editors within 3 days. Only essential corrections should be made.

Reprints. Twenty-five reprints of each paper will be supplied free to authors on request. Further copies may be purchased if the order is sent at the proof-stage.

Animal Production is published six times a year in two volumes. Annual subscription is £41.00 (or \$106.00 in the USA and Canada) and the price for a single part is £7.00 (or \$18.00) net.

Proceedings of the British Society of Animal Production (New Series) ceased publication in 1975 and the material is now published as a separate section in the June issue of Animal Production.

Business matters, including regular subscriptions and sales (current and back numbers of the Journal and the Proceedings), should be addressed to: Longman Group Limited, Subscriptions (Journals) Department, Fourth Avenue, Harlow, Essex, England CM19 5AA.

Senior Editor

J. A. F. Rook, Agricultural Research Council

Editors

P. J. Avery, University of Reading

R. C. Campling, Wye College, University of London

C. J. M. Hinks, Animal Breeding Research Organisation

T. L. J. Lawrence, University of Liverpool

A. M. Raven, West of Scotland Agricultural College

J. H. B. Roy, National Institute for Research in Dairying

A. J. F. Webster, University of Bristol

Technical Editors

Jill M. Read

P. D. Wilson

GIBB, M. J., TREACHER, T. T. and SHANMUGALINGAM, V. S. Herbage intake and	
performance of grazing ewes and of their lambs when weaned at 6, 8, 10 or 14 weeks	
of age.	223
SHANMUGALINGAM, V. S., GIBB, M. J. and TREACHER, T. T. Use of an improved technique	
to analyse repeated measurements of live weight from an experiment involving	
sequential weaning treatments	233
DONEY, J. M., GUNN, R. G., PEART, J. N. and SMITH, W. F. Effect of body condition and	233
pasture type on herbage intake, performance during lactation and subsequent	
ovulation rate in Scottish Blackface ewes	241
NGERE, L. O. and ABOAGYE, G. Reproductive performance of the West African Dwarf and	241
	249
the Nungua Black Head sheep of Ghana	249
COLEBROOK, W. F. and BLACK, J. L. Influence of dietary lysine content on energy	252
utilization in pre-ruminant lambs	253
PRIESTLEY, G. C. and RYDER, M. L. Autoradiographic studies of wool growth rate in	
Wensleydale crossbred lambs: absence of a marked circadian rhythm	259
DICKSON, I. A., FRAME, J. and ARNOT, D. P. Mixed grazing of cattle and sheep versus cattle	
only in an intensive grassland system	265
LITTLE, W., MALLINSON, C. B., GIBBONS, DIANA N. and ROWLANDS, G. J. Effects of plane	
of nutrition and season of birth on the age and body weight at puberty of British	
Friesian heifers	273
BAR-ANAN, R. and GENIZI, A. The effects of lactation, pregnancy and calendar month on	
milk records	281
ROBERTS, D. J. and CURRAN, M. K. A comparison of 'on-farm' and station testing in	
pigs	291
CLAYTON, G. A., POWELL, J. C. and HILEY, P. G. Inheritance of teat number and teat	
inversion in pigs	299
BALOGUN, O. O. and FETUGA, B. L. A. Methionine requirements of weanling European	
pigs given cassava flour/soya bean meal diets	305
KEMPSTER, A. J. and EVANS, D. G. The value of shape as a predictor of carcass composition	
in pigs from different breeding companies	313
KEMPSTER, A. J., CHADWICK, J. P., JONES, D. W. and CUTHBERTSON, A. An evaluation of	515
the Hennessy and Chong Fat Depth Indicator, and the Ulster Probe, for use in pig	
carcass classification and grading	319
BLACKSHAW, JUDITH K. Some behavioural deviations in weaned domestic pigs: persistent	319
	325
NEWPORT, M. J. A note on the effect of low levels of biotin in milk substitutes for neonatal	323
	222
	333
SALMAN, A. D. and OWEN, E. A note on the effect of autumn shearing on performance of	227
	337
ERRATUM facing page	338