

EUROPEAN PSYCHIATRY

VOL. 9/No 5

1994

ISSN 0767-399 X
SCNED II (1) 221-272
PSYPER (9) (5)

THE JOURNAL OF THE ASSOCIATION OF EUROPEAN PSYCHIATRISTS

ORIGINAL ARTICLES

- The assessment of agoraphobic attitudes**
C Faravelli, S Paterniti (Firenze, Italy) 223
- Dysmorphophobia: clinical features and outcome with behavior therapy**
JC Gomez-Perez, IM Marks, JL Gutierrez-Fisac (London, UK; Madrid, Spain) 229
- Personality dimensions and reactivity to 35% CO₂ in panic patients and healthy controls**
G Perna, C Arancio, A Bertani, A Gabriele, L Bellodi (Milan, Italy) 236
- Mental health of women with HIV infection: a study in Paris and London**
JDC Mellers, N Marchand-Gonod, M King, V Laupa, JR Smith (London, UK; Paris, France) 241
- Acute intermittent porphyria and disturbances in amino-acid metabolism in a psychiatric in-patient population**
JCC Rijn-van den Meijdenberg, D Fekkes, JHP Wilson, L Peppinkhuizen, WMA Verhoeven, HML Jansen, AB Ederveen (Ventay, Rotterdam, The Netherlands) 249
- Mnesitic disorders in long-term high-dose diazepam abuse: a pilot study**
HG Weels, R Steinberg, M Pritzel (Klingenstein, Landau, Germany) 254

RAPID COMMUNICATIONS

- Increase of panic during the second part of pregnancy**
C Verburg, E Griez, J Meijer (Maastricht, The Netherlands) 260
- Suicide rates before, during and after the world wars**
D Lester (New Jersey, USA) 262

EUROPEAN PSYCHIATRIC NEWS


- The new German specialist for psychiatry and psychotherapy and its consequences for advanced training programs**
F Hohagen, M Berger (Freiburg, Germany) 265

Cited/abstracted in: Biological Abstracts/Biosis, CNRS/Pascal, Excerpt



ELSEVIER

Sérotonine - Dopamine - Noradrénaline
de leur équilibre dépend l'harmonie



ANTIDEPRESSEUR ROCHE

1^{er} REGULATEUR TRIAMINERGIQUE

COMPOSITION : Moclobémide : 150 mg par comprimé pelliculé sécable. **PROPRIÉTÉS PHARMACOLOGIQUES*** : Antidépresseur agissant par inhibition préférentielle et réversible de la mono-amino-oxydase (MAO) de type A. **ELEMENTS DE PHARMACOCINETIQUE*** : Biodisponibilité moyenne de 60% après prise unique, supérieure à 80% après prise multiple. Volume apparent de distribution 1,2 l/kg. La liaison aux protéines est de 50%. **INDICATIONS THERAPEUTIQUES** : Traitement des états dépressifs de toute nature, y compris les dépressions endogènes. **CONTRE-INDICATIONS** : Absolues : - Hypersensibilité connue au moclobémide. - Grossesse. Chez l'animal : les études n'ont pas montré d'effet tératogène ou fœtotoxique. Dans l'espèce humaine : les études animales ne pouvant être extrapolées, et en l'absence de données cliniques, ce médicament ne doit pas être utilisé chez la femme enceinte. - Allaitement. Les données disponibles ont mon-

tré le passage du moclobémide dans le lait maternel (5% de la dose administrée). - Enfants de moins de 15 ans. Relatives : - Association avec les sympathomimétiques (cf. Interactions médicamenteuses). **PRECAUTIONS D'EMPLOI*** : En cas de traitement antérieur par un IMAO non sélectif. Chez les patients à tendance suicidaire. Chez des patients psychotiques. Chez les malades traités par les anti-hypertenseurs. Chez les patients porteurs d'un phéochromocytome. En cas d'anesthésie générale. En l'absence d'information, il est préférable de ne pas associer au lithium ni à la carbamazépine. En cas d'association avec un morphinique avec l'alcool ; chez les patients hypertendus. **EFFETS SUR LA CAPACITE DE CONDUIRE DES VEHICULES OU D'UTILISER DES MACHINES*** : Recommandation de prudence. **INTER-ACTIONS MEDICAMENTEUSES ET AUTRES INTERACTIONS*** : Association avec : - Les sympathomi-

métiques : prudente. - Les morphiniques : une diminution de la posologie du morphinique. - L'ibuprofène : éventuel ajustement de sa posologie. - La cimétidine : ajustement de sa posologie. - Les antidépresseurs tricycliques : un traitement par le moclobémide peut être débuté aussitôt après un traitement par un antidépresseur tricyclique et inversement. - Les neuroleptiques : leurs effets indésirables risquent d'être majorés. - Le lithium : association déconseillée. - La carbamazépine : préférable de ne pas associer. **EFFETS INDÉSIRABLES*** : Rarets effets observés de façon transitoire : troubles du sommeil, vertiges, nausées, céphalées. Dans de très rares cas : des états confusionnels qui ont disparu rapidement à l'arrêt du traitement. En cas d'associations avec les neuroleptiques : hypotension orthostatique, tachycardie. **POSOLOGIE ET MODE D'ADMINISTRATION*** : La fourchette posologique optimale se situe entre 300 et 600 mg/jour.

La posologie moyenne est de 450 mg/jour. La dose totale quotidienne doit être fractionnée en 2 ou 3 prises. Sujets âgés et insuffisants rénaux : ajustement de la posologie non nécessaire. Insuffisants hépatiques sévères : posologie diminuée d'un tiers ou de moitié. Les comprimés doivent être pris à la fin des repas. **SURDOSAGE*** : Traitement symptomatique effectué en milieu hospitalier. **DUREE DE STABILITE** : 3 ans **PRECAUTIONS PARTICULIERES DE CONSERVATION** : A conserver à température ambiante. **PRESENTATION** : 333 249-3 : 30 comprimés sous plaquettes thermoformées (PVC-Aluminium). 333 250-1 : 100 comprimés sous plaquettes thermoformées (PVC-Aluminium). Conditionnement réservé à l'usage hospitalier. Liste I - Prix : 60,20 F (30 comprimés) - Remb. Séc. Soc. à 65% - Collect. **TITULAIRE DE L'AMM** : Produits Roche 52, bd du Parc - 92521 NEUILLY SUR SEINE CEDEX - Tél. : (1) 46 40 50 00. * Pour une information plus complète, consulter le dictionnaire VIDAL.

Roche



EUROPEAN PSYCHIATRY

The journal of the Association of European Psychiatrists

Editors: C Ballus (Barcelona), JD Guelfi (Paris), H Heimann (Tübingen), R Murray (London)

Co-Editors: M Maj (Naples), CB Pull (Luxembourg), M Ackenheil (Munich), P Bech (Copenhagen)

Deputy editors: P Boyer, Y Lecrubier (Paris). *Secretariat:* Hôpital de la Salpêtrière, Pavillon Clérambault, 47, bd de l'Hôpital, 75651 Paris Cedex 13, France. Tel: (0033) 1 45 86 70 22. Fax: (0033) 1 44 23 92 49

Advisory board

J Adès, *Colombes, France*
HS Akiskal, *Rockville, USA*
NC Andreasen, *Iowa City, USA*
J Angst, *Zurich, Switzerland*
P Baumann, *Lausanne, Switzerland*
H Beckmann, *Würzburg, Germany*
P Berner, *Vienna, Austria*
A Bertelsen, *Risskov, Denmark*
J Birley, *London, UK*
JC Bissière, *Meudon, France*
D Bobon, *Glain-Liège, Belgium*
B Bondy, *Munich, Germany*
JP Boulenger, *Sherbrooke, Canada*
F Brambilla, *Milan, Italy*
I Brockington, *Birmingham, UK*
A Clare, *Dublin, Ireland*
F Clerget-Darpoux, *Paris, France*
V Conde Lopez, *Valladolid, Spain*
S Consoli, *Paris, France*
J Cottraux, *Lyons, France*
M von Cranach, *Kaufbeuren, Germany*
A Dahl, *Oslo, Norway*
JM Danion, *Strasbourg, France*
JFW Deakin, *Manchester, UK*
M de Bonis, *Le Kremlin Bicêtre, France*
H Dufour, *Lausanne, Switzerland*
R Engel, *Munich, Germany*
L Farde, *Stockholm, Sweden*
A Féline, *Le Kremlin Bicêtre, France*
A Fernandes da Fonseca, *Porto, Portugal*
F Ferrero, *Geneva, Switzerland*
M Fichter, *Prien am Chiemsee, Germany*
H Freeman, *London, UK*

HJ Gaertner, *Tübingen, Germany*
J Gibert, *Cádiz, Spain*
D Goldberg, *Manchester, UK*
I Hand, *Hamburg, Germany*
WE Haefely, *Basel, Switzerland*
H Häfner, *Mannheim, Germany*
T Helgason, *Reykjavik, Iceland*
H Hippus, *Munich, Germany*
A Jablenski, *Sofia, Bulgaria*
E Johnston, *Edinburgh, UK*
M Kastrup, *Hvidovre, Denmark*
D Kemali, *Naples, Italy*
R Kendell, *Edinburgh, UK*
D Klein, *New York, USA*
R Klein, *New York, USA*
S Langer, *Paris, France*
J Lellouch, *Villejuif, France*
T Lemperière, *Colombes, France*
J-P Lépine, *Paris, France*
OM Lesch, *Vienna, Austria*
SW Lewis, *London, UK*
H Lôo, *Paris, France*
JJ Lopez-Ibor, *Madrid, Spain*
P McGuffin, *Cardiff, UK*
W Maier, *Mainz, Germany*
A Mann, *London, UK*
K Mann, *Tübingen, Germany*
I Marks, *London, UK*
J Marlet, *Venray, The Netherlands*
J Massana Ronquillo, *Barcelona, Spain*
J Mendlewicz, *Brussels, Belgium*
HJ Möller, *Bonn, Germany*
D Naber, *Munich, Germany*

E O'Callaghan, *Dublin, Ireland*
Y Ono, *Tokyo, Japan*
M Patris, *Strasbourg, France*
J Pellet, *Saint-Etienne, France*
C Perris, *Umeå, Sweden*
P Pichot, *Paris, France*
H Pope, *Belmont, USA*
AJ Puech, *Paris, France*
G Racagni, *Milan, Italy*
N Retterstól, *Oslo, Norway*
M A Ron, *London, UK*
R Rosenberg, *Risskov, Denmark*
M Roth, *Cambridge, UK*
F Rouillon, *Colombes, France*
J Saiz-Ruiz, *Madrid, Spain*
A Sanchez-Blanc, *Zaragoza, Spain*
N Sartorius, *Geneva, Switzerland*
F Schulsinger, *Copenhagen, Denmark*
G Sedvall, *Stockholm, Sweden*
L Singer, *Strasbourg, France*
CN Stefanis, *Athens, Greece*
E Straube, *Tübingen, Germany*
E Strömberg, *Risskov, Denmark*
E Taylor, *London, UK*
P Taylor, *London, UK*
L Träskman-Bendz, *Lund, Sweden*
J Vallejo Ruibola, *Barcelona, Spain*
D Widlöcher, *Paris, France*
J Wilmette, *Marchienne du Pont, Belgium*
J Wing, *London, UK*
FT Zimmer, *Tübingen, Germany*
J Zohar, *Beer-Sheva, Israel*

Association of European Psychiatrists


President: P Bech (Copenhagen); *Past President:* C Ballus (Barcelona); *President Elect:* R Murray (London); *Secretary General:* C Pull (Luxembourg); *Treasurer:* M Patris (Strasbourg); *Counsellors:* D Kemali (Naples), J Angst (Zurich); *Section:* L Singer (Strasbourg).



EDITIONS SCIENTIFIQUES ELSEVIER

29, rue Buffon, F-75005 Paris

Tel: (1) 47 07 11 22 – Telecopier: (1) 45 87 14 93

 A member of the Reed Elsevier plc group

SUBSCRIPTIONS 1994 – Vol 9 in 6 issues

• France: 1380 FF • Students: 828 FF • EEC (organisms or firms; VAT registration number requested) and rest of the world: 1580 FF
EEC (individuals) FF 1613 – Air delivery included.

Address order and payment to: Editions Scientifiques Elsevier

Bank: CCP Paris, No 30041 00001 1904540H020/70.

– Subscriptions begin 4 weeks after receipt of payment and start with the first issue of the calendar year.

– Back issues and volumes are available from the publisher.

– Claims for missing issues should be made within six months of publication.

Consulting Translator: P Rousseau-Cunningham.

Advertising: Editions Scientifiques Elsevier (Anne Blanvillain).

© 1994 Editions Scientifiques Elsevier, Paris


All rights reserved. No part of this publication may be translated, reproduced, stored in a retrieval system or transmitted in any form or by any other means, electronic, mechanical, photocopying, recording or otherwise, without prior permission of the publisher.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter or products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of the rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made.

Saint-Paul France S.A., 55000 Bar-le-Duc
Dépôt légal: octobre 1994. N° 8-94-0991

Le directeur de la publication: Alain Devanlay
Commission paritaire: 68321
Périodicité bimestrielle

EUROPEAN PSYCHIATRY



THE JOURNAL OF THE ASSOCIATION OF EUROPEAN PSYCHIATRISTS

As from 1991, *European Psychiatry* has been the official journal of the Association of European Psychiatrists (AEP). Six times a year, papers are published in the fields of psychopathology, therapeutics, clinical and basic research. All papers are peer-reviewed by at least two eminent specialists.

Each issue includes:

- Original articles
- Short communications
- Editorials
- Review articles
- Letters to the Editor
- Conference calendar

Abstracted/Indexed in

Biological Abstracts,
CNRS/Pascal, Excerpta Medica,
Psychological Abstracts

Editors

C Ballus, *Barcelona*
JD Guelfi, *Paris*
H Heimann, *Tübingen*
R Murray, *London*

Deputy Editors

P Boyer, *Paris*
Y Lecrubier, *Paris*

Co-Editors

M Maj, *Naples*
CB Pull, *Luxembourg*
M Ackenheil, *Munich*
P Bech, *Copenhagen*

**FREE SAMPLE COPIES
AVAILABLE**

Subscription information

1994 - Vol 9 in 6 issues
ISSN 0924-9338
France: FF 1380
EU (for organisations or firms
with registration number) and
outside EU: FF 1580* (US \$ 287)
EU (for individuals): FF 1613
Air delivery included.
* The French franc price is definitive.

Submission of manuscripts

should be made to one of the editors indicated above. Addresses of the Editors and Instructions to Authors are available upon request at the secretariat of the Journal (European Psychiatry, Hôpital de la Salpêtrière, Pavillon Clérambault, 47, bd de l'Hôpital, 75651 Paris Cedex 13, France).

■ 5 receiving centres ■ 25 free reprints ■ No page or submission charges

A special rate is available to the Members of the Association of European Psychiatrists who should apply directly to the headquarters: Clinique psychiatrique, CHU, 1 place de l'Hôpital, 67091 Strasbourg Cedex, France.

ORDER FORM

Please send your order to the Paris address (or to your usual supplier):



EDITIONS SCIENTIFIQUES
ELSEVIER
29, rue Buffon, 75005 Paris, France

For further information and/or free sample copy, please write to either the French or USA address.

Elsevier Science Publishing Co, Inc
655 Avenue of Americas
New York, NY 10010, USA

A MEMBER OF THE REED ELSEVIER GROUP

Please enter my 1994 subscription to *European Psychiatry*.
France: FF 1380. EU (for organisations or firms, please indicate registration No _____) and
outside EU: FF 1580 (US \$ 287). EU (for individuals) FF 1613

Please send me a free sample copy

Please find my check enclosed

Please debit my credit card (VISA only)

No. _____ Expires _____ Signature: _____

Please send me an invoice

NAME _____

ADDRESS _____

CITY/STATE/POSTAL CODE _____

PM-APZ